



044757-00004-062499

Printed: 11:21:14 Thursday, 22 Jul, 1999 # 57 / 3759

Systems Integration Group, Inc.



ACCEPTED

JUN 24 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 44757-4

### PEST CONTROL INSULATION

Contains No Asbestos, Glass Fibers or Formaldehyde  
MADE FROM 100% NATURAL FIBER

#### LONG LASTING PROTECTION THAT IS EFFECTIVE UNDER NORMAL USAGE AND CONDITIONS FOR INSTALLED INSULATION:

- ODORLESS AND NON-CORROSIVE
- REDUCES AIR INFILTRATION
- EXCELLENT THERMAL INSULATOR
- PATENTED FLAME RETARDANT
- SUPERIOR SOUND BARRIER
- EASY TO INSTALL

#### FOR USE IN NEW CONSTRUCTION AND RETROFIT APPLICATION IN ATTICS, SIDEWALLS AND CRAWL SPACES:

- HOUSES
- APARTMENTS
- OFFICES
- HOTELS
- FOOD PROCESSING PLANTS
- AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.
- HOSPITALS
- RESTAURANTS
- SCHOOLS

#### ACTIVE INGREDIENTS:

Othoboric acid ..... 14.72%  
 INERT INGREDIENTS ..... 85.28%  
 TOTAL ..... 100.00%

EPA Reg. No. 44757-4 EPA Est. No. \_\_\_\_\_

KEEP OUT OF THE REACH OF CHILDREN

#### CAUTION

IN-CIDE® PEST CONTROL INSULATION is a ready to use insect control insulation. This product is toxic to listed insects and is intended to prevent their infestations in those building voids (wall, attic, under floor) where the product is applied. It works after insect contact with the product.

### KILLS

*Cockroaches, Ants, Drywood Termites, Subterranean Termites, Silverfish, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes and Booklice*

SAVINGS VARY; FIND OUT WHY IN THE SELLER'S FACT SHEET ON R-VALUES. TO GET THE MARKED R-VALUE, IT IS ESSENTIAL THAT THIS INSULATION BE INSTALLED PROPERLY. IF YOU DO IT YOURSELF, GET INSTRUCTIONS AND FOLLOW THEM CAREFULLY. INSTRUCTIONS DO NOT COME WITH THIS PACKAGE.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to apply this product in a manner inconsistent with its labeling.

FOR NEW CONSTRUCTION AND RETROFIT APPLICATIONS IN ATTICS, SIDEWALLS AND CRAWL SPACES: APPLY IN-CIDE® INTO STRUCTURAL VOIDS, COCKROACHES, ANTS, SILVERFISH, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES, CENTIPEDES AND BOOKLICE. This insulation is fused with material toxic to these insects and is intended to prevent their infestations in walls and attics where this product is applied. Control of insects is limited to contact with insulation.

DRYWOOD AND SUBTERRANEAN TERMITES: This insulation will protect wooden construction elements that are completely covered with insulation from drywood and subterranean termite infestations. This insulation is fused with material toxic to these insects and is intended to prevent new drywood and subterranean termite infestations in attics, sidewalls, and crawlspace cavities where the product is applied. Protection from drywood and subterranean termites is limited to wood in direct contact with the insulation.

#### CAUTION

TO HELP AVOID FIRE: Keep insulation at least three inches away from the sides of recessed light fixtures. Do not place insulation over such fixtures so as to entrap heat. Also keep insulation away from exhaust flues of furnaces, water heaters, space heaters, or other heat-producing devices. To be sure that insulation is kept away from light fixtures and flues, use a barrier to permanently maintain clearance around these items. Check with local building or fire officials for guidance on installation and barrier requirements.

REQUEST TO INSTALLER: Remove the label and give it to the consumer at completion of job.

#### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### CAUTION:

Harmful if swallowed. Avoid breathing dust. During installation, wear a protective respirator. To avoid eye and skin irritation, wear protective goggles and gloves. Wash thoroughly with soap and water after handling.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

#### COVERAGE CHART


THIS IS A NATURAL FIBER-BASE LOOSE FILL INSULATION

The manufacturer recommends the following coverage. "R" means resistance to heat flow. The higher the R-value, the greater the insulating power. Rated "R" value is \_\_\_\_\_ per inch. Weight per bag \_\_\_\_\_ lbs. Net coverage per ASTM G-736-91 & CPSC 18-CFR Part 1209

R-VALUE AT 70° F. (ASTM)	INITIALLY INSTALLED THICKNESS (Approximate)	MINIMUM THICKNESS	MAXIMUM NET COVERAGE No Filling		MAXIMUM GROSS COVERAGE		MINIMUM WEIGHT PER BAG, LBS.
			Blank per 1000 Sq. Ft.	No Filling per 1000 Sq. Ft.	Blank per 1000 Sq. Ft.	No Filling per 1000 Sq. Ft.	
R-11							
R-13							
R-18							
R-22							
R-24							
R-30							
R-32							
R-36							
R-40							
R-50							

To get the Marked R-Value it is essential that this insulation be installed properly. Coverage is based upon installation using a pneumatic blowing machine. Blowed density \_\_\_\_\_ lbs./cu. ft. Above calculations are based on settled density. Actual coverage may vary depending on installer's technique and equipment. Installed thickness will vary depending upon conditions at the time of installation. This chart is for guidance only. Product must be installed at the coverage rates shown to obtain the listed R-Value.

#### INDEPENDENT LABORATORY CERTIFICATION



MADE WITH 100% RECYCLED PAPER APPROXIMATELY 77% BY WEIGHT. PLEASE RECYCLE.

MFR BY:

MINIMUM NET WEIGHT \_\_\_\_\_ #