


ACCEPTED

FEB 26 2001

EPA Reg. No. 44757-4



PEST CONTROL INSULATION

Contains No Asbestos, Glass Fibers or Formaldehyde
MADE FROM 100% NATURAL FIBER

LONG LASTING PROTECTION THAT IS EFFECTIVE UNDER NORMAL USAGE AND CONDITIONS FOR INSTALLED INSULATION:

- ODORLESS AND NON-CORROSIVE
REDUCES AIR INFILTRATION
EXCELLENT THERMAL INSULATOR
PATENTED FLAME RETARDANT
SUPERIOR SOUND BARRIER
EASY TO INSTALL

FOR USE IN NEW CONSTRUCTION AND RETROFIT APPLICATION IN ATTICS, SIDEWALLS AND CRAWL SPACES:

- HOUSES
APARTMENTS
OFFICES
HOTELS
FOOD PROCESSING PLANTS
AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.
HOSPITALS
RESTAURANTS
SCHOOLS

Table with 2 columns: Ingredient type and percentage. Orthoboric acid 14.72%, Inert ingredients 85.28%, Total 100.00%

EPA Reg. No. 44757-4 EPA Est. No.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

IN-CIDE® PEST CONTROL INSULATION is a ready to use insect control insulation. This product is toxic to listed insects and is intended to prevent their infestations in those building voids (wall, attic, under floor) where the product is applied. It works after insect contact with the product.

KILLS

Cockroaches, Ants, Drywood Termites, Subterranean Termites, Silverfish, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes and Booklice

SAVINGS VARY. FIND OUT WHY IN THE SELLER'S FACT SHEET ON R-VALUES. TO GET THE MARKED R-VALUE, IT IS ESSENTIAL THAT THIS INSULATION BE INSTALLED PROPERLY. IF YOU DO IT YOURSELF, GET INSTRUCTIONS AND FOLLOW THEM CAREFULLY. INSTRUCTIONS DO NOT COME WITH THIS PACKAGE.

DIRECTIONS FOR USE

It is a violation of Federal Law to apply this product in a manner inconsistent with its labeling.

FOR NEW CONSTRUCTION AND RETROFIT APPLICATIONS IN ATTICS, SIDEWALLS AND CRAWL SPACES: APPLY INCIDE® INTO STRUCTURAL VOIDS, COCKROACHES, ANTS, SILVERFISH, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES, CENTIPEDES AND BOOKLICE: This insulation is fused with material toxic to these insects and is intended to prevent their infestations in walls and attics where this product is applied. Control of insects is limited to contact with insulation.

DRYWOOD AND SUBTERRANEAN TERMITES: This insulation will protect wooden construction elements that are completely covered with insulation from drywood and subterranean termite infestations. This insulation is fused with material toxic to these insects and is intended to prevent new drywood and subterranean termite infestations in attics, sidewalls, and crawlspace cavities where the product is applied. Protection from drywood and subterranean termites is limited to wood in direct contact with the insulation.

CAUTION

TO HELP AVOID FIRE: Keep insulation at least three inches away from the sides of recessed light fixtures. Do not place insulation over such fixtures so as to entrap heat. Also keep insulation away from exhaust flues of furnaces, water heaters, space heaters, or other heat-producing devices. To be sure that insulation is kept away from light fixtures and flues, use a barrier to permanently maintain clearance around these items. Check with local building or fire officials for guidance on installation and barrier requirements.

REQUEST TO INSTALLER: Remove the label and give it to the consumer at completion of job.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. During installation, wear a protective respirator. To avoid eye and skin irritation, wear protective goggles and gloves. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

COVERAGE CHART

THIS IS A NATURAL FIBER-BASE LOOSE FILL INSULATION

Table with 5 main columns: R-Value at 75° Mean Temperature, Initially Installed Thickness, Minimum Thickness, Maximum Net Coverage, Maximum Gross Coverage. Includes a note about R-value and coverage calculations.

INDEPENDENT LABORATORY CERTIFICATION



MADE WITH 100% RECYCLED PAPER APPROXIMATELY 77% BY WEIGHT. PLEASE RECYCLE

MFR BY: