

EXXON

CHEMICAL

A MICROBIOCIDIC FOR USE IN CONTROLLING THE GROWTH OF AEROBIC BACTERIA, AND ANAEROBIC BACTERIA, INCLUDING SULFATE REDUCERS WHICH OCCUR IN OILFIELD SUBSURFACE INJECTION WATERS, SUCH AS WATER DISPOSAL SYSTEMS AND WATERFLOODS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND ANIMALS DANGER

CORROSIVE: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear, gloves and protective clothing when handling. Harmful if swallowed.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency. Do not contaminate water by cleaning equipment.

PHYSICAL AND CHEMICAL HAZARDS:

FLAMMABLE: Keep away from heat and open flame.

DIRECTIONS FOR USE

****Use With Closed Delivery Systems Only****

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SURFLO-B2057 may be used continuously or in slug treatment as described below. The frequency of addition depends on many factors which should be established by biological tests. To optimize use of SURFLO-B2057, follow the procedures on the RIGHT PANEL.

SURFLO®-B2057

A MICROBIOCIDIC FOR USE IN CONTROLLING THE GROWTH OF AEROBIC BACTERIA, AND ANAEROBIC BACTERIA, INCLUDING SULFATE REDUCERS.

ACTIVE INGREDIENTS

1-(Alkyl* Amino)-3- Aminopropane 23.3%

* Alkyl as in fatty acids of coconut oil.

INERT INGREDIENTS

76.7%

TOTAL

100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

EXTERNAL: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician if eye contact occurs. Remove and wash contaminated clothing before re-use.

INTERNAL: If swallowed, drink promptly a large quantity of milk or water. Call a physician immediately.

See Side Panel for
Additional Precautionary Statements.

Manufactured by:
EXXON CHEMICAL COMPANY
8230 Stedman, Houston, Texas 77029

EPA Registration No.: 44797-4
EPA Establishment No.: 8928-TX-1

NOTICE
LABEL
PERMIT

NET CONTENTS DATE: NOV 9 3 1990

CHECK ONE 55 Gallon drum (208.2 Liters) 423 lbs (192 kg)
 5 Gallon can (18.9 Liters) 36.4 lbs (17.4 kg)

USEAGE PROCEDURES

- 1. SLUG METHOD** - When the system is noticeably fouled, apply 12 fluid ounces per 1000 gallons of water (95 ppm of product). This treatment should be applied at a point in the system where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control.

When microbial control is evident, the treating rate may be lowered to 6 fluid ounces per 1000 gallons of water (47 ppm of product) weekly, or as needed to maintain control.

- 2. CONTINUOUS METHOD** - Before beginning a continuous treatment, apply a slug treatment of 12 fluid ounces per 1000 gallons of water (95 ppm of product). Maintain this treatment by applying 0.5 to 2.5 fluid ounces per 1000 gallons of water (4 to 20 ppm of product).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. If spilled, remove all sources of ignition. Take up with sand or other non-combustible absorbent. For large spills, dike for later disposal.

STORAGE: Store in a cool and well-ventilated area.

DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

LOT NUMBER