

Net Weight:

EPA Reg. No. 44872-2

# SATHON 10-10

## MITICIDE — — — 50% Wettable Powder

for Greenhouse Floral Crops and Non Food Usages

ACTIVE INGREDIENTS: Decachlorobis (2,4-cyclopentadien-1-yl) ..... 50% min.  
INERT INGREDIENTS: ..... 50%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid repeated skin contact. Avoid contact with eyes. Wash thoroughly after handling. Avoid contamination of foodstuffs. Avoid spraying in greenhouse aquaria containing valuable tropical fish.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.  
**IF IN EYES:** Flush with plenty of water.  
**IF ON SKIN:** Wash with soap and warm water.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Disposal:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state or local procedures.

**Container Disposal:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities. If drum cannot be reused, dispose of in the same manner.

**Notice:** SATHON, Inc. makes no warranty of any kind, express or implied concerning the use of this product. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. 10-10 is a specific miticide that is very effective against the two-spotted mite in the greenhouse. It is recommended for use on roses, chrysanthemums, gardenias, carnations, azaleas, delphiniums, snapdragons, zinnias and poinsettias. It is also effective on outdoor roses and nursery arborvitae, including hemlock and spruce. 10-10 does not kill beneficial insects. It has a long residual activity.

For roses, 10-10 should be applied at a rate of 8 ounces per 100 gallons of water on greenhouse roses and two applications — insuring thorough coverage — should be made about two weeks apart for optimum results. From 2,000-3,000 mature bushes should be sprayed with 100 gallons of the mixture.

Because other floral greenhouse crops are grown under cooler conditions, only one 8 ounce application of 10-10 may be required. It is recommended that a single application with thorough coverage be made initially unless the mite problem is severe, in which case two 8 ounce applications should be made about two weeks apart. A similar single treatment on nursery stocks — including arborvitae — gives excellent mite control.

10-10 is compatible with most other commonly used materials and may be applied from regular greenhouse sprayers.

**"PRODUCTS TO GROW WITH"**  
Distributed by SATHON, Inc. — Chicago, IL