DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes, Get medical attent on. If swallowed, drink large quantities of milk, or selatin solution or, if these are not available, drink large quantities of water, Do not give venegar or other acids. Do not induce vomiting. Get prompt medical attention.

PREGAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage, May be fatal if swallowed. Avoid breating vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling, Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross fifth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gaments to eyes, lungs and mucous membranes.

DATE PACKAGED

NOT FOR USE AFTER

ARMY SURPLUS STORE

(Chlorinating Solution)
ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE... 9%
INERT INGREDIENTS....... 91%

Phone (305) 943-1464

NET CONTENTS 25 GALLONS

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistant with its labeling

DIRECTIONS FOR SWIMMING FOOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorita solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chloring by weight

FOR POOL MAINTENANCE

A) Adjust pool water pH to 7.6. 7.2 range and maintain
B) Add manually or by a feeder device, sod-um hypochlorite solution at a rate to maintain an available rhiorine residual
of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium
hypochlorite solution for each 6000 gallons of water will provide
1.0 ppm available chlorine by weight. Frequency of additions to
maintain 0.6 to 1.0 ppm available chlorine will depend on tamperature and number of swimmers. Use test kit to make certain the pH
and Chlorine residual are in the proper range.

NOTE. This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available hiorine.

STORAGE AND DISPOSAL. Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning or equipment.

EPA REG NO 44888-1

EPA EST NO 44888FLO1

Army Surplus Store, Inc. N.E. 1st Street, Pompano Beach, Fla. 33060