

Reg # 44891-9

PM-31

126

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.  
44891-9

DATE OF ISSUANCE  
NOV 28 1994

TERM OF ISSUANCE

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Sea Hawk Monterey Water  
Borne Antifouling Coating

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

New Nautical Coatings, Inc  
4242 31st Street North  
ST. Petersburg, FL 33714

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 44891-9".

b. Delete 44891-11. This is not your Registration No.

c. The statement: "Hazards to Humans and Domestic Animals" is a subheading under the main heading: "Precautionary Statements" and should be placed directly below the heading: Precautionary Statements.

d. The Heading "Directions for Use" and the misuse statement should be inserted at the beginning of the use directions, not with the precautionary statements.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

e. Revise the percentage for the Inert Ingredients to read 45.33%. It is not 24.20%

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Walter C. Francis  
 Acting Product Manager (31)  
 Antimicrobial Program Branch  
 Registration Division (H7505C)

CONCURRENCES

SYMBOL							
SURNAME	Francis						
DATE	11/28/94						

# Sea Hawk



PREMIUM QUALITY

# MONTEREY

Water Borne Antifouling Coating

ACTIVE INGREDIENT: Cuprous Oxide...	54.67 %
INERT INGREDIENTS .....	24.20 %
	100.00 %

## WARNING

**LIMITED WARRANTY:** The manufacturer warrants all material sold by it against defects in the material. The manufacturer's liability under the sale and warranty of this material shall in any case be limited to replacement of material only. The manufacturer makes no other warranty of this product, expressed or implied.

**BEST AVAILABLE COPY**

**ACCEPTED**  
with **COMMENTS**  
in EPA Letter Dated:

**NOV 28 1994**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

44891-9

Part 1 of 2

596

It is a violation  
**PRECAUTIONS**

**WARNING**

**NOTE** — When used in accordance with the National Fire Protection Association (NFPA) and the National Sanitation Foundation (NSF) applicable limits.

**STATEMENTS**  
minutes. See label for details.

Remove to fresh air immediately.  
Call a physician if irritation persists.

**ENVIRONMENTAL PRECAUTIONS**  
allow chips and shavings to be disposed of in the trash.

**PREPARATION**  
scrub with a brush. If the surface has been painted, the paint must be removed.

**PRIMING:**  
Use a primer compatible with this paint.

potable water. Coat carefully.

**APPLICATION:**  
gradually add to the mixture.

ally during use. **BARRIER COAT:**  
above, then apply a barrier coat.

**NUMBER OF COATS:**  
Apply two coats.

**THINNING:**  
this paint at full strength.

**COVERAGES:**  
See label for coverage information.

**CLEANING:**  
Use a brush and water.

**LAUNCHING:**  
launching.

**GENERAL INFORMATION:**  
This product is a water-based paint.

Monterey products are designed to prevent other fouling.

BLACK GOLD GREEN

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Causes eye irritation, harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wear eye protection and protective clothing such as gloves, long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe the sanding dust, paint vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and launder before re-use. Close container after each use.

**WARNING**

**NOTE** — While spraying paint or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health during and after application unless air monitoring demonstrates vapor/mist levels are below applicable limits.

**STATEMENT OF PRACTICAL TREATMENT:** Eye Contact: Hold eyelids open and immediately flush with plenty of lukewarm water for at least 15 minutes. Seek medical aid. Skin Contact: Wash thoroughly with soap and water. If symptoms develop, seek medical aid. If Affected by Breathing of Vapor: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If Swallowed: Do not induce vomiting. Call a physician, hospital emergency room or poison control center immediately. Do not attempt to give anything by mouth to an unconscious person.

**ENVIRONMENTAL HAZARD:** This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of waste. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

**PREPARATION:** Scrape, wirebrush or sandpaper old surfaces to remove scum, contaminants or loose paint. On bare (or painted) fiberglass, first scour and scrub with a heavy duty fiberglass cleaner or other strong abrasive agent. Rinse well with fresh water and allow to dry. Sand vigorously until all sheen on gel coat has been removed.

**PRIMING:** On new or bare wood areas and on unpainted fiberglass prepared as directed above. Apply first coat of Monterey thinned 10% with clean, potable water. On iron or steel keels, centerboards or other underwater fittings, first remove all old coatings. Then prime these metal areas with 1277 Barrier Coat carefully following the label directions for this special primer.

**APPLICATION:** Mix thoroughly to uniform consistency by pouring off some of the top portion into a clean can — then stirring the remainder and gradually adding the portion removed. Apply generously and at full body with a good synthetic (nylon, etc.) bristle brush, using even strokes. Stir occasionally during use to assure uniform suspension of toxicants in the vehicle.

**BARRIER COAT:** On new fiberglass boats, should you desire to use a barrier coat for the protection against blistering, prepare the surface as mentioned above, then apply two coats of 1277 Barrier Coat, then 2 coats of this antifouling paint.

**NUMBER OF COATS:** For initial application, 2 coats are recommended, with an additional coat at the watertline.

**THINNING:** Reduce 10% with clean potable water for brush use on bare surfaces. Also thin sparingly when using spray equipment. When rolling, apply this paint at full body.

**COVERAGE:** One full coat covers 450 sq. ft. per gallon

**CLEANING:** Use water to clean brushes and equipment.

**LAUNCHING:** Allow an overnight dry to a week after final coat before launching. When an epoxy primer is used, allow a minimum of 3 days before launching.

**GENERAL DESCRIPTION**

This product may only be used to treat the surfaces of hulls on boats and vessels.

Monterey provides protection from fouling. Copper anti-foulants guard against attachments of barnacles, annelids, turricates, bryzoa, hydroids, algae and other fouling organisms. This product is intended for both salt & fresh water use.

Monterey applies easily and dries quickly. It may be used over old antifouling finishes in good condition.

Monterey is an antifouling paint in an extraordinary high-technology vehicle that withstands frequent trailering, beaching and laundering.

Monterey should not be used on aluminum.

**STORAGE AND DISPOSAL**

**In Case of Spill or Leak:** Ventilate area. Absorb with inert material. **In Case of Fire:** Use CO2, dry chemical, foam or water spray/fog. Cool closed containers with water.

**Storage:** Keep closures tight and upright to prevent leakage. Keep container closed when not in use. In case of spillage, absorb and dispose of in accordance with local applicable regulations.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**COMBUSTIBLE.** VOC 119grams per liter (1.0 lbs. per gallon) as supplied.

E.P.A. Registration No. 44891-11/ E.P.A. Establishment No. 44891-FL-1

BLACK / GOLD GREEN

BLACK GOLD GREEN

Part 2 of 2

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:

NOV 28 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, the following pesticide was registered under FIFRA, 706, 20

44891-1

Net Contents  
1 Gallon  
U.S. Measure  
3.785 Liters

NEW NAUTICAL  
COATINGS INC.

4242 31st Street North  
St. Petersburg, FL 33714