

44891-14

7-2-2003

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 02 2003

New Nautical Coatings, Inc.
14805 49 Street North
Clearwater, FL 33762

Attention: Mary Beth Endres

Subject: Biocide Plus Slime Resistant Antifouling Coating
EPA Registration No. 44891-14
Application Dated June 11, 2003
EPA received Date June 12, 2003

This will acknowledge receipt of your notification, "for additional brand name", submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material, the following comments apply.


Additional Brand Name

"Sea Hawk Premium Quality Islands 66 Plus"

The application is acceptable and has been made a part of the records for this file provided that you delete the phrase "The Tin-Free Alternative" on the front panel.

If you have any questions concerning this letter, please contact me at (703) 308-6341) or Portia Jenkins at (703-308-6230).

Sincerely



Marshall Swindell
Product Manager 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95

2/8



United States
Environmental Protection Agency
Washington, DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 44891-14	2. EPA Product Manager Linda Arrington	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Sea Hawk Premium Quality Cukote Biocide Plus Slime Resistant Antifouling Coating	PM# Notification Team	
5. Name and Address of Applicant (Include ZIP Code) New Nautical Coatings, Inc. 14805 49 Street North Clearwater, FL 33762 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification for add alternate brand name and optional front panel selling claims to label per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Mary Beth Endres	Title Agent for New Nautical Coatings, Inc.	Telephone No. (Include Area Code) 972-939-8390
--------------------------	--	---

<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		<p>6. Date Application Received (Stamped)</p>
2. Signature 	3. Title Agent for New Nautical Coatings, Inc.	
4. Typed Name Mary Beth Endres	5. Date 06-11-2003	

3/8

33

Brazos Associates, Inc.®

1806 Auburn Drive • Carrollton, Texas 75007-1451
Phone: 972-939-8390 • Facsimile: 972-939-8370

By Courier Delivery

June 11, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attn: Linda Arrington
Notification Team


Subject: Notification of Alternate Brand Name
Sea Hawk Premium Quality Cukote Biocde Plus Slime Resistant Antifouling Coating
EPA Reg. No. 44891-14

Dear Ms. Arrington:

This submission is being made on behalf of our client, New Nautical Coatings, Inc. Please find enclosed a notification to 1) add the Alternate Brand Name "**Sea Hawk Premium Quality Islands 66 Plus**" to the above referenced registration file and 2) add new selling claims to the front panel of label. As required, one (1) copy of product labeling with the changes underscored is attached. This notification is being filed in accordance with PR-Notice 98-10.

Should you have any questions or need additional information please do not hesitate to contact us.

Sincerely,



Mary Beth Endres
Agent for New Nautical Coatings, Inc.

Enclosure

pc: Ms. Cheryl Meadows - New Nautical Coatings, Inc.

4/8


[FRONT PANEL]

Sea Hawk

(Picture of Sea Hawk here)

Yacht Finishes

PREMIUM QUALITY



[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

[Paint Color and Number]

[The Tin-Free Alternative]

[A Self-Cleaning Co-Polymer Antifouling Bottom Paint]

ACTIVE INGREDIENT:	
Cuprous Oxide	47.57%
N-Cyclopropyl-N'-(dimethylethyl)-6-(methylthio)- 1,3,5-triazine-2-diamine	2.00%
OTHER INGREDIENTS:	<u>50.43%</u>
TOTAL:	100.00%

5/8

[FRONT PANEL CONTINUED]

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

LIMITED WARRANTY: The manufacturer warrants all material sold by it against defects in the material. The manufacturer's liability under the sale and warranty of this material shall in any case be limited to replacement of material only. The manufacturer makes no other warranty for this product, expressed or implied.

[FRONT SIDE PANEL]

**Net Contents
1 Gallon
U.S. Measure
3.785 Liters**

NEW NAUTICAL COATINGS, INC.
14805 49th Street North
Clearwater, FL 33762
www.seahawkpaints.com

6/8

[BACK PANEL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL DESCRIPTION

Ablative, self-polishing antifoulant. This product is designed to control barnacles, algae and other marine foulings in salt or fresh water. This product is designed for use on the surfaces of hulls on ships, boats, barges, yachts, or running gear.

Shake vigorously for several minutes with a mechanical paint shaker before use. Due to the settlement of copper in the product if this product is not properly shaken it will become ineffective.

APPLICATION DETAILS

Apply product generously on the surface to be coated. More coats will ensure a longer life. Do not apply product during moist conditions such as rain or high humidity. Wait at least 12 hours before submerging in water.

Sweat In Time: Not Applicable
Thinner: Sea Hawk 2033-2035
Cleaner: Sea Hawk Xylene 7130

REGULATORY DATA

VOC: 288 Grams/Liter

LIMITATIONS: Apply in good weather when air and surface temperature are above 50° F (10° C). Surface temperature must be at least 50° F (10° C) above dew point. For optimum application properties, bring material to 70-80° F (21-27° C) temperature range prior to mixing and application. Unmixed material (in closed containers) should be maintained in protected storage between 40 and 100° F (4-38° C). Prolonged atmospheric exposure of this product may detract from performance. Technical and application data herein is for the purpose of establishing a general guideline for the coating application procedures. See published data sheets for more specific application data. As application, environment and design factors can vary significantly, due care should be exercised in the selection, verification of performance and use of the coating.

SURFACE PREPARATION: Paint only clean, dry surfaces. Remove all grease, oil, wax, or other foreign material by solvent or detergent washing. (SSPC-SPI)

APPLICATION: This product can be applied by brush, roller, or spray.

7/8

[BACK PANEL CONTINUED]

THINNING: We do not recommend thinning. If necessary thin no more than 10% by volume with 2033 or 2035.

CLEANUP: Clean all equipment immediately after using with Sea Hawk Xylene.

SAFETY: Read and observe all precautionary statements on this label.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING. Causes eye irritation. Harmful if absorbed through skin. Avoid Contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe vapor or spray mist. While spraying paint or sanding or sandblasting boat surfaces wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposing of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use or store near open flame.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.

8/8

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTICE PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Do not contaminate food, feed or water by storage or disposal.

STORAGE: Do not store near open heat or flame. Store in well ventilated area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Reg. No. 44891-14

EPA Est. No. 44891-FL-1

REVISED: 06-11-03

S:\MAIN\NEW NAUTICAL COATINGS, INC.\LABELS\44891-14 Island 66 Plus ABN Notification

