

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUL 27 2006



Office of Pesticide Programs

New Nautical Coatings, Inc.  
14805 49<sup>th</sup> Street North  
Clearwater, FL 33762

Attention: Mario Garneau

**Subject: Sea Hawk Copper Free Waterborne Antifouling Coating Black**  
EPA Registration No. 44891-17  
Notification Dated June 27, 2006

This will acknowledge receipt of your notification for the following alternate brand name, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

Alternate Brand Name

“Sea Hawk Mission Bay CSF Copper Free Antifouling Coating”

This Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in cursive script that reads "M Swindell".

Marshall Swindell  
Product Manager (33)  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)

2 8 9

**By Courier Delivery**

Tuesday, June 27, 2006

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
One Potomac Yard  
2777S Crystal Drive  
Room S4900, 4<sup>th</sup> floor  
Arlington, VA 22202

Attn: Linda Arrington  
Notification Team

**Subject:** *Notification of Alternative Brand Name*  
*Sea Hawk Copper Free Waterborne Antifouling Coating White 44891-17* ✓  
*Sea Hawk Copper Free Antifouling Coating White 44891-16 - 33*  
*Sea Hawk Island 77 plus Antifouling Coating Black 44891-15 - 33*

Dear Ms. Arrington:

This submission is being made on behalf of New Nautical Coatings, Inc Please find enclosed a notification to 1)add the Alternative Brand Name "Sea Hawk Mission Bay CSF Copper-Free Antifouling Coating for EPA Reg # 44891-17 2) add the alternative Brand Name " Mission Bay Copper-Free Antifouling Coating for EPA Reg# 44891-16 and 3) add the Alternative Brand Name " Biocop TF Antifouling Coating ". This notification is being filed in accordance with PR-Notice 98-10.

Included with this submission, please find the following:


1. An Application for Pesticide Other (EPA Form 8570-1)
2. one (1) copy of product labeling .

Should you have any questions or need additional information please do not hesitate to contact us.

Sincerely,

Mario Garneau  
Chemist

Enclosures



379

Print Form

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 44891-17	2. EPA Product Manager Linda Arlington	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Copper Free Waterborne Antifouling Coating White	PM# Notification team	
5. Name and Address of Applicant (Include ZIP Code) New Nautical Coatings, Inc 14805 49th Street North, Clearwater, FL, 33762  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
Notification for add alternative brand name and optional front page selling claims to label per Notice 98-10.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions E	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Mario Garneau	Title <input checked="" type="checkbox"/> Chemist	Telephone No. (Include Area Code) 727-523-8053
-----------------------	------------------------------------------------------	---------------------------------------------------

**Certification**  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Chemist	6. Date Application Received (Stamped)
4. Typed Name Mario Garneau	5. Date 06-27-2006	

4 8 9

[FRONT PANEL]

# Sea Hawk

Yacht Finishes

(Picture of Sea Hawk here)

## NANO-BASED TECHNOLOGY

# Mission Bay CSF

Copper-Free Antifouling Coating

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

[Paint Color and Number]

<b>ACTIVE INGREDIENT:</b>	
Zinc Omadine .....	4.02%
<b>OTHER INGREDIENTS:</b> .....	95.98%
<b>TOTAL:</b> .....	100.00%

KEEP OUT OF REACH OF CHILDREN

### DANGER

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**LIMITED WARRANTY:** The manufacturer warrants all material sold by it against defects in the material. The manufacturer's liability under the sale and warranty of this material shall in any case be limited to replacement of material only. The manufacturer makes no other warranty for this product, expressed or implied.

[FRONT SIDE PANEL]

5 7 9

**Net Contents  
1 Gallon  
U.S. Measure  
3.785 Liters**

**NEW NAUTICAL COATINGS, INC.**  
14805 49<sup>th</sup> Street North  
Clearwater, FL 33762  
[www.seahawkpaints.com](http://www.seahawkpaints.com)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL DESCRIPTION**

Hard abrasive, multi-seasonal, water-based antifoulant. Provides protection against algae, Barnacles, annelids, tunicates, bryzoa, hydroids, zebra mussels and other fouling organisms. Mission Bay CSF is abrasion resistant for scrubbing, tailoring and dry storage. Reduces Paint buildup. This product may only be used to treat the surfaces of hulls on boats and vessel. This product is intended for both salt and fresh water use. Product applies easily and dries quickly. It may be used over old antifouling finishes in good condition. Mission Bay CSF is an antifouling paint in a high-technology vehicle that withstands frequent trailering, beaching and launching.

**SHAKE VIGOROUSLY FOR A MINIMUM OF 10 MINUTES BEFORE APPLICATION**

**PRODUCT INFORMATION**

Finish/Sheen: Semi-Gloss  
Converter: One Pack  
Volume Solids: 44% ± 2%  
Mix Ratio: One Pack  
Shipping Weight: 13-14 Lbs/Gal.  
[Flash Point: N/A]  
Film Thickness: 5 mils wet equals 2.2 dry per coat  
Recommended Coats: 2  
Theoretical Coverage: 320 Sq. Ft./Gal. @ recommended film thickness

**APPLICATION DETAILS**

Sweat-In Time: Not Applicable  
Thinner: N/A  
Cleaner: Water

**Overcoating Internal**

Drying Time (Hrs)

Substrate Temp.	Touch	Min.	Max.	Launch
73° F (23° C)	2 Hrs	1 Hr	N/A	12 Hrs
95° F (35° C)	1 Hr	1 Hr	N/A	12 Hrs

Consult with your Sea Hawk representative for the system best suited for surfaces to be protected.

**REGULATORY DATA**

VOC: 113 Grams/Liter

7 7 9

**[BACK PANEL CONTINUED]**

**LIMITATIONS:** Apply in good weather when air and surface temperature are above 50° F (10° C). Surface temperature must be at least 50° F (10° C) above dew point. For optimum application properties, bring material to 70-80° F (21-27° C) temperature range prior to mixing and application. Unmixed material (in closed containers) should be maintained in protected storage between 40 and 100° F (4-38° C). Prolonged atmospheric exposure of this product may detract from performance. Technical and application data herein is for the purpose of establishing a general guideline for the coating application procedures. See published data sheets for more specific application data. As application, environment and design factors can vary significantly, due care should be exercised in the selection, verification of performance and use of the coating.

**SURFACE PREPARATION:** Paint only clean, dry surfaces. Remove all grease, oil, wax, or other foreign material by solvent or detergent washing. (SSPC-SPI)

**APPLICATION:** This product can be applied by brush, roller, or spray.

**THINNING:** We do not recommend thinning.

**CLEANUP:** Clean all equipment immediately after using with Water

**SAFETY:** Read and observe all precautionary statements on this label.

[BACK PANEL CONTINUED]

**STORAGE AND DISPOSAL**

Do not contaminate food, feed or water by storage of disposal.

**STORAGE:** Do not store near open heat or flame. Store in well ventilated area.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING.** Causes eye irritation. Harmful if absorbed through skin. Avoid Contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe vapor or spray mist. While spraying paint or sanding or sandblasting boat surfaces wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Use with adequate ventilation.

**ENVIRONMENTAL HAZARDS**

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposing of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and th permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

**Combustible.** Do not use or store near open flame.



[BACK PANEL CONTINUED]

<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-528-0997 for emergency medical treatment information.</p>	
<p><b>NOTE TO PHYSICIAN:</b> Probably mucosal damage may contraindicate the use of gastric lavage.</p>	