

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C., 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

New Nautical Coatings Inc 14805 49th Street North Clearwater, FL 33762

FEB 1 5 2007

Attention: Mark Garneau

Chemist

Subject:

Sea Hawk Mission Bay CSF Copper-Free Antifouling Coating

EPA Reg. No. 44891-17

Amendment Application Date: November 8, 2006

EPA Received Date: November 17, 2006

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided the following label revisions are inserted:

- Language on the front panel stating "Nano-Based Technology" needs to be omitted from the label. EPA is currently reviewing the science for this technology and the Agency has not registered any nano-based products. Until this technology is better understood, all references thereof needs to removed from your label.
- In the Precautionary Statements section, under Hazards to Humans and Domestic Animals, additional language needs to be included. Specifically, you applied for this registration as a me-too product (application date March 31, 2005) citing acute toxicity data from EPA Registration No. 64684-6 (Product Name "EP 2000", manufactured by the company E Paint). EPA Registration No. 64684-6 specifies particular precautionary labeling based on acute toxicity data and for commercial Protective Personal Equipment (PPE) concerns. Since your registration is designated as a me-too, the language in EPA Registration No. 64684-6 is required for your label. Attached with this letter is a copy of EPA Registration No. 64684-6 for your perusal.
- Language for the First Aid section needs to be removed from its location on the back panel and moved to the front panel, as listed in EPA Registration 64684-6.

Consequently, the Agency has no objection to your company amending the product label to change "Recommended Coat 3" instead of 2 in the product information section. A stamped copy of your label is enclosed for your records.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510C) [FRONT PANEL]


Sea Hawk

Yacht Finishes

MCCEPTED
with COMMENTS
in EPA Letter Dated
FEB 15 2007

Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No 44891-17

(Picture of Sea Hawk here)





Copper-Free Antifouling Coating

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

[Paint Color and Number]

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

LIMITED WARRANTY: The manufacturer warrants all material sold by it against defects in the material. The manufacturer's liability under the sale and warranty of this material shall in any case be limited to replacement of material only. The manufacturer makes no other warranty for this product, expressed or implied.

[FRONT SIDE PANEL]

Net Contents 1 Gallon U.S. Measure 3.785 Liters

NEW NAUTICAL COATINGS, INC. 14805 49th Street North Clearwater, FL 33762 www.seahawkpaints.com

> with COMMENTS in EPA Letter Dated FEB 1 5 2007

Under the Federal Insecticide.

Pungicide, and Rodenticide Act at amended, for the pesticide, registered under EPA Reg. No. 44491-17

[BACK PANEL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL DESCRIPTION

Hard ablative, multi-seasonal, water-based antifoulant. Provides protection against algae, Barnacles, annelids, tunicates, bryzoa, hydroids, zebra mussels and other fouling organisms. Mission Bay CSF is abrasion resistant for scrubbing, tailoring and dry storage. Reduces Paint buildup. This product may only be used to treat the surfaces of hulls on boats and vessel. This product is intended for both salt and fresh water use. Product applies easily and dries quickly. It may be used over old antifouling finishes in good condition. Mission Bay CSF is an antifouling paint in a high-technology vehicle that withstands frequent trailering, beaching and launching.

Shake vigorously for several minutes with a mechanical paint shaker before use. Due to the settlement in the product, if this product is not properly shaken it will become ineffective.

SHAKE VIGOROUSLY FOR A MINIMUM OF 10 MINUTES BEFORE APPLICATION

PRODUCT INFORMATION

Finish/Sheen:

Semi-Gloss

Converter:

One Pack

Volume Solids:

44% ± 2% One Pack

Mix Ratio: Shipping Weight:

13-14 Lbs/Gal.

[Flash Point:

N/A1

Film Thickness:

5 mils wet equals 2.2 dry per coat

Recommended Coats: 3

Theoretical Coverage: 320 Sq. Ft./Gal. @ recommended film thickness

FEB 15 2007

There has Palaret Instructional in Palareticide, that Roberts along the control of the control of

4489/47

APPLICATION DETAILS

Sweat-In Time:

Not Applicable

Thinner:

N/A

Cleaner:

Water

Overcoating Internal

Drving Time (Hrs)

Substrate Ter	np. Touch	Min.	Max.	Launch	
73° F (23° C)	2 Hrs	1 Hr	N/A	12 Hrs	
95° F (35° C)	1 Hr	1 Hr	N/A_	12 Hrs	

Consult with your Sea Hawk representative for the system best suited for surfaces to be protected.

REGULATORY DATA

VOC: 113 Grams/Liter