

44891-19

01/12/2009

1/8



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

EPA Reg. Number:  
44891-19

Date of Issuance:  
JAN 12 2009

Term of Issuance:

Name of Pesticide Product: Seahawk  
Smart Solution Antifouling  
Coating Black

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

New Nautical Coatings, Inc.  
14805 49<sup>th</sup> Street North  
Clearwater, FL 33762

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration Number 44891-19."

Signature of Approving Official:

Marshall Swindell  
Product Manager-33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Date:

JAN 12 2009

3. The appropriate signal word for this product is "Danger".

4. Revise the "Precautionary Statements to read as follows:

**"Corrosive:** Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray. When handling and wear goggles or face shield, chemically resistant gloves, long sleeved shirt and pants, socks, chemical resistant footwear, and chemically resistant gloves ( such as Barrier Laminate, Butyl Rubber, and Nitrile Rubber). When mixing, loading, or cleaning equipment, wear a chemical resistant apron. For overhead exposure wear chemical-resistant headgear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. Remove and wash contaminated clothing before reuse.

5. Revise the," First Aid Statements to read as follows:

If in eyes; Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** May pose an aspiration pneumonia hazard. Contains Petroleum distillate.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.


For emergency information or [ product, use, etc.], call a **National Pesticides Information Center** at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), Seven days a week. During other times, call the poison control center 1-800-222-1222.

6. The Confidential Statement of Formula dated September 6<sup>th</sup>, 2007, for the basic Formulation is acceptable.
7. Submit three (3) copies of the final printed label prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Branch I  
Antimicrobials Division (7510P)

Enclosure: (Stamped Labeling)

4/8



# Premium Quality SEA HAWK SMART SOLUTION

Antifouling Coating

|  |         |
|--|---------|
| <b>ACTIVE INGREDIENT:</b>  |         |
| (2-(p-chlorophenyl)-3-cyano-4-Bromo-5-trifluoromethyl pyrrole) (tralopyril)..... | 2.90%   |
| <b>OTHER INGREDIENTS:</b> .....  | 97.10%  |
| <b>TOTAL:</b> .....  | 100.00% |
| *contains petroleum distillates, xylene or xylene range aromatic solvents.       |         |

**KEEP OUT OF REACH OF CHILDREN**

**Danger**

**SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

**LIMITED WARRANTY:** The manufacturer warrants all material sold by it against defects in the material. The manufacturer's liability under the sale and warranty of this material shall in any case be limited to replacement of material only. The manufacturer makes no other warranty for this product, expressed or implied.

Clearwater, FL 33762  
www.seahawkpaints.com

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 12 2009

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, and the Federal  
Registration Act, EPA Reg. No.

44891-19

5  
8

**[BACK PANEL]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL DESCRIPTION**

Ablative, self-polishing antifoulant. This product is designed to control barnacles, algae and other marine foulings in salt or fresh water. This product is designed for use on the surfaces of hulls on ships, boats, barges, yachts, or running gear.

Shake vigorously for several minutes with a mechanical paint shaker before use. Due to the settlement in the product, if this product is not properly shaken it will become ineffective.

**SHAKE VIGOROUSLY FOR A MINIMUM OF 10 MINUTES BEFORE APPLICATION**

**PRODUCT INFORMATION**

Finish/Sheen: Semi-Gloss  
 Converter: One Pack  
 Volume Solids: 50% ± 2%  
 Mix Ratio: One Pack  
 Shipping Weight: 12-13 Lbs./Gal.  
 [Flash Point: 100°F]  
 Film Thickness: 6 mils wet equals 2.7 dry per coat  
 Recommended Coats: 3  
 Theoretical Coverage: 267 Sq. Ft./Gal. @ recommended film thickness

**ACCEPTED**  
**with COMMENTS**  
**in EPA Letter Dated:**  
**JAN 12 2009**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product, registered under EPA Reg. No.

44897-79

**APPLICATION DETAILS**

Sweat-In Time: Not Applicable  
 Thinner: 2033-2035  
 Cleaner: Sea Hawk Xylene 7130

**Overcoating Internal**

**Drying Time (Hrs)**

| Substrate Temp. | Touch | Min. | Max. | Launch |
|-----------------|-------|------|------|--------|
| 73° F (23° C)   | 2 Hrs | 1 Hr | N/A  | 12 Hrs |
| 95° F (35° C)   | 1 Hr  | 1 Hr | N/A  | 12 Hrs |

Consult with your Sea Hawk representative for the system best suited for surfaces to be protected.

**REGULATORY DATA**

VOC: 298 Grams/Liter

6  
8

**[BACK PANEL CONTINUED]**

**LIMITATIONS:** Apply in good weather when air and surface temperature are above 50° F (10° C). Surface temperature must be at least 50° F (10° C) above dew point. For optimum application properties, bring material to 70-80° F (21-27° C) temperature range prior to mixing and application. Unmixed material (in closed containers) should be maintained in protected storage between 40 and 100° F (4-38° C). Prolonged atmospheric exposure of this product may detract from performance. Technical and application data herein is for the purpose of establishing a general guideline for the coating application procedures. See published data sheets for more specific application data. As application, environment and design factors can vary significantly, due care should be exercised in the selection, verification of performance and use of the coating.

**SURFACE PREPARATION:** Paint only clean, dry surfaces. Remove all grease, oil, wax, or other foreign material by solvent or detergent washing. (SSPC-SPI)

**APPLICATION:** This product can be applied by brush, roller, or spray.

**THINNING:** We do not recommend thinning. If necessary thin no more than 10% by volume with 2033 or 2035.

**CLEANUP:** Clean all equipment immediately after using with Sea Hawk Xylene 7130.

**SAFETY:** Read and observe all precautionary statements on this label.

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated:**

**JAN 12 2009**

Under the Federal Insecticide  
Fungicide, and Herbicide Act as  
amended for the purpose,  
registered under EPA Reg. No.

44891-19

7  
8

[BACK PANEL CONTINUED]

**STORAGE AND DISPOSAL**

Do not contaminate food, feed or water by storage or disposal.

**STORAGE:** Do not store near open heat or flame. Store in well ventilated area.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. Avoid Contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe vapor or spray mist. While spraying paint or sanding or sandblasting boat surfaces wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Use with adequate ventilation.

**ENVIRONMENTAL HAZARDS**

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposing of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

**Combustible.** Do not use or store near open flame.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 12 2009

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, and the provisions  
registered under EPA Reg. No.

Page 4

44897-19

8/8

[BACK PANEL CONTINUED]

| <b>FIRST AID</b>   |  |
|--|--|
| <b>If in eyes</b>  | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If swallowed</b>  | <ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>If on skin or clothing</b>  | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If inhaled</b>  | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-528-0997 for emergency medical treatment information.</p> |  |
| <p><b>NOTE TO PHYSICIAN:</b> Probably mucosal damage may contraindicate the use of gastric lavage.</p>   |  |

EPA Reg. No. 44891-XX

**ACCEPTED**  
 with **COMMENTS**  
 in EPA Letter Dated:  
**JAN 12 2009**

EPA Est. No. 44891-FL-1

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act as  
 amended for the purpose,  
 registered under EPA Reg. No.

44891-19