

PI 32

44917-1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by
VALUE PRODUCTS, INC.
Santa Clara, CA 95050

EPA REG. No. 44917-1
EPA EST. No. 44917CA01
NET CONTENTS 1 U.S. GAL.

ACCEPTED
AUG 02 1995
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 44917-1

**SANI-CLEAN
LIQUID SANITIZER**

**LOW TEMPERATURE
MECHANICAL WASHER SANITIZER
FOR INDUSTRIAL USE ONLY**

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE8.4%
INERT INGREDIENTS91.6%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 min. Get medical attention. IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

See additional precautions on side panel

BEST COPY AVAILABLE

DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.**

FOR SANITIZING TABLEWARE: In low-temperature warewashing machines, inject **Sani-Clear** into the final rinse water at a concentration of 100 ppm available chlorine. Do not exceed 200 ppm. Air dry.

AVAILABLE CHLORINE TABLE OF PROPORTIONS

50 ppm - 1 oz. per 12 gals. water
100 ppm - 2 oz. per 12 gals. water
200 ppm - 4 oz. per 12 gals. water

DO NOT USE ON SILVER AND SILVER PLATE

To ensure that available chlorine concentration does not fall below the 50 ppm, periodically test the rinse solution with a suitable test kit and adjust the dispensing rate accordingly. Consult your local Ware Washing Specialist for technical assistance and further information on sanitizing tableware in warewashing machines.

FOR INDUSTRIAL USE ONLY

DO NOT MIX WITH ANYTHING BUT WATER

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.