

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations

Use 2 oz of **BARDAC-205-75** per gallon of water. For best results, use a mechanical spray device. **No Potable water rinse is required.**

Quat Sanitizer

Use 2 oz of **BARDAC-205-75** per gallon of water. For best results, use a mechanical spray device. **No Potable water rinse is required.**

Quat San.

Use 2 oz of **BARDAC-205-75** per gallon of water. For best results, use a mechanical spray device. **No Potable water rinse is required.**

Quat Sanitizer

Use 2 oz of **BARDAC-205-75** per gallon of water. For best results, use a mechanical spray device. **No Potable water rinse is required.**

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER FOOD OR FEED BY STORAGE OR DISPOSAL
 OPEN DUMPING IS PROHIBITED
 DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL
 PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL
 TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

GENERAL
 CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

EPTED
 with COMMENTS
 In EPA Letter Dated:
 NOV 18 1982
 Under the Federal Insecticide, Fungicide, and Rodenticide Act
 registered under EPA Reg. No. 44917-3

QUAT SANITIZER
Disinfectant-Sanitizer
Fungicide-Deodorizer
with Organic Soil Tolerance
for Hospital, Institutional
Industrial, School, Dairy and Other Farm Use

Active Ingredients	
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chlorides	3.000%
Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Diocetyl dimethyl ammonium chloride	1.125%
Inert Ingredients	92.500%
	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.
EPA Establishment No. 44917 CA-1X
Net Contents

MANUFACTURED BY:
 Value Products, Inc., 2775 Scott Blvd.,
 Santa Clara, CA, 95050

Directions for Use
GENERAL CLASSIFICATION

This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Quat Sanitizer
 Apply **BARDAC-205-75** with a cloth mop, mechanical spray device. When applied with mechanical spray device, surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, counter tops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails and other hard non-porous surfaces. **Quat Sanitizer**
 Add 3.5 oz of **BARDAC-205-75** to 4.5 gallons of water. Apply to previously cleaned hard surfaces. At this level, **BARDAC-205-75** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use Dilution test.

Quat Sanitizer
Disinfection in Institutions, Industry and Schools
 Add 2 oz of **BARDAC-205-75** to 4.5 gallons of water. At 0.5 oz to 2.25 gallons of water use level, the fungicidal effectiveness of **BARDAC-205-75** in the presence of 5% blood serum against *Trichophyton mentaprophytes* has been shown utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Pre-cleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 0.5 oz. gallon solution of **BARDAC-205-75**. **Quat Sanitizer**

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz **BARDAC-205-75** to 4.5 gallons of water. Small utensils should be immersed in this solution. **Quat Sanitizer**
 Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surface occupied or traversed by poultry or other animals. After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

BEST DOCUMENT AVAILABLE



44917-3

-2-

- e. This product requires the following statement to be placed on the label: "ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS." This statement must be at least the same type as the Child Hazard Warning statement and preferably placed on the upper front panel. Refer to the 40 CFR 162.16 "Pesticide Requiring Special Packaging" and the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981, pp. 15104-15109 "Clarification of Policy Issues on Special Packaging" for guidance and proper submission requirements.

Ref: Phone conversation between Edward Langlois and Mr. Goncarous on November 12, 1982.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767)

Enclosures