

DL 21 45002-18
11/92

Ms. Amy M. Plato
Regulatory Affairs
Cuproquim Corporation
9601 Katy Freeway, Suite 350
Houston, TX 77024

Dear Ms. Plato:

Subject: Sulfur 6 Flowable
EPA Reg. No. 45002-18
Your letter of 11/18/91 adding chemigation prohibition

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Susan T. Lewis
Susan T. Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid breathing spray mist. Avoid contact with eyes, skin and clothing. Harmful if swallowed, inhaled, or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, or flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE TO USER. Some plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proven that sulfur is safe in that locality.

During periods of high temperature sulfur may burn foliage and fruit. Do not make sulfur applications at excessively high temperatures. Do not use with oil or within 4 weeks of an oil application. When growing crops for processing, consult the processor before applying sulfur.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing for 24 hours after application. Certain states may require more restrictive re-entry intervals for various crops treated with this product. Consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information: "CAUTION. Area treated with sulfur on (date of application). Do not enter treated areas without appropriate protective clothing for 24 hours following application." Required Protective Clothing: long-sleeved shirt, long-legged pants and gloves

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal of this product.

STORAGE: Store in cool, dry area.

CONTAINER DISPOSAL: Completely empty container into application equipment, then dispose of empty container in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CUPROQUIM CORPORATION

**SULFUR 6
FLOWABLE**

ACTIVE INGREDIENTS:	BY WT.
Sulfur.....	52%
INERT INGREDIENTS:	48%
TOTAL.....	100%

Contains 6 lbs. Sulfur per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE

STATEMENT OF PRACTICAL TREATMENT (First Aid):

IF SWALLOWED: Give 1-2 glasses of water and induce vomiting. Get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED, overcome by vapor or dust: Remove victim to fresh air immediately.

IF ON SKIN: Wash with plenty of soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL



SPECIMEN LABEL

ACCEPTED
JULY 8, 1992
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under...

CUPROQUIM CORPORATION

9601 Katy Freeway, Suite 350
Houston, Texas 77024-1333 USA
TEL: (713) 464-1103 FAX: (713) 464-1421
TELEX II: 910-240-6712 PDC

MANUFACTURED FOR CUPROQUIM CORPORATION

EPA Reg. No. 45002-18
EPA Est. No. 45002-MX-02
FORM #: 218-1191

BEST AVAILABLE COPY

DIRECT

Stir until smooth before u into partially filled spray t ing into tank. Do not use agitator running during fil to stand. Failure to main sitate manual removal o ground equipment or airc Do not apply this product

Tree Crops: Unless o given as pints of SULFU ough coverage spray. Th should be 2 - 4 gallons de ment variations and type high volume sprayers (ou For low volume sprayers

Apples: Apple cedar r quince rust, scab, sooty b periods and 3/4 - 2 pts. in Jonathan and certain o under certain conditions.

Cherries: Brown rot, leaf - Apply 1 1/2 - 3 1/2 pts. thr through cover sprays for

Citrus: Rust mite, clove May. Thrips (Early spring 1 - 2 gallons per acre in s cation after spring flush Do not apply within 21 de

Grapes: Powdery mildew using up to 8 pints SUPE are 6 to 10 inches long. F 14 day intervals as nec grapes may be injured.

Nectarines, Peaches: E rust, scab, shot hole - Ap cover sprays. Apply from

Pears: Brown rot, leaf sp through calyx and 3/4 - 2 calyx periods as necess

Plums, Prunes: Brown - Apply 1 1/4 - 2 1/4 pts. thro brown rot and leaf spot.

Strawberries: Powdery of disease and repeat as under certain climatic con

NOTE: Seller warrants tion and is reasonably l in accordance with dire this warranty or any oth icular purpose, expres contrary to label instr buyer assumes the risk