· PM 22 45002-20 ...10-20-97 Accepted Stamp on Pg. 3 of 4 CUPROQUIM

KOZINC WP

ACTIVE INGREDIENT:

Copper* as elemental 17.0% INERT INGREDIENTS: 83.0% TOTAL 100.0%

(Copper expressed as elemental derived from copper hydroxide) *CAS No. 20427-59-2'

This product also contains zinc expressed as elemental from zinc sulfate and zinc oxide for alleviation of zinc deficiency.

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Get medical attention.

If in Eyes: Hold eyelids open and flush with a steady stream of water for 15 minutes. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage.

See side panel for additional Precautionary Statements.

Manufactured for: **CUPROQUIM CORPORATION** P. O. Box 171357 Memphis, TN 38187

EPA Reg. No. 45002-20 EPA Est. No. 45002-MX-2 PRODUCT OF MEXICO

NET CONTENTS: ___ KG __ LB

2094

PRECAUTIONARY STATEMENTS

DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage. May cause skin sensitization reactions in certain individuals. Do not get in eyes or on clothing. Harmful if swallowed or absorbed through the skin. Avoid contact with skin.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. An eye-flush container, designed specifically for flushing eyes, must be available at the WPS decontamination site for workers entering the area treated with copper hydroxide. Notify workers of the application by warning them orally that residues in the treated areas may be highly irritating to their eyes and to take precautions such as refraining from rubbing their eyes and if they get residues in their eyes, they should immediately flush eyes using the eye-flush.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves, and shoes plus socks.


STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal of this product. Open burning and dumping prohibited. Do not reuse empty container.

STORAGE: Store in a cool, dry, well ventilated area.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.



registar a andre EPA New No. 45002

DIRECTIONS FOR DILUTION

MAINTAIN ADEQUATE AGITATION AT ALL TIMES.

DILUTE APPLICATION: Ground Application: Apply specified rate in 20-60 gallons of water, per acre. Orchard Application: Apply specified rate in 100-800 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 5 gallons of water per acre. Orchard Application: Apply specified rate in 20-100 gallons of water per acre. NOTE: Special concentrate equipment may be necessary for these uses.

AIR APPLICATION: Apply specified rate in 5-20 gallons of water per acre. Orchard rates should not be applied in less than 10 gallons of water per acre.

DIRECTIONS FOR USE

)

ALMONDS: Shot hole - Apply 20-30 lbs per acre. Begin when buds start to swell in spring. Do not apply at or after full bloom.

APRICOTS: Brown rot, Shot hole - Apply 20-30 lbs per acre. Do not apply at or after full bloom.

CHERRIES, PLUMS: Brown rot - Apply 20-30 lbs per acre while at bud stage. Do not apply at or after full bloom.

PEACHES, NECTARINES: Brown rot, Peach blight, Leaf curl - Apply 20-30 lbs per acre. Apply at dormant or delayed dormant stage. Do not apply at or after full bloom.

PEARS: Fire blight - Apply 4 lbs per acre. Apply every 5-7 days starting at 10% bloom. The use varies according to varieties and your Field Representative or State Extension Service should be consulted for recommendations.

CONDITIONS OF SALE

- 1. Seller warrants that this product consists of the ingredient specified and is reasonably fit for use as directed on the label. No one, other than an officer of the Seller, is authorized to make any other warranty, guarantee or direction concerning this product.
- 2. Because the time, place, rate of application and other conditions of use are beyond the Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product and refund of purchase price.