



**Betz PaperChem, Inc.**

**slime-trol**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

**CORROSIVE CAUSES EYE AND SKIN DAMAGE** Harmful if swallowed or absorbed through skin. Do not get into eyes, on skin, or on clothing. Do not inhale dust. Use with adequate ventilation. Keep container closed when not in use. Wear rubber gloves, goggles and face shield when handling. Immediately remove contaminated clothing and wash before reuse. Wash thoroughly after handling.

**ENVIRONMENTAL HAZARDS**

The pesticide may be fatal to wildlife. Do not discharge into lakes, streams, ponds, or public water systems in accordance with a NPDES permit. For particular details on labeling, consult the EPA. Do not contaminate water by cleaning of containers and equipment or disposal of wastes. Apply this pesticide only as specified on the label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**PULP AND PAPER MILL SYSTEMS**

BETZ PaperChem Slime-trol RX-32P aids in the control of objectionable bacteria and fungi in pulp, paper mill, and the additive system, and for the preservation of pulp, pigment slurries, emulsions, adhesives, defoamer, polymers and barrier products. Additions can be made on a continuous or intermittent basis, depending upon the severity of contamination.

**BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

**FOR SLIME CONTROL**

Slime-trol RX-32P should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed.

**INTERMITTENT OR SLUG METHOD**

**INITIAL DOSE** When the system is noticeably fouled, add Slime-trol RX-32P at the rate of 0.1 to 0.75 lb per ton of pulp or paper produced. Additions of Slime-trol RX-32P to the additive system should be made directly at the rate of 0.1 to 1.0 lb (12 to 120 ppm) per 1000 gals. Repeat until control is achieved.

(Directions for Use continued on third panel.)

PAPCH024 8401

Contents: PELLETS

Active Ingredients:

Methylenebis (thiocyanate)

Inert Ingredients:

Total:

EPA Reg. No. 4907-19

EPA Est. No. 1137-NJ-1

NET WEIGHT OR VOLUME AS MARKED ON CONTAINER

**KEEP OUT OF REACH OF CHILD**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact with skin, wash immediately with oil and water. Immediately contact physician.

In case of contact with eyes, flush promptly and the plenty of clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, promptly drink a large quantity of egg whites or gelatin solution. If these are not available, quantities of water. Avoid alcohol. Immediately contact physician. Never give anything by mouth to an unconscious person.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

See left panel for additional Precautionary Statements.

**ACCE**

**OCT 3**

Under the Federal Fungicide, and Pesticide Act, as amended, for registered under EPA Reg. No. 2

# Inc. slime-trol® RX-32P Slime Control Agent

**Contents: PELLETS**

**Active Ingredients:**

Methylenebis (thiocyanate) ..... 7.0%

Inert Ingredients: ..... 93.0%

Total ..... 100.0%

EPA Reg. No. 45017-19

EPA Est. No. 7137-NJ-1

NET WEIGHT OR VOLUME  
AS MARKED ON CONTAINER

**SUBSEQUENT DOSE:** When microbial control is evident, add Slime-trol RX-32P at the rate of 0.1 to 0.5 lb per ton of pulp or paper produced. Treat the system as needed to maintain control. Additions of Slime-trol RX-32P to the additive system may be reduced to 0.1 to 0.75 lb (12 to 90 ppm) per 1000 gals.

**CONTINUOUS FEED METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, add Slime-trol RX-32P at the rate of 0.1 to 0.75 lb per ton of paper produced. Addition of Slime-trol RX-32P to the additive system should be made directly at the rate of 0.1 to 1.0 lb (12 to 120 ppm) per 1000 gals. Continue control is achieved.

**SUBSEQUENT DOSE:** Maintain the following level by continuous feed of Slime-trol RX-32P at the rate of 0.1 to 0.5 lb per ton of pulp or paper produced. Addition of Slime-trol RX-32P to the additive system should be at the rate of 0.1 to 0.75 lb (12 to 90 ppm) per 1000 gals.

**FOR PRESERVATION**

Slime-trol RX-32P should be added directly to the material to be preserved prior to manufacturing into the finished product, i.e., pulp, broke, polymers, defoamers, alum, emulsions, adhesives, paper mill coatings, pigment slurries and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual addition should be 200-300 ppm and under extreme conditions of spoilage the dosage rate should be increased to 250-800 ppm. The above recommendations are based on a maximum storage time of 2 weeks. For storage time greater than 2 weeks, the maximum concentration of Slime-trol RX-32P should be increased to 1000 ppm.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with plenty of clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, promptly drink a large quantity of milk, beaten egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Immediately contact physician. Never give anything by mouth to an unconscious person.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep container tightly closed. Store in a dry place. Do not store at elevated temperatures.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Metal and Plastic Containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

**Fiber Drums with Liners:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

See left panel for additional Precautionary Statements.

**ACCEPTED**  
**OCT 3 0 1984**  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 45017-19

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ PaperChem, Inc.

UNVILLE, FLORIDA 32213 Emergency (Health or Accident): 215-355-3300