the material to be preserved prior to manufacturing into the final end product, textile finishes, polymers, defoamers, latex, emulsions, adhesives, paper mill coatings, pigment slurries, and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual addition should be 200 to 300 ppm and under extreme conditions of spoilage the dosage rate should be increased to 250 to 800 ppm. The above recommendations are based on a maximum storage time of two weeks. For storage time greater than 2 weeks, the maximum concentration should be increased to 1000 ppm.

STORAGE AND DISPOSAL[12bf]

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Metal and Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn if allowed by state or local authorities. If burned, stay out of smoke.

Fiber Drums with Liners: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ PaperChem, Inc.

Emergency(Health or Accident): 215-355-3300

[illegible]

[illegible]

PRECAUTIONARY STATEMENTS [illegible]

HAZARDS TO HUMANS AND [illegible]
DOMESTIC ANIMALS [illegible]

DANGER [illegible]

HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Causes eye burns and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling. Destroy contaminated shoes.

ENVIRONMENTAL HAZARDS [illegible]

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as described on this label.

DIRECTIONS FOR USE [illegible]

[illegible]

BEST DOCUMENT AVAILABLE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 30 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 45017-23

[illegible]

BEST DOCUMENT AVAILABLE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 30 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4052-23

[illegible] FLORIDA [illegible] (continued.)

[illegible]

Slime-trol [illegible] pulp [illegible] apply at a point in the [illegible] the product will be uniformly mixed.

INTERMITTENT OR SLUG METHOD [12]
INITIAL DOSE: When the system is noticeably fouled, add Slime-trol RX-43 at the rate of 0.15 to 2.0 pounds per ton of pulp or paper produced. Additions to the additive system should be made directly at the rate of 0.1 to 2.0 pounds (12 to 240 ppm) per 1000 gallons in the in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is noticeably fouled, add Slime-trol RX-43 at the rate of 0.15 to 2.0 pounds per ton of pulp or paper produced. Treat the system as needed to maintain control. Additions to the additive system may be reduced to 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons.

CONTINUOUS FEED METHOD[12]
INITIAL DOSE: When the system is noticeable fouled, add Slime-trol RX-43 at the rate of 0.15 to 2.0 pounds per ton of pulp or paper produced. Additions to the additive system should be made directly at the rate of 0.1 to 1.0 pounds (12 to 120 ppm) per 1000 gallons. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is noticeably fouled, add Slime-trol RX-43 at the rate of 0.15 to 2.0 pounds per ton of pulp or paper produced. Treat the system as needed to maintain control. Additions to the additive system may be reduced to 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons.

BADLY FOULED SYSTEMS should be cleaned before treatment is begun.

FOR PRESERVATION[12bf]

[illegible]

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 30 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 6017-23

30 JUN 1983

Betz PaperChem, Inc.
7898 Baymeadows Way
Jacksonville, FL 32216

Gentlemen:

Subject: Slime-Trol RX-43
EPA Registration No. 45017-23
Your Application Dated May 16, 1983

The amendment referred to above, submitted in connection with registration is acceptable under FIFRA provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

   a. In the precautionary statements revise "Wear rubber gloves, goggles and face shield..." to read "Wear rubber gloves, goggles or face shield...."

   b. Note that "in the" appears twice on the third panel, second paragraph in the next to the last sentence. Delete one of them.

   c. Correct the spelling of "landfill" under the disposal statements for metal and plastic containers.

We are amending our records to reflect the product name change from "Slime-Trol DP-581" to "Slim-Trol RX-43."

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

DIS:JHLee:DCR-18323:WANG-0887C:jjk:Raven:479-2013:6/9/83
REVISED:JHLee:DCR-18363:WANG-1109C:pjb:Raven:479-2023:6/22/83

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

EPA Form 1320-1 (4-81) OFFICIAL FILE COPY