

BETZ®
PAPERCHEN, INC.

Slime-trol RX-31

SLIME CONTROL AGENT

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. CAUSES EYE DAMAGE AND SKIN IRRITATIONS. DO NOT INHALE VAPOR OR MIST. USE WITH ADEQUATE VENTILATION. DO NOT GET INTO EYES, ON SKIN OR ON CLOTHING. WEAR RUBBER GLOVES, GOGGLES AND FACE SHIELD WHEN HANDLING. IMMEDIATELY REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE DO NOT DISCHARGE EFFLUENT CONTAINING THIS ACTIVE INGREDIENT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS, OR PUBLIC WATERS UNLESS THIS PESTICIDE IS SPECIFICALLY IDENTIFIED AND ADDRESSED IN AN NPDES PERMIT. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PESTICIDE TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA. APPLY THIS PESTICIDE ONLY AS SPECIFIED ON THIS LABEL.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT USE, POUR OR STORE NEAR HEAT OR OPEN FLAME.

Active Ingredients:

Dodecylguanidine hydrochloride.....10.0Z
Methylenebis (thiocyanate)..... 5.0Z
Inert Ingredients M:.....05.0Z
Total.....100.0Z
M Inert ingredients include solubilizing and dispersing agents.

CONTENTS: LIQUID

EPA EST. NO.

POUNDS PER GALLON: 9.2 (60F)

EPA REG. NO.: 45017-28

DANGER KEEP OUT OF REACH OF CHILDREN STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash immediately with plenty of soap and water physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to available upon request.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL AND PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and crush into small pieces, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into appropriate container. Dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

This product aids in the control of objectionable bacteria and fungi in pulp paper mill and the additive system, and for the preservation of pulp, pigment slurries, alum, emulsions, adhesives, defoamers, polymers, and paper products. Additions can be made on a continuous or intermittent basis, depending upon the severity of the contamination. BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR SLIME CONTROL. This product should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed.

INTERMITTENT OR SLUG METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.0 lb per ton of pulp or paper produced. Addition of this product to the additive system should be made directly at the rate of 0.5 to 1.0 lbs (50 to 100ppm) per 1000 gals. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.1 to 0.5 lb per ton of pulp or paper produced. Treat the system as needed to maintain control. Addition of this product to the additive system may be reduced to 0.25 to 2.0 lbs (25 to 200ppm) per 1000 gals.

CONTINUOUS FEED METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.0 lb per ton of pulp or paper produced. Addition of this product to

the additive system should be made directly at the rate of 0.5 to 1.0 lbs (50 to 100ppm) per 1000 gals. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.1 to 0.5 lb per ton of pulp or paper produced. Treat the system as needed to maintain control. Addition of this product to the additive system may be reduced to 0.25 to 2.0 lbs (25 to 200ppm) per 1000 gals.

CONTINUOUS FEED METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.0 lb per ton of pulp or paper produced. Addition of this product to

the additive system should be made directly at the rate of 0.5 to 1.0 lbs (50 to 100ppm) per 1000 gals. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.1 to 0.5 lb per ton of pulp or paper produced. Treat the system as needed to maintain control. Addition of this product to the additive system may be reduced to 0.25 to 2.0 lbs (25 to 200ppm) per 1000 gals.

CONTINUOUS FEED METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.0 lb per ton of pulp or paper produced. Addition of this product to

NET WT. LBS.

LOT NO.

FOR INDUSTRIAL USE. Technical advice regarding specific site problems is available from BETZ