U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	EPA REGISTRATION NO.	DATE OF ISSUANCE
	45017-36	August 8, 1985
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODU	υςτ
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Slime-Trol DPB-10	25
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u> </u>	
Dotz Paper Chem, Inc. 7398 Baymeadow Way Jacksonville, FL. 32216	٦	
L	٦	
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division prioroduct always refer to the above U.S. EPA registration nur	or to use of the label in commen	on with this registration must be cc. In any correspondence on this
On the basis of informatic furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is re-	turned herewith.
Act is not to be construed as giving the registrant a right to by others. The profit of the constitution	egy state to a source of models of egy attention for the constitution of the constitut	ation to *prior what is a section of the section of
A Summar have Compact to the compact of a summar have Compact for a summar have contact and a summar have contact as a summar have contact as a summar have	The third of the second of the	things of the state of the stat
A. Summa day () From the complete to the complete to the provided for the complete to a contract of the complete to the compl	The total of the control of the cont	things of the state of the stat

Betz PaperChem, Inc. slime-trol[R] DPB-1025

Slime Control Agent

(FIRST PANEL)

PRECAUTIONARY STATEMENTS[14bf]

HAZARDS TO HUMANS AND [126] DOMESTIC ANIMALS[126f]

WARNING[1864]

Do not take internally. Causes eye and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Hear protect tive gloves and goggles when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS[146]

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZAROS[146f]

Modestabled Do not use, pour or store near heat or open flame.

DIRECTIONS FOR USE[14bf]

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PULP AND PAPER MILL SYSTEMS[12bf]

Bitz PaperChem Slime-trol OPB+1325 aids in the control of objectionable bacteria and fungi in pulp, paper mill and the additive system, and for the preservation of pulp, pigment slurries, alum, emulsions, adhesives, defoamers, polymers, and paper products. Additions can be made on a continuous or intermittent basis, depending upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

ACCEPTED with COMMENTS in EPA Letter Dateds.

AUG 8 1985

Under the Proposal Insectfelde. Fungicide, and Rodenticide Act *as amended, for the pesticide registered under EPA Reg. No.

.

(Directions for Use continued on third panel.)

PAPCH064 8504

Business Phone: 904-733-7110 BETZ Paper- [Cont'd at bottom of second panel.]

(SECOND PANEL)

Contents: LIQUID

Active Ingredients:

beta-Bromo-beta-Nitrostyrene.....10.0%

Bis(trichloromethyl) sulfone.....2.5%

Inert Ingredients*:..........87.5%

Total......100.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 45017-XX

WEIGHT PER GALLON OF PRODUCT 7.9 Pounds (70F)

NET WEIGHT OR VOLUME AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN[126f]

WARNING[18bf]

SULATEMENT OF PRACTICAL TREATMENT[146f]

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of inhalation, immediately remove affected person from contaminated area to fresh air. Immediately contact physician.

In case of ingestion, immediately contact physician. Never give anything by mouth to an unconscious person.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request. See left panel for additional Precautionary Statements.

Chem, Inc. JACKSONVILLE, FLORIDA 32216 [Cont'd at bottom of third panel.]

(THIRD PANEL)

FOR SLIME CONTROL

Slime-trol DPB-1025 should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed.

INTERMITTENT OR SLUG METHOD
INITIAL DOSE: When the system is notice—
ably fouled, add Slime—trol DPS-1025 at the rate of 0.1 to 1.0 pound per ton of pulp o caper produced. Addition of Slime—trol D. 1025 to the additive system should be made directly at the rate of 0.2 to 3.0 pounds (24 to 360 ppm) per 1000 gallons. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slime-trol DPB-1025 at the rate of 0.1 to 0.75 pound per ton of pulp or paper produced. Treat the system as needed to maintain control. Addition of Slime-trol DPB-1025 to the additive system may be reduced to 0.1 to 3.0 pounds (12 to 300 ppm) per 1000 gallons.

CONTINUOUS FEED METHOD
INITIAL DOSE: When the system is notice—
4 y fouled, add Slime—trol DPB—1025 at the rate of J.1 to 1.0 pound per ton of pulp or paper produced. Addition of Slime—trol DPB—1025 to the additive system should be made directly at the rate of 0.2 to 3.0 pounds (24 to 360 ppm) per 1000 gallons. Continue until control is achieved.

SUBSEQUENT DOSE: Maintain the following level by continuous feed of Slime-trol DPB-1025 at the rate of 0.1 to 0.75 pound per ton of pulp and paper produced. Addition of Slime-trol DPB-1025 to the additive system should be made at the rate of 0.1 to 3.0 pounds (12 to 360 ppm) per 1000 gallons.

FOR PRESERVATION[126f]

Slime-trol DPB-1025 should be added directly to the material to be preserved prior to manufacturing into the finished product, 1.a., pulp, broke, polymers, defoamers, alum, emulsions, adhesives, paper mill coatings,

pigment slurries, and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual additions should be 200 to 300 ppm and under extreme conditions of spoilage the dosage rate should be increased to 250 to 800 ppm. The above recommendations are based on a maximum storage time of 2 weeks. For storage time greater than 2 weeks, the maximum concentration should be increased to 1000 ppm.

Emergency (Health or Accident): 215-355-3300

(FOURTH PANEL)

STORAGE AND DISPOSAL[1264]

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

F_STICILE DISPOSAL: Do not contaminate water, tood or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(.al and Plastic Containers[bf]: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn it allowed by state and local authorimates. If burned, stay out of smoke.

Fiber Drums with Liners[bf]: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum and liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ PaparChem/Inc.