

BETZ Slime-trol DPB.

SLIME CONTROL AGENT

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

CORROSIVE. CAUSES EYE AND SKIN DAMAGE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID BREATHING VAPORS OR SPRAY MIST WEAR GOGGLES OR FACE SHIELD AND RUBBER CLOVES WHEN HANDLING. IMMEDIATELY REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE WASH THOROUGHLY AFTER HANDLING

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE DO NOT DISCHARGE EFFLUENT CONTAINING THIS ACTIVE INGREDIENT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS, OR PUBLIC WATERS UNLESS THIS PRODUCT IS SPECIFICALLY IDENTIFIED AND ADDRESSED IN AN NPDES PERMIT DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE SEWAGE TREATMENT AUTHORITY FOR GUIDANCE CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA.

RESTRICTION STATEMENT

THIS PRODUCT IS NOT CLEARED FOR USE IN THE MANUFACTURE OF PAPER AND PAPERBOARD PRODUCTS, COATINGS AND ADHESIVES THAT MAY COME IN CONTACT WITH FOOD

Active Ingredients:

Bis (trichloromethyl) sulfone 10%
N-Alkyl (C12-40%, C14-50%, C16-10%)
dimethyl benzyl ammonium chloride . . . 8%
Inert Ingredients 82%
Total 100%
Inert ingredients include solubilizing and dispersing agents

CONTENTS LIQUID POUNDS PER GALLON: 8.8
EPA EST. NO. 34688-AJ-2
EPA REG. NO. 45617-39

DANGER

KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL USE

In case of contact with skin, wash immediately with plenty of soapy water.
In case of contact with eyes, flush promptly and thoroughly with water. Immediately contact physician.
In case of ingestion, immediately contact physician. Never give anything by mouth to someone who has swallowed this product.
A Material Safety Data Sheet containing more detailed information is available upon request.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with the following directions.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or to the environment. Do not discharge into streams, rivers, lakes, or other bodies of water. Do not use in or near wells. Do not use in or near public water supplies. Do not use in or near schools, day care centers, or other public buildings. Do not use in or near residential areas. Do not use in or near public water supplies. Do not use in or near public water supplies.
CONTAINER DISPOSAL: METAL AND PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.
FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping side, and bottom to loosen clinging particles. Empty residue from liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum.

PULP AND PAPER MILL SYSTEMS

This product aids in the control of objectionable bacteria and fungi in pulp, paper mill and the additive system, and for the preservation of pulp, pigment slurries, slows, emulsions, adhesives, defoamers, polymers, and paper products. Additions can be made on a continuous or intermittent basis, depending upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR SLIME CONTROL

This product should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed.
INTERMITTENT OR SLUG METHOD- INITIAL DOSE: When the system is noticeably fouled, add this product at a rate of 0.8 to 2.0 lbs per ton of pulp or paper produced. Addition of this product to the additive system should be made directly at the rate of 1.0 to 2.0 pounds (120 to 240 ppm) per 1000 gallons. Repeat until control is achieved.
SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.8 to 1.5 pounds per ton of pulp or paper produced. Treat the system as needed to maintain control. Additions of this product to the additive system may be reduced to 1.0 to 1.5 pounds (120 to 180 ppm) per 1000 gallons.

CONTINUOUS FEED METHOD-INITIAL DOSE: When this product is added to the additive system of 1.0 to 2.0 lbs (120 to 240 ppm) per 1000 gallons of this product to the additive system of 1.0 to 2.0 lbs (120 to 240 ppm) per 1000 gallons. Repeat until control is achieved.
SUBSEQUENT DOSE: Maintain the following: the rate of 0.8 to 1.5 lbs per ton of pulp and paper produced. This product should be added directly to the manufacturing into the finished product, to control emissions, adhesives, paper mill coatings, and other products. Dosage rate will depend upon the material. Usual additions should be 400-600 ppm and dosage rate should be increased to 800-1000 ppm on a maximum storage time of two weeks. For the maximum concentration of this product is 1000 ppm.

FOR PRESERVATION

This product should be added directly to the manufacturing into the finished product, to control emissions, adhesives, paper mill coatings, and other products. Dosage rate will depend upon the material. Usual additions should be 400-600 ppm and dosage rate should be increased to 800-1000 ppm on a maximum storage time of two weeks. For the maximum concentration of this product is 1000 ppm.

USE DIRECTIONS CONTINUED ON S

NET WT. : _____ LBS.
LOT NO. _____

FOR INDUSTRIAL USE, Technical advice regarding specific site problems is available from BETZ 1988 8994 PANEL 1 OF 2

JACKSONVILLE, FL 32256 BUSINESS: 904-733-7110 EMERGENCY (HEALTH OR ACCIDENT)

Slime-trol DPB-1408 Slime-trol DPB-1408
NET WT. _____ LBS. CORROSIVE LIQUID, N.O.S.
LOT NO. _____
UN 1768
CUSTOMER PART NO. _____

SPECIFIC HAZARD -
4 - Severe
3 - Serious
2 - Moderate
1 - Slight
0 - Minimal

PERSONAL PROTECTION:
1. ASK SUPERVISOR
A. SAFETY GLASSES
B. GOGGLES, GLOVES
C. GOGGLES, GLOVES, APRON
D. GOGGLES, GLOVES, APRON, FACE SHIELD

DANGER

CAUSES EYE AND SKIN DAMAGE. HARMFUL
 IF SWALLOWED, INHALED OR ABSORBED THROUGH THE
 SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.
 AVOID BREATHING VAPORS OR SPRAY MIST.
 WEAR GOGGLES OR FACE SHIELD AND RUBBER
 GLOVES WHEN HANDLING. IMMEDIATELY REMOVE AND
 DISCARD CONTAMINATED CLOTHING BEFORE REUSE. WASH
 THOROUGHLY AFTER HANDLING.

ENVIRONMENTAL HAZARDS
 THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE.
 DO NOT DISCHARGE EFFLUENT CONTAINING THIS
 PRODUCT INTO LAKES, STREAMS, PONDS,
 RIVERS, OCEANS, OR PUBLIC WATERS UNLESS
 THE PRODUCT IS SPECIFICALLY IDENTIFIED AND
 PERMITTED IN AN NPDES PERMIT. DO NOT DIS-
 CHARGE EFFLUENT CONTAINING THIS PRODUCT TO
 SEWERAGE SYSTEMS WITHOUT PREVIOUSLY NOTIFYING
 THE LOCAL TREATMENT AUTHORITY. FOR GUIDANCE
 CONTACT YOUR STATE WATER BOARD OR REGIONAL
 OFFICE OF THE EPA.

RESTRICTION STATEMENT

THIS PRODUCT IS NOT CLEARED FOR USE IN
 THE MANUFACTURE OF PAPER AND PAPERBOARD
 PRODUCTS, COATINGS AND ADHESIVES THAT
 COME IN CONTACT WITH FOOD.

NET WT. : LBS.
 NO.

FOR INDUSTRIAL USE. Technical advice regarding
 site problems is available from BET.
 PANEL 1 OF 2

KANSASVILLE, FL 32136 BUSINESS 307 100 100

Slime-trol DPB-1408	
HEALTH	3
FLAMMABILITY	2
REACTIVITY	0
PERSONAL PROTECTION	B

SPECIFIC
 HAZARD —
 4 — Severe
 3 — Serious
 2 — Moderate
 1 — Slight
 0 — Minimal

PERSONAL
 PROTECTION
 X — ASK SUPERVISOR
 A — SAFETY GLASSES
 B — GOGGLES, GLOVES
 C — GOGGLES, GLOVES,
 APRON
 D — GOGGLES, GLOVES,
 APRON, FACE SHIELD