

pm 19

45036-1

allow copy  
pg 1 of 2

NOV 18 1991

Mr. Darryl Oster  
Pure Corporation  
P.O. Box 501070  
Indianapolis, IN 46250

Dear Mr. Oster:

Subject: Revised Labeling and Addition of Pests  
Residual Insecticide  
EPA Reg. No. 45036-1  
Your Application Received August 26, 1991

The labeling for the product referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable. A stamped copy of the label is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager 19  
Insecticide-Rodenticide Branch  
Registration Division (H-7505C)



P.O. BOX 501070 \* INDIANAPOLIS, IN 46250

TELEPHONE: (317) 578-8221

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate food or feedstuff with this spray. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tank) before spraying. Do not use this product in edible product areas of food processing plants, restaurants, or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes, get medical attention. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not store at temperatures below 32° F. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State and Local procedures. CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and Local procedures.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE OF PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CREVICE TREATMENT. ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

Do not apply this water-based product in conduits, motor housings, junction and switch boxes, or other electrical equipment because of possible shock hazard.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79L) of spray is sufficient to treat 1,500 linear feet (457m) with a 6 inch (15.2 cm) spray band.

**RESIDUAL INSECTICIDE**

Contains Dursban

A COMBINATION OF INSECTICIDES OFFERING FLUSHING ACTION AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS

For Residual and Contact Control of Cockroaches (Waterbugs), Crickets, Silverfish (Firebrats), Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Fire Ants, Carpet Beetles, Fleas, including pre-adult fleas, Boxelder Bugs, Scorpions, Spider Beetles, House Flies, Mosquitoes, Gnats, Flying Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles, Grain Mites, Red Flour Beetles, Angoumois Grain Moths, Grain Weevils, Indian Meal Moths, Mediterranean Flour Moths, Lesser Grain Borers, Cigarette Beetles, Drug Store Beetles, Chocolate Moths, Clothes Moths.

**ACTIVE INGREDIENTS**

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropane carboxylate .....	0.10 % w/w
†Chlorpyrifos[0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] .....	0.50 %
<b>INERT INGREDIENTS .....</b>	<b>99.40 %</b>

\*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans. Roussel Bio's SBP-1382® brand of resmethrin insecticide. Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, NJ 07632 \* U.S. Patent No. 3,244,586. Dursban is a Trademark of Dow Chemical Co.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

EPA Reg. No. 45036-1  
EPA Est. No. 45036-IN-01

**WARRANTY STATEMENT:** Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions of established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.

**CONSULT M.S.D.S. FOR FURTHER INFORMATION**

Net Contents

Product Code: 3040

ACCEPTED

NOV 18 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 45036-1

For contact and residual sprays, use dilute with equal parts of water.

**CONTACT SPRAY - KILLS AND** directly on pests to reduce infestations in hiding places such as cracks, crevices, refrigerators and other appliances, basements, but not to the point of runoff.

**FLEAS, BROWN DOG AND LONE STAR** infested areas such as pets' beds and behind baseboards, window and door frames where these pests may be present. Old clean fresh bedding after treatment of **PRODUCT.**

**CARPET BEETLES AND CLOTHES** Do not allow clothing to contact area carpeting and under carpeting, rugs, and baseboards. Spray directly into cracks or wherever these insects are seen or suspected.

**RESIDUAL SPRAY: AIDS IN THE** weeks. Apply on baseboards, cracks, other hiding places such as closets, in kitchens and bedrooms. In basements, walls and dark places. Spray surfaces used

**PEST DO NOT TREAT OR ALLOW TO** FLOWERING PLANTS, SHRUBS, POSSIBLE INJURY.

**PESTS ON OUTSIDE SURFACES** (clover mites, crickets, earwigs, millipede buildings. To help prevent infestation 2 to 3 feet (0.5 to 1m), where pests are spray to outside surfaces of buildings, patios, garages, refuse dumps, and outdoors. Repeat treatment as needed to maintain **HOUSE FLIES, MOSQUITOS, GNATS** use only as an aid in reducing annoyances, screens, doors, window frames or window surfaces around light fixtures on porch, light or congregate. Repeat as necessary.

**ANTS, BROWN DOG TICKS, CRICKETS** treatment of localized infestations of the bushy non-crop areas, spray infested runways. Repeat application as infested **TO CONTROL FIRE ANTS:** Dilute 1 water. Apply 1 gallon (3.79 L) of solution per acre. Thoroughly wet the mound. For best results, apply in cool weather: evening hours. Treat new mounds as treatment. If possible treat all mounds yet have constructed a mound. Large mound treatments. Equipment to deliver gallon (3.79 L) per mound is still required as pressurized sprays may dist effectiveness.