145087-26 PH 12

DRAFT LABEL

FRONT PANEL

ZEMA DIP 3.84% DURSBAN* CONCENTRATE FOR DOGS

Effective Tick Control for 21 Days Kills Fleas For 28 Days Controls Sarcoptic Mange

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6 trichloro-2-Pyridyl) phosophorothioate)	3.84%
INERT INGREDIENTS	96.16%

CAUTION

Keep out of Reach of Children DO NOT USE ON CATS

See back panel for additional precautionary statements.

Net Contents: 8 Fl. Oz.
*Registered TM Dow Chemical Co.

ACCEPTED	
JUL 1 1 1986	
Inder the Pederal Insecticide, un the old Sofentifie Act. In the periode Parise and H5087-26	

DRAFT LABEL

BACK PANEL, Zema Dip for Dogs, with Dursban

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Stir four (4) tablespoonfuls (2 fl. oz.) of Zema Dip into one (1) gallon of water. Use rubber gloves. Dip, sponge or swab dog with this emulsion until thoroughly wet. Hold hand over dog's nose and mouth to avoid swallowing emulsion. Dipping should not exceed 30 seconds. Allow dog to dry in a warm place without rinsing or toweling. Repeat application on 21 day intervals as necessary.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Concentrate is harmful if swallowed or absorbed through skin. May cause eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. DO NOT USE ON CATS. Do not use on sick or debilitated animals, bitches within one week of whelping or on bitches nursing puppies or pups under three (3) months old. Do not use this product within 30 days before of after treatment with other cholinesterase inhibiting drugs or chemicals.

NOTE TO PHYSICIAN AND VETERINARIAN:

Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibition are present.

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center. Give a glass of milk or water and induce vomiting by touching finger to back of throat. Never give anything by mouth to, or induce vomiting in, an unconscious or convulsing person. If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on Skin: Wash off with soap and water. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL

Storage: Store in original container in cool, locked storage area away from heat or open flame.

<u>Disposal</u>: Unused Insecticide: Securely wrap original container in several layers of newspaper and discard in trash. Empty Container: Do not reuse bottle or sprayer. Rinse thoroughly before discarding in trash.

EPA Reg. No. 45087-26 EPA Est. No. 45087-NC-1

Supplied by: Zema Corporation

Research Triangle Park, North Carolina 27709