


DRAFT LABEL



FRONT PANEL

ZEMA DIP 3.84% DURSBAN CONCENTRATE

Effective Tick Control for 21 Days
 Kills Fleas for 28 Days
 Controls Sarcoptic Mange

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6 trichloro-2-Pyridyl phosphorothioate)	3.84%
INERT INGREDIENTS	96.16%
	<u>100.00%</u>

Keep Out of Reach of Children


CAUTION:

DO NOT USE ON CATS

See back panel for additional precautionary statements.

Net Contents: 8 oz.

*Registered TM DowElanco Co.



DRAFT LABEL - BACK PANEL
ZEMA DIP 3.84% DURSBN CONCENTRATE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS. Shake well before using. Stir four (4) tablespoonfuls (2 fl. oz.) of Dip into one (1) gallon of water. Use rubber gloves. Dip, sponge or swab dog with this emulsion until thoroughly wet. Hold hand over dog's nose and mouth to avoid swallowing emulsion. Dipping should not exceed 30 seconds. Allow dog to dry in a warm place without rinsing or toweling. Repeat application in 21 day intervals as necessary.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Concentrate is harmful if swallowed or absorbed through skin. May cause eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. DO NOT USE ON CATS. Death or toxic symptoms may result. Do not use on toy/miniature breeds or adult animals of less than 10 lbs. Do not use on sick or debilitated animals, bitches within one week of whelping or on bitches nursing puppies or pups under three (3) months old. Do not use this product within 30 days before or after treatment with other cholinesterase inhibiting drugs or chemicals.

NOTE TO PHYSICIAN AND VETERINARIAN:


Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibition are present.

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center. Give a glass of milk or water and induce vomiting by touching finger to back of throat. Never give anything by mouth to, or induce vomiting in, an unconscious or convulsing person.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash off with soap and water. Remove contaminated clothing and wash before reuse.



DRAFT LABEL - BACK PANEL CONTINUED
ZEMA DIP 3.84% DURSIBAN CONCENTRATE

STORAGE AND DISPOSAL

Storage: Store in original container in cool, locked storage area away from heat or open flame.

Disposal: Unused Insecticide: Securely wrap original container in several layers of newspaper and discard in trash.

Empty Container: Do not reuse bottle or sprayer. Rinse thoroughly before discarding in trash.

EPA Reg. No. 45087-26
EPA Est. No. 45087-NC-1

Manufactured by:
ZEMA CORPORATION
Research Triangle Park, NC 27709

