PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do tion or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing Wear goggles or face shield and rubber gloves when handling this product. Wash at-ter handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissi-

ENVIRONMENTAL; HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid disch: ge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammon.a. acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

LYNN POOLS 1170 South Highway 41 Inverness, FL 32650

EPA REG. NO. 45223-1 EPA EST. NO.

NET CONTENTS

SODIUM **HYPOCHLORITE** SOLUTION

FOR SWIMMING POOL CHLORINATION

ACTIVE INGREDIENT SODIUM HYPOCHLORITE INERT INGREDIENTS

9.2% 90.8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk, or gelatin solu-tion or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

DIRECTION **GENERAL CL**

ITIS A VIOLATION OF FEDIT IN A MANNER INCORS

DIRECTIONS FOR SWIMI For a new pool or for spring start-up, s., p this sodium hypochlorite solution for each alent to 5 ppm available chlorine by write

int to 5 ppm evalable chlorine by writer froit Maintenance.
Adjust pool water pH to 76 - 72 ran Add mahually or by a feeder device of this sodium hypochlorite solution to this sodium hypochlorite solution to 0 ppm available chlorine by weight upon available chlorine will depen to Use test his to make certain the price of the sodium hypochlorite solution.

DRECTIONS FOR DISINFE FOR HOME WELL that this sodium hypochlorite solution.

Dilute this sodium hypochlorite solution solution to 9 parts softened water. Mis is oughly and begin feeding of solution wettain a free available chlorine resolution with throughout the distribution system, as disclosured sampling must be conducted at the National Interim Primary Dirinking with a DFD chlorine test bit. "Contact your trical Health Department of DIRECTIONS FOR SANITIZING FOOD

Glean equipment in the normal manner by with this sodium hypochlorite solution tain contact with disinfectant for a ma-after treatment with sodium hypochlorito one fluid oz. (2 tibisps.) of this sodium provide approximately 200 ppm avaira. MOTE. This product degrades with a as necessary to obtain the required

STORAGE AND DIS from direct sunlight. In case of spill, to empty container thoroughly with water by placing in Irizah collection or burying a cannot be used should be diffuled with and contaminate food or feed by stor-

45223-/ FEBO 9 198!

Under the Federal Inserticide, Fundading, and Referries in Act, on amunded, for the provide istee beieleber EPAR - Mo.

31

ECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

GER: Corrosive, may cause severe skin irrita-emical burns to broken skin. Causes eye damage. Do eyes, on skin or on clothing. Wear goggles or face rubber gloves when handling this product. Wash atg. Avoid breathing vapors. Vacate poorly ventilated on as possible. Do not return until odors have dissi-

ONMENTAL HAZARDS: This pesticide rish. Keep out of lakes, streams or ponds. Treated efnot be discharged into lakes, streams, ponds or pubwithout a valid discharge permit. For guidance, con-monal office of the Environmental Protection Agency

CAL AND CHEMICAL HAZARDS: IG OXIDIZING AGENT: Mix only with oding to label directions. Mixing this product with such as feces, urine, etc. or with ammonia, acids, or wher chemicals may release hazardous gases eyes, lungs and mucous membranes.

manufactured by

LYNN POOLS 1170 South Highway 41 Inverness, FL 32650

. NO. 45223-1 EPA EST. NO.

NET CONTENTS

SODIUM HYPOCHLORITE SOLUTION

FOR SWIMMING POOL CHLORINATION

ACTIVE INGREDIENT SODIUM HYPOCHLORITE INERT INGREDIENTS

90.8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk, or gelatin solu-tion or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention

ee additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

ITIS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up superchlorinate with one (1) pint (16 flu GZS) of this sodium hypochlorite solution for each 2500 gaillons of water. This dosage is equivalent to 5 ppm available. Colorine by weight
for Pool Maintenance.

alent to 5 ppm shallable chlorine by weight
for Pool Maintenance

A lightst pool water pH to 76 - 72 range and maintain

B) Add manually or by a feeder device this sodium hypochloride solution at a rate to
maintain an available chlorine residual of 0 6 to 1 0 ppm. One-half pint (8 flu loss)
of this sodium hypochloride solution for each 6000 gallons of water will provide
1 0 ppm available chlorine will depend upon temperature and number of summars
tise test but to make certain the pH and of orion residual are in the proper range
DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR MOME WALL WATER SYSTEMS

Diside this sodium hypochloride solution in the ratio of one part sodium hypochloride.

FOR HOME WELL WATER STREMS

Ditale this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thuroughly and begin reeding of solution with a hypochlorination (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorina testar Bacteriological sampling must be conducted at a frequency no less than that prescribe 1 by the National Interim Primary Dimining Water Regulations? Check water, frequently with a DPD information at a serioughly solution at the arm Department of interimediation.

Consist your local sea on Department of interimediation.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chiorine. Maintain contact with disinfectant for a minimum of two minites. Do not nose with water after treatment with solution hypochlorite solution. Do not soak overnight. Addition of one fluid by (2 thisps) of this sodium hypochlorite solution per 4 gallons of water will provid, approximately 200 ppm available chiorine by weight.

NOTE: It is prividual dearwises with agent use outlinear electivitiand increase dosage, as necessary it includes the required reservative and processing.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse emply container thoroughly with water and either raturn to manufacturer or discard by stacing in trash collection or but jing in an approved fandfill. Product or rinsate that annother, sind is should be distulct with water and disposed of the a santaty sewer. Do it is crue in all fined or feed by storage, disposal or cleaning of equipment.

45223-1 FEBO 9 1981

Under the Federal Inserticida. Pungi die, and Reconticida A es amunded, for the purificids tochelerad under EPA R.g. No.

31

32