

DIRECTIONS FOR USE:

It is violation of a federal law to use this product in a manner inconsistent with its labeling.

1. For Egg Wash: Dissolve 1 or 2 oz. of SANWASH 927 in 10 gal. of warm (125°F) water. This provides 100 to 200 ppm of available chlorine respectively. For immersion treatment dip a basket of eggs in the 200 ppm available chlorine solution, hold for two or three minutes, remove, rinse with potable water and dry. With a conveyor type machine, spray with the 100 ppm available chlorine solution and follow with a potable water rinse.

For dishes, glasses, food processing equipment and utensils: Dissolve 1 or 2 oz. of SANWASH 927 per 10 gal of warm (125°F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional SANWASH 927 should be added, to maintain a minimum concentration of 100 ppm available chlorine.

SANWASH 927

ACTIVE INGREDIENT

SODIUM dichloro-s-triazinetriene dihydrate
(provides 15.8% available Chlorine)

INERT INGREDIENTS

WARNING

KEEP OUT OF REACH OF CHILDREN

FIRST AID: If swallowed feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact wash with water for about 15 minutes and consult a physician.

EPA Reg. No. 45244-2
EPA EST. No. 45244-Mo-1

Manufactured by: GMP CHEMICALS-McHfide, 2415 South 63rd St.,
P. O. Box 626 Chester, Illinois 62226
DIVISION of GILSTER-MARY LEE CORP.
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, registered with EPA Reg. No. 45244-Mo-1

OR USE:

to use this product in
labeling.

2 oz. of SANWASH 927 in
per. This provides 100 to
one respectively. For im-
t of eggs in the 200 ppm
hold for two or three
potable water and dry.
spray with the 100 ppm
and follow with a potable

using equipment and uten-
WASH 927 per 10 gal of
100 to 200 ppm of avail-
rinse items prior to san-
be sanitized in solution
move, rinse with potable
may be used in the feed
achines providing 2 to 5
ing dishes, glasses, and
ensils. Rinse well with
are then ready for use.

used promptly after mix-
o stand or is reused and
has not been maintained.
added, to maintain a min-
available chlorine.

SANWASH 927

ACTIVE INGREDIENT

SODIUM dichloro-s-triazinetriene dihydrate
(provides 15.8% available Chlorine)

22%

INERT INGREDIENTS

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

FIRST AID: If swallowed feed gruel or cooked cereal fol-
lowed by olive oil. Call a physician. In case of contact
with skin or clothing, remove clothing and wash skin with
soap and water. Do not reuse clothes until washed. In
case of eye contact wash with water for about 15 minutes
and consult a physician.

EPA Reg. No. 45244-2
EPA EST. No. 45244-40-1

Net Contents 9 lbs.

ACCEPTED

45244-2

MAR 23 1981

Manufactured by
GMP CHEMICALS-McBride, MI. Hour 63776
P. O. Box 626 Chester, Illinois 62233
DIVISION of GILSTER-MARY LEE CORP.
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticides
registered under
EPA Reg. No.

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMEST
ANIMALS
WARNING: Harmful if swallowed, inha-
led, or absorbed through the skin. Avoid breathing dust,
skin, eyes, or clothing. May cause
skin irritation.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT
Strong oxidizing agent. Mix only with
dry utensils. Do not mix this product
with oil or gross filth. Such use may cau-
se fire or explosion. Con-
tains organic matter, on other chemical
reaction, with generation of heat,
arduous gases, and possible generation
of toxic fumes. In case of contamination or de-
fect, isolate container. If possible isolate
air or well ventilated area. Flood with
water, if necessary.

STORAGE AND DISPOSAL
Store in a cool, dry area away from
heat. In case of spill, flood area with
of water. Rinse empty container thor-
oughly and discard by placing in trash collection
approved landfill area. Do not contaminate
by storage, disposal, or cleaning of

17

SANWASH 927

ACTIVE INGREDIENT

SODIUM dichloro-s-triazinetriene dihydrate
(provides 15.8% available Chlorine)

25

INERT INGREDIENTS

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

First Aid: If swallowed feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact wash with water for about 15 minutes and consult a physician.

EPA Reg. No. 45244-2
EPA EST. No. 45244-Mo-1

Manufactured by

GMP CHEMICALS-McFIDE, 41 South 6376
P. O. Box 628 Chester, Illinois 62233
DIVISION of GILSTER-MARY LEE CORP.

Net Contents 5 lbs.
ACCEPTED
45244-2
MAR 23 1981
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 45244-2

17

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT:

Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not mix this product with any other chemical or gross filth. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

18