

**PRECAUTIONARY STATEMENTS**

Only for sale to, use and storage by service persons. Hazards to humans and domestic animals.

**DANGER**

Keep out of reach of children.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

**STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

**PESTICIDE DISPOSAL**

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

**GENERAL**

Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

**DIRECTIONS**

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations: Wash and rinse all articles thoroughly. Then apply a solution of 1 oz. Sanitizer 935 in 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be used for sanitizing applications. Apply to stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz / 4 gallon solution of Sanitizer 935. No Potable water rinse is required.

At 1 oz / 4 gallons Sanitizer 935 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U. S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCO<sub>3</sub>, when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia Coli and Staphylococcus aureus.

Udder Wash: The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz Sanitizer 935 in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

**SANITIZER 935**

Disinfectant - Sanitizer - Fungicide - Deodorizer  
for Institutional and Industrial Use

**ACTIVE INGREDIENTS**

|  |                         |
|--|-------------------------|
| Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride | 3.000% <sup>45.4%</sup> |
| Octyl decyl dimethyl ammonium chloride                                 | 2.250%                  |
| Didecyl dimethyl ammonium chloride                                     | 1.125%                  |
| Dioctyl dimethyl ammonium chloride                                     | 1.125%                  |
| <b>INERT INGREDIENTS</b>   | <b>92.500%</b>          |
|  | <b>100.000%</b>         |

KEEP OUT OF REACH OF CHILDREN

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS

EPA REGISTRATION NO. 45244-7

EPA ESTABLISHMENT NO. 45244-M-1



**GMP CHEMICALS**

McBride, MO 63776  
P. O. Box 626, Chester, IL 62233

NET CONTENTS  
ONE GALLON

# SANITIZER 935

Disinfectant - Sanitizer - Fungicide - Deodorizer  
for Institutional and Industrial Use

## ACTIVE INGREDIENTS

|  |                        |
|--|------------------------|
| Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride | 3.000% <i>45.411-2</i> |
| Octyl decyl dimethyl ammonium chloride                                 | 2.250%                 |
| Didecyl dimethyl ammonium chloride                                     | 1.125%                 |
| Dioctyl dimethyl ammonium chloride                                     | 1.125%                 |
| <b>INERT INGREDIENTS</b>   | 92.500%                |
|  | 100.000%               |

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

## STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS

EPA REGISTRATION NO. 45244-7

EPA ESTABLISHMENT NO. 45244-Mo-1



**GMP CHEMICALS**

McBride, MO 63776  
P. O. Box 626, Chester, IL 62233

NET CONTENTS  
**ONE GALLON**

## Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Sanitizer 935 with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

**Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.** For disinfecting floors, walls, counter tops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails and other hard non-porous surfaces. Add 3.5 oz. Sanitizer 935 to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, Sanitizer 935 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

**Disinfection in Institutions and Industrial Plants.** Add 2 oz. of Sanitizer 935 to 4.5 gallons of water. At 0.5 oz. to 2.25 gallons of water use level, the fungicidal effectiveness of Sanitizer 935 in the presence of 5% blood serum against *Trichophyton mentagrophytes* has been shown utilizing the AOAC Fungicidal Test.

**Disinfection of Poultry Equipment, Animal Quarters and Kennels.** Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. Sanitizer 935 to 4.5 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.