

DANGER
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Fatal if inhaled. Corrosive. Causes irreversible eye damage or skin burns. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention.

NOTE TO PHYSICIANS: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Aqua Clear® is a registered trademark of Aqua Clear Industries, LLC.

EPA Reg. No. 45309-5

EPA Est. No. 45309-NY-01

MANUFACTURED BY:

Aqua Clear Industries, LLC.

Box 5430, Albany, NY 12205

AQUA CLEAR®
RAPID SHOCK

Lithium Hypochlorite
Pool Water Shock Treatment

Active Ingredient:	
Lithium Hypochlorite.....	29.0%*
Inert Ingredient.....	71.0%
Total	100.0%

*provides 35% available chlorine


KEEP OUT OF REACH OF
CHILDREN

DANGER

[skull and crossbones]

POISON

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS



Net Contents: 1 lb. (454 KG)

SPECIAL PRECAUTIONS
(PLEASE READ)

1. This product has powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.

DIRECTIONS FOR USE
USE ONLY AS DIRECTED

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE PRECAUTIONARY
STATEMENTS BEFORE USE

Before initiating daily chlorine use, superchlorinate (shock treat) the pool water by broadcasting across the surface of the pool 2 oz. (1/4 cup) of this product per 1,000 gallons of water. Superchlorinate in the evening when the pool is no longer in use. Check the chlorine residual the following morning with a suitable test kit. If the chlorine residual is above 3.0 ppm refrain from swimming until the residual has decreased.

During the summer months, when the temperature is below 80°F, superchlorinate every two weeks. During especially hot periods and/or when the bather load is heavy, superchlorinate weekly.

For normal pool maintenance, add chlorinating sanitizer according to package instructions to maintain a minimum chlorine residual of between 1.0 and 2.0 ppm at all times.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container in an open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in an approved landfill area.

Revised 03.31.99

PM 32
45309-5
7/1/99
Page 121