## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in ayes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

distributed by: POOL CARE, INCORPORATED
38 WEST LAKE STREET

TARPON SPRINGS, FLORIDA 33589

EPA REG, NO. 45322-1

NET CONTENT

Treations I

DATE PACKAGED-NOT FOR USE AFTER:

Ŋ

MAR 18 1981

Under the Federal Inverti Fungial a. as ama also rogin Mod (1995) EPA (1996). No.



# SODIUM HYPOCHLORITE INERT INGREDIENTS: KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

## DIRECTIONS FOR U

It is a violation of federal law to use this inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL For a new pool or for spring start-up, super pint (18 flu. ozs.) of sodium hypochiorite a gallons of water. This dosage is equivate chlorine by weight.

FOR POOL "AINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range
B) Add manually or by a feeder device,
solution at a rate to maintain an availab
0.8 to 1.0 ppm. One half pint (8 flu. ozs.) o
solution for each 6000 gallons of wate
available chlorine by weight. Freque
maintain 0.6 to 1.0 ppm available chl
temperature and of number swimmers,
certain the pH and chlorine residual are

NOTE: This product degrades with age. Use increase dosage as necessary, to obtain available chlorine.

STORAGE AND DISPOSAL: Store in a coddirect sunlight. In case of splil, flood area water. Rinse empty container thoroughly return to manufacturer or discard by placin burying in an approved land fill. Product or used, should be diluted with water and dissewer. Do not contaminate food or feed to cleaning of equipment.

22

### **DNARY STATEMENTS** ANS AND DOMESTIC ANIMALS


cause severe skin irritation or chemical uses eye damage. May be fatal if swal-pors. Do not get in eyes, on skin or on face shield and rubber gloves when as hands after handling. Vacate poorly as possible. Do not return until odors

HOS: This pesticide is toxic to fish, keep r ponds. Treated effluent cannot be leams, ponds or public waters unless a ned. For guidance, contact the regional at Protection Agency.

CAL HAZARDS: STRONG OXIDIZING ter according to label directions. Mixing th such as feces, urine, etc., or with ents or other chemicals will release to eyes, lungs and mucous membranes.

RE, INCORPORATED LAKE STREET

SPRINGS, FLORIDA 33589



MAR 18 1981

Under the Federal Interior Fungish c. of T as one also have registered on all EPA Rea. No.

Ũ



**ACTIVE INGREDIENT:** SODIUM HYPOCHLORITE..... INERT INGREDIENTS:.

#### KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: if on skin, wash with plenly of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.



It is a violation of federal law to use this product in a manne inconsister " with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchiprinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range and maintain.

B) Add manually or by a feeder device, sod'um hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPUSAL: Store in a cool, dry grea away from . direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or busying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

22