(Chloristicing Seletion)

ACTIVE INGREDIENT: SOCIUM HYPOCHLORITE.... inert ingredients.....

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give venegar or other acids. Do not induce vemiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eve damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggler or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL MAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environ-

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGRNT: Mix only with water according to label directions. Mixing this product with gross filth such as faces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistant with its labeling,

DIRECTIONS FOR SWIMMING FOOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 2500 (16 flu, ozs.) of ations of water. This dosage is equivalent to 5 spm available chlorine by weight.

FOR POOL MAINTENANCE

FOR POOL MAINTENANCE

A) Adjust pool water pH to 7.6 7.2 range and maintain.

5) Add manually or by a feeder device, sodium hypochtorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight, Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine sesidual are in the proper range. and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a coot, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either recurn to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning or equipment

SWIMTRON POOL

3601 South Highway U.S. 301 Dade City, Florida 33525.

(904) 567-8449 . *

EPA REG. NO. 45325-1

NET CONTENTS: 25

DATE PACKAGED:

NOT FOR USE AFTER:

AGGE BALLD

reg store LVA Roy, Ro.