Swimming Pool Algaecide

ACTIVE INGREDIENT:	
Polyloxysthylene (dimethyliminio)	ethylene
(dimethyliminio) ethylene dichlorid	ie) .

1 1

INERT INGREDIENT 85.0%

This product contains 1.29 lb. of active ingredient per gallon and weighs 8.58 lb. per gallon.

15.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, agg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pusticide is taxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Swamming Pool Algaecide is used to control the growth of algae in swimming pools, exterior spas, whirlpcols, and hot tubs. For maximum effectiveness pools, spas, whirlpools, and hot tutis containing heavy growth of algae should be cleaned prior to using Swimming Pool Algaevide.

For pools having just visible algae growth add an initial dose of 50 to 77 fluid punces of Swimming Pool Algaecide per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a frashly cleaned and filled pool add initially 27 to 50 fluid ounces of Swimming Pool Algaucide per 10,000 gallons of water. Subsequent additions of 9 to 18 fluid ounces of Swimming Pool Algaecide per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance

Spas, whittpools, or hot tubs having just visible algae growth require an initial dose of 5 to 8 fluxt ounces of Swimming Pool Algaecide per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whulpool, or hot tub, add initially 3 to 5 fluid ounces of Swimming Pool Algaecide per 1,000 gallons of water. Subsequent additions of 1 to 2 fluid ounces of Swimming Poot Algencide should be made every 5 to 7 days after initial treatment for maintenauce.

Swimming Post Abasecide is compatible with those chamicals normally used to treat pools and spas and is effective at both acid and alkaline pH. Swimming Pool Algaecide can be used in pools and spes treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Swimming Pool Algaecide with concentrated dry or liquid chlorine products.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminato water, food, or feed by storage, disposal or cleaning of equipment. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

rinse and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place

🗇 METAL CONTAINERS: Tople 🗁 PLASTIC CONTAINERS: Do not reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in safe place.

Manufactured by: Springfield Chemical Co. P. O. Box 3926 Springfield, MO 65804 EPA REG. NO. 45382-1 EPA EST. NO.

NET CONTENTS _

8

• • • •

.

N

.

.

· •