

300,163373
17 2

JAN 12 1987

Ms. Barbara E. Kairies
Chem-Tox, Inc.
21N 988 Pepper Road
Barrington, IL 60010

Dear Ms. Kairies:

Subject: Precautionary Statement Update
Chem-Tox Roach & Ant Spray with Diazinon
EPA Registration No. 45383-4
Your Amended Application Dated November 5, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Please note that at your next printing of final labeling, the following corrections should be made:

1. Whenever a common name for a pesticide chemical has been accepted as official, that name must appear in the ingredient statement followed (in parentheses) by the correct chemical name. Therefore, the submitted label requires the following form of declarations:

Diazinon [O,O-diethyl-O-(2-isopropyl)-6-methyl-4-pyrimidinyl]phosphorotriothioate

2. Add the following statement to Precautionary section:

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Do not allow children or pets in treated areas until surfaces are dry.

3. The "Keep out of lakes, ponds, etc. . . ." statement should be deleted and replaced with:

Do not apply directly to any body of water.

86380;Heyward:LR-10:KENCO:12/17/86:1/29/87:EK:VO

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

4. Add the statement "Recommended for Commercial/Industrial Use" to the front panel.
5. Revise the Pesticide Disposal paragraph according to PR Notice 83-3.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

DIRECTION FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal:

Pesticide spray mixture or residue that cannot be used according to label instruction must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal:

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

Direction for use continued on back panel

ADDRESS TO ORDER
JAN 1 1977

45383-4

ROACH & SPRAY

Contains DIAZINON®
PYRETHRINS — PIPERONYL BUTOXIDE

kills: Roaches, Ants, Houseflies, Mosquitoes, Waterbugs, Wasps, Brown Dog Ticks, Silverfish Lice, Chiggers, Small Flying Moths and Carpet Beetles

Quick Acting Surface Spray for Indoor and Outdoor INSTITUTIONS, RESTAURANTS and FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS:

- O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate . . . 0.500%
- Pyrethrins 0.052%
- Piperonyl Butoxide, Technical 0.281%
- Petroleum Distillate 98.608%

INERT INGREDIENTS 0.579%

DIAZINON — Treatment of Ciba-Geigy Corp.
Equivalent to 0.300% (active ingredient) of diazinon (1-gal. and 0.682 gallon containers)

CHEM-TOX, Inc.
BARRINGTON, IL 60010

Order Code
45383-4

KEEP OUT OF REACH OF CHILDREN

Net 1 Gallon / 3.785 Liters

**PRECAUTIONARY STATEMENT TO
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feeds, pills and domestic water supplies. Wash hands thoroughly after using and before eating or smoking.

**STATEMENT OF
PRACTICAL TREATMENT**

- **Indoors** Call a Physician or Poison Control Center immediately. Clothing and exposed material washed immediately. DO NOT WASH YOUR FACE, NECK, OR THROAT. Remove contaminated clothing and wash affected areas with soap and water.
- **Flies** Flush eyes with plenty of water. Call a physician if irritation persists.

For spot application only. Do not use as a space spray. Do not allow children or pets to contact treated surfaces until spray has dried. In homes, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying, facilities and equipment in general inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL HAZARDS

Do not store near heat or open flame. "Flammable"

private residences in which exposed food is held, processed and prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas when food is exposed and facility is in operation.

To control roaches, ants, waterbugs, silverfish, spiders and crickets, apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into treat air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS - Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or food is exposed.

machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, tables, panels and similar areas where insects hide or through which they may enter. Repeat treatment as required.

CARPET BEETLES - Spray edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat as necessary.

BROWN DOG TICKS - Thoroughly spray sleeping quarters of animals. Spray infested areas around baseboards, windows and door frames, wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment. DO NOT TREAT ANIMALS WITH FORMULATION.

FLIES, MOSQUITOES, WASPS AND SMALL FLYING MOTHS OUTDOORS - For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate.

FLEAS, CHIGGERS, ANTS - OUTDOORS - For treatment of localized infestations of these insects in outdoor areas, spray weeds and bushy non-crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly get trails and runways. Repeat application as infestations warrant and as re-infestations occur.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein.

CT  chem - tox