



The Confidential Statement of Formula dated May 1, 1987 mentioned above is acceptable and has been placed in this product's file.

Sincerely yours,

*PHM*  
Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

REREGISTRATION- ALLETHRIN STEREOISOMERS

FOR:

CHEM-TOX, INC. Barrington, IL 60010

DATE: 10-19-68

(( ( FRONT PANEL ))

Net Contents: GTS-  
1 gal. 5 gal.  
20 gal. 55 gal.

**CHEM-TOX  
FOOD PLANT SPRAY W/ALLETHRIN**

AN EFFECTIVE, READY-TO-USE SYNERGIZED ALLETHRIN INSECTICIDE  
Designed especially for use in Edible Product Areas of Meat and Poultry  
Processing Plants  
May also be used in Restaurants, Institutions, Warehouses, Office Buildings,  
and Domestic Dwelling

|                                  |        |
|----------------------------------|--------|
| ACTIVE INGREDIENTS               |        |
| Cytrans methrin...               | 0.50%  |
| Related Compounds...             | 0.06%  |
| *Piperonyl Butoxide Technical... | 1.00%  |
| **INERT INGREDIENTS              | 98.44% |

-----  
100.00%

\*Equivalent to 0.5% (butyl carbonyl) (6-methoxy piperonyl) ether and  
to 0.2% related compounds

\*\* contains Petroleum Distillate - 98.44%

**KEEP OUT OF REACH OF CHILDREN (12 pt)**  
**CAUTION (55 gal)**

See side panel for Additional Precautionary Statements

CHEM-TOX, INC.  
Barrington, IL 60010

EPA Reg. No. 49385-9  
EPA Est. No. 49385-11-01

ORDER CODE: G-300

NET \_\_\_\_\_

APPROVED  
FEB 14 1991

FEB 14 1991

45385-9

CHEM-TOX FOOD PLANT SPRAY WITH ALLETHRIN

((SIDE PANEL))

PRECAUTIONARY STATEMENTS (12 pt)

HAZARDS TO HUMANS & DOMESTIC ANIMALS.

**CAUTION:** Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Do not induce vomiting. Call a physician or Poison Control Center immediately. If Inhaled - remove victim to fresh air. If on skin - remove contaminated clothing and wash affected area of skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry. If in eyes - flush eyes with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN:** Contains petroleum distillate. Vomiting may cause aspirat or pneumonia.

Remove food before treatment. Do not apply while food processing is underway. In commercial food handling facilities and storage areas, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

PHYSICAL AND CHEMICAL HAZARDS

Do not spray use spray or store near heat or open flame. Do not use this product on or on electrical equipment due to the possibility of shock hazard.

DIRECTION FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL (12 PT)

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.** Open dumping is prohibited. Store in original container and place in a cool, dry, locked or secured storage area. **PESTICIDE DISPOSAL:** wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility. **CONTAINER DISPOSAL:** 1. Household(Air) - Do not reuse empty container (bottles, cans, jars). Rinse thoroughly, securely wrap original container in several layers of newspaper and discard in trash. 2. Meta (nonaerosol) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary and safe manner by other procedures.

CHEM-TOX FOOD PLANT SPRAY w/ALLETHRIN

---

(( ( Side Panel )))

approved by state and local authorities. 3. Plastic Container - Triple rinse (or equivalent). Then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, burning. If burned, stay out of smoke.

**Terms of Sale or Use on purchase or use of this product:**

**WARRANTY:** Manufacturer and seller warrants that this product, as of the time of sale, conforms to the ingredient statement on the label and is reasonably fit for the purpose set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express or implied. EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which manufacturer has no control, buyer and user as a condition of purchase or use, assume responsibility for and release manufacturer from liability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

(( ( Back Panel )))

**DIRECTIONS FOR USE cont.**

**SPACE SPRAY:** For rapid control of HOUSE FLIES, FRUIT FLIES, MOSQUITOES, SMALL FLYING MOTHS and GNATS: Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist. Direct spray toward upper portions of the enclosure, filling the room with a mist. Use 1/2 to 1 ounce per 1000 cubic feet of space. Vacate treated area and ventilate before reoccupying.

To kill exposed stages of ROACHES, ANTS, SPIDERS, CLOVER MITES, CHEESE MITES, CONFUSED FLOUR BEETLES, SAWTOOTH SPAIN BEETLES, RED FLOUR BEETLES, RICE WEEVILS and GRANARY WEEVILS and GRAIN MITES: Treat as above using 2 to 3 ounces per 100 cubic feet of space. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment if reinfestation occurs.

**SURFACE SPRAY:** To insure maximum control of the crawling insects named above, apply as a coarse mist directly toward the insects, into cracks and crevices, along baseboards around the base of machinery, containers of stored products and other areas where insects may hide. Exposed food must be removed before treatment and the precautionary statements for food storage areas must be followed. Spray ant trails, nests and points of entry. Spray badly infested areas daily. In other areas, repeat treatment twice weekly or if reinfestation occurs.

Final 7/90