

BEST AVAILABLE COPY

# CHEM-TOX

## Industrial Insect Spray

contains Baygon®

**KILLS: ANTS, ROACHES, SPIDERS and other CRAWLING INSECTS in and around the HOME, APARTMENT BUILDINGS, HOTELS, MOTELS, INSTITUTIONS, SCHOOLS, THEATERS, OFFICE BUILDINGS, STORES, WAREHOUSES, RESTAURANTS, BAKERIES AND FOOD HANDLING ESTABLISHMENTS.**

Spray only on Surfaces, do NOT use as a Space Spray.

**ACTIVE INGREDIENT:**

\*2-(1-Methylethoxy)phenyl methylcarbamate .....1.00%  
+ INERT INGREDIENTS .....99.00%

\*U.S. Patent No. 3,111,539, BAYGON-Reg. US Patent Office Farbenfabriken Bayer A.G. Chemagro Corporation  
+ contains Petroleum Distillate

**ACCEPTED**  
**DEC 23 1993**  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 33-13

Keep out of Reach of Children  
**CAUTION**  
STOP - Read label before use!

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wear protective gloves when making applications. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas.

Do not contaminate feed or food. Keep out of reach of children.

Wash hands, arms and face thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Remove pets and cover fish aquarium before spraying. Do not allow children or pets to contact treated surfaces until they are dry.

**STATEMENT OF PRACTICAL TREATMENT:** In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed - Call a physician or Poison Control Center. Do not induce vomiting. Vomiting may cause an aspiration hazard. If inhaled - Remove Victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. If on skin - Wash immediately with soap and warm water. If irritation occurs, get medical attention. If eyes are contaminated, wash with plenty of water. Get medical attention.

**SYMPTOMS OF POISONING:** A sense of "tightness" in chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea

**NOTE TO PHYSICIAN:** Antidote - Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

#### ENVIRONMENTAL HAZARDS:

This product is highly toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

~~This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming plants where they feed. Do not allow this pesticide to drift to blooming plants if bees are visiting the treatment area. Do not apply this product to, or allow it to drift to, food crops or any desirable vegetation at any time.~~

#### PHYSICAL & CHEMICAL HAZARDS

Keep container away from stoves, radiators, or other hot surfaces. Do not spray or store near open flame. "Flammable"

#### DIRECTIONS FOR USE:

IT IS A VIOLATION OF THE FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

#### STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in original container in a locked storage area. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). The offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Handle and open containers in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If container is leaking or material is spilled for any reason, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label of hazards associated with handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticide above. In spill or leak incidents, keep unauthorized people away.

#### APPLICATION: Read the entire directions and conditions of Sale before using Industrial Insect Spray.

Condition of Sale - The directions on this label were determined through research to be the directions for correct use of this product. This product has been tested for a range of conditions similar to those conditions that are ordinary and customary in the area where the product is used. Insufficient control of pests may result from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, or the environment. The Seller offers, and the Buyer accepts and uses, this product subject to the conditions

that failure to follow label directions are beyond the control of the Seller and are, therefore, the responsibility of the Buyer  
This spray is a highly effective formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides:  
**ANTS, PLEAS, BROWN DOG TICKS, FLIES, CLOVER MITES, HORNETS, CRICKETS, MILLIPEDES, SOWBUGS, EARWIGS, MOSQUITOES, SPIDERS, ROACHES, WATERBUGS, WASPS, SAW-TOOTHED GRAIN BEETLE (exposed), SCORPIONS**  
In addition to rapid initial kill. Industrial Insect Spray stays on treated surfaces and kills insects many weeks after the spray deposit has dried

**HOW TO USE:** This product is ready to use undiluted as it comes from the container, and must be applied with either power-operated or hand pressurized sprayers. This product shall NOT be distributed, sold, or used with finger-operated trigger sprayers. Apply as a coarse spray to surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material.

**INDOOR USE:** For use in inedible product areas of Bakeries, Food Handling Establishments, Restaurants, Hotels, Motels, Institutions, Schools, Theaters, Office Buildings, Apartment Buildings, Stores, Warehouses and Homes: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Application may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floor or floor coverings. Do not allow children to contact treated surfaces until surfaces are completely dry.

**BROWN DOG TICKS:** Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

**OUTDOOR USE:** Spray thoroughly those areas where pests have been seen or found including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray runways. For control of wasps and hornets apply after dark when all or the insects have returned to the nest. Repeat as necessary. Do not spray vegetation

**Precautions:** 1 Do not use this product indoors as an overall surface spray or as a space spray: take care not to introduce this product into the air during application. 2 Use only in well-ventilated areas. 3 Do not apply where children are likely to frequently contact treated surfaces. 4 Remove or cover fish bowls and remove pets before application. 5 Do not treat pets or plants with this product. 6 Do not allow children or pets in treated areas until spray has dried. 7. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. 8. Do not apply directly to carpets or floor coverings and avoid excess wetting of asphalt tile, rubber, and plastic materials because damage may occur. 9. Care should be taken to avoid spotting of walls, wall coverings, and fabrics. 10. Do not apply directly to upholstery or furniture. 11. Do not apply to areas, surfaces, or utensils which contact food or feed. 12. Exposed food should be covered or removed during application. 13. All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. 14. Do not use in edible products area of food processing plants, restaurants, or other areas where food or feed is commercially prepared or processed. 15 Do not use in serving areas while food is exposed. 16 Do not use this product in conduits, motor housings, or electrical switch boxes

EPA Reg. No. 45385-13

EPA Est. No. 45385-IL-01

Chem-Tox, Inc.  
McHenry, IL 60050

BEST AVAILABLE COPY

