

ORAGE AND DISPOSAL

... Pesticide Disposal:

... Contains Disposal:

... 30 31

PYRONOX DUAL 0.5

SYNERGIZED PYRETHRUM SPRAY

For Use in the Home, and Non-Food and Food Areas of:
Food Processing Plants, Schools, Warehouses,
Office Buildings, Theatres, Garages,
Hotels, Motels, Kennels,
and Hospitals

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes or skin. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting because of aspiration hazard. Contact a physician if more than 2 days.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply where food processing is underway. After space spraying in meat packaging plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Accessible Stages of Insect Infesting Stored Food: To use in storage or living quarters, insert nozzle in wall and spray until venting is complete. Do not spray directly at people or animals. In areas where people or animals are present, use fogging equipment. Do not spray directly at people or animals. Do not use fogging equipment in areas where people or animals are present. Do not use fogging equipment in areas where people or animals are present.

Indian Meal Moth, Dried Fruit beetle, Confused Flour beetle, Sawtoothed Grain Beetle and Fireflies

To Kill the Adult and Accessible Larvae of Insect Pests of Stored Food (Stored in Mult-wall Paper Bags or Cloth Jugs) in Warehouses, Storage Rooms and Similar Locations: Use fogging equipment and spray until venting is complete. Do not spray directly at people or animals. In areas where people or animals are present, use fogging equipment. Do not spray directly at people or animals. Do not use fogging equipment in areas where people or animals are present.

* Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Sawtoothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth

To Kill Fleas, Mosquitoes and Gnats: Use fogging equipment as described above. Use a dosage of 1.0 to 2.0 cubic feet of cubic space. Leave fogging equipment in operation. Sweep up and destroy flea pupae and mosquito pupae for control. Do not use in areas where the health treatment is in progress.

IN PRESSURIZED TANK SPRAYERS FOR WETTING SPRAYS


As a Surface Spray to Kill the Accessible Stages of Insect: Rice Weevil, Confused Flour Beetle, Rust Beetle, Sawtoothed Grain Beetle, Cadelle, Larvae and Adults, Cigarette Beetle, Drug Store Granary Weevil. Apply as a coarse wet spray. Do not use in areas where people or animals are present. Do not use in areas where people or animals are present. Do not use in areas where people or animals are present.

To Kill Poaches, Silverfish and Waterbugs in Stations: Apply this spray with a sprayer that will wetting droplets into all places and crevices. Do not use in areas where people or animals are present. Do not use in areas where people or animals are present. Do not use in areas where people or animals are present.

In Mushroom Production to Control Adult Phorid and Cecidomyids in Growing Houses: Apply a dosage of 1000 cubic feet of space. Engage spray 8 to 10 feet away from beds and directed slightly toward circulating fans should be left in operation. Results registration should be turned off.

Active Ingredients
Pyrethrins 1.00%
*Pyrethrin Butoxide Technical 1.00%
**N-Octyl bicycloheptane dicarboximide 1.00%
Inert Ingredients 96.53%

*Equivalent to 0.5% (active) of propylperonyl ether and 0.20% related compounds
**MIG-4, Insecticide Synergist
*contains 96.53% Petroleum Distillate



EPA Reg. No. 4385-2
EPA Est. No. 4325 IL-3

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

PHYSICAL HAZARDS

Do not store near heat or open flame

OX, INC
STON, IL 60110
Order Code
0 313

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Response, Page 2.12, Active to Inert Change in

