PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful If swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes or skin. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed do not induce vomiting because of aspiration hazard. Contact a physician Immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packaging plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID

IF SWALLOWED - * Call a Poison Control Center or doctor immediately for treatment advice. Have person sig a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing * Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison

control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise.**NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric Lavage is indicated if taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

PHYSICAL and CHEMICAL HAZARDS Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. PRODUCT DISPOSAL: As a responsible environmental practice,

where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. IF EMPTY: Do not reuse this container. Place in trash or offer for

recycling if available. <u>IF PARTLY FILLED</u>: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SPILL: In case of spill, absorb liquid with absorbent material such as soil or clay etc. sweep up and dispose of material according to PRODUCT DISPOSAL - IF PARTLY FILLED - directions above.



"Ready-To-Use" and Spray Directions "For Dilution" .

For Use in the Home, and Non Food and Food Areas of: Food Processing Plants, Schools, Warehouses. Office Buildings, Theatres, Garages, Hotels, Motels, Kennels, and Hospitals.

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP: Read Label Before Use


See side panels for additional Precautionary Statements.

ACTIVE INGREDIENTS:

Pyrethrins CAS[8003-34-7] Piperonyl Butoxide -CAS[51-03-6] N-Octyl bicycloheptene dicarboximide- OTHER INGREDIENTS**: Total ** Contains Petroleum Distillate	0.50% 1.00% 1.67% <u>96.83%</u> 100.00%
** Contains Petroleum Distillate	

EPA REG. NO. 45385-24 EPA EST. NO. 56--OH-01

Net Contents: 1 Gallon / 3.785 Liters 5 Gallon / 18.925 Liters



DIRECTIONS FOR USE

It is a tion of Federal law to use this product in manner, inconsistent with its labeling. This product will not mix or dilute with water.

NOTE: When used in hospitals, patients should be removed, Do not return patients to room until after complete ventilation FOR FOGGING EQUIPMENT AND HAND SPRAYERS USE.

FOR PEST IN DRIED FRUIT PRODUCTS:

To kill Accessible Stages of insects such as Indian Meal Moth. Dried Fruit Beetle. Confused Flour Beetle. Sawtoothed Grain Beetle and Roaches, infesting dried fruit products in storage or being processed, close the room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use spraying device similar to the Microsol Machine, or use fixed ceiling sprayers that produce a very fine aerosol spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month.

FOR USE DILUTED: The maximum dilution is 1 part Chem-Tox Pyronox Dual 0.5 plus 5.6 parts of a suitable mineral oil. More than ten applications may be made if this spray is diluted with mineral oil, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. After the treatment is completed wait 5 to 10 minutes and then Ventilate the area. Sweep up dead insects and destroy.

STORED FOOD PRODUCTS

For food stored in Multiwall Paper Bags, or Cloth Bags), In Warehouses, Storage Rooms and Similar Locations: To Kill the Adult and Accessible Forms of Insect Pests such as: Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle Sawtoothed Grain Beetle, Angoumols Grain Moth, Medi-terranean Fiour Moth and Indian Meal Moth, close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine. or use fixed celling sorayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1 000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat as necessary for insect control. To Kill Flies, Mosquitoes and Gnats: Close room and dis-

charge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1 000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a Surface Soray to Kill the Accessible Stages of Granary Insects :such as: Rice Weevils. Confused Flour Beetles. Rust Red Flour Beetles, Sawtoothed Grain Beetles, Cadefies, Meai Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 galion per 1 000 square feet. Pay particular attention to cracks and crevices in floor, walls and cellings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result. To Kill Roaches. Silverfish and Waterbugs in Sheltered situations: Apply this spray with a sprayer that produces coarse wefting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all spaces where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

CONDITIONS OF SALE: Read the entire Directions for Use. Conditions. Disclaimer of Warranties. and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed care-fully, however it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of CTX CENOL INC. All such risks shall be assumed by the user or buyer. Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of CTX CENOL INC. Is authorized to make any warranties beyond those contained herein or to modify the warran-ties contained herein. CTX CENOL INC. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF WARRANTIES: The exclusive remedy of the user contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at CTX CENOL INC.'s option, the replacement of the product. (45-17-05-30-03)

45385