



DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry place. Keep container closed.

Pesticide Disposal:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal - Plastic

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Directions for Use continued on back panel.

PYRONOX DUAL 0.1

SYNERGIZED PYRETHRUM SPRAY

For Use in the Home, and Non-Food and Food Areas of:
Cafes, Restaurants, Food Storage Warehouses,
Flour Mills, Meat Packing Plants, etc.

ACTIVE INGREDIENTS:

Pyrethrins	0.100%
* Piperonylbutoxide, technical	0.200%
† N-Octyl bicycloheptene dicarboximide	0.333%
Petroleum distillate	99.367%
TOTAL	100.000%

* Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds

† MGK 284, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed.

See side panel for additional precautionary statements

CHEM-TOX, Inc.
BARRINGTON, IL 60010

Order Code
O-312

EPA Est. No. 45385-IL-01
EPA Reg. No. 45385-25



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, facilities and equipment must be thoroughly washed with an acceptable detergent solution and rinsed with potable water.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center immediately. Gastric Lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration if indicated.

Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic animals. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE, continued

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

IN FOGGING EQUIPMENT AND HAND SPRAYERS


Fleas, Mosquitoes, Gnats, Small Flying Moths: Close room and discharge mist vigorously in all parts of room, using 1 - 1 1/2 to 2 ounces for each 1,000 cubic feet of space. Leave room closed for at least ten minutes. Do not remain in treated areas. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Repeat as needed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING

CONTACT SPRAYS

Fleas (Infesting Premises): Remove and destroy animal's bedding and spray the sleeping quarters freely, forcing the spray into cracks in the floor and about the room. Repeat when re-infested.

Roaches, Waterbugs: Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.



Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. For carpet beetles, thoroughly treat the undersides and edges of carpeting and rugs, along baseboards and under furniture. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Cigarette Beetles, Grain Mites (Accessible Stages), Cigarette Beetles and Drug Store Beetles: Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1,000 square feet of area, or to the point of run-off. Repeat when necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED
 NOV 27 1985
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the purpose of registration under EPA Reg. No. 45385-28



chem - tox