



CT **chem-tox**

DIRECTION FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage:

STORE IN A COOL, DRY PLACE PREFERABLE IN A LOCKED STORAGE AREA. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Disposal:

SECURELY WRAP ORIGINAL CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN TRASH. DO NOT RE-USE CONTAINER. RINSE THOROUGHLY BEFORE DISCARDING IN TRASH.

ACCEPTED
Directions for use continued on back panel with COMMENTS



LOW ODOR FLEA SPRAY

Contains DURSBAN®



(FOR COMPLETE CARPET TREATMENT)

CONTROLS: Cockroaches, Ants, Clover Mites, Crickets, Firebrats, Silverfish, Spiders, Carpet Beetles, Fleas - indoors & outdoors, Brown Dog Ticks, Earwigs, Flies and Mosquitoes.

BEST DOCUMENT AVAILABLE

PRECAUTION

HAZARD

Avoid contact with eyes or spray mist. Keep away from children. Wash thoroughly.

STATIONARY PRACTICE

If swallowed, drink plenty of water. Do not induce vomiting.

If on skin, wash with soap and water.

If in eyes, flush with water.

NOTE TO PHYSICIAN: Treat symptomatically.

JUN 27 1984

Product Name, Net Content, Lot No., Exp. Date

ACTIVE INGREDIENTS:

100% DURSBAN (Cyfluthrin) 0.05%

INERT INGREDIENTS 99.95%

*DURSBAN Registered Trademark of Dow Chemical Company
U.S. Patent No. 3,244,486

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed

See label for additional precautionary statements

EPA Reg. No. 45385-46
EPA Est. No. 45385-IL-01

CHEM-TOX, INC
BARRINGTON, IL 60010

ORDER CODE
W 104

ENVIRONMENTAL

THIS PRODUCT IS TOXIC TO BIRDS AND OTHER WILD ANIMALS. DO NOT APPLY DIRECTLY TO CONTAMINATED EQUIPMENT OR

PHYSICAL

Do not use if stored above 32°F

Net 1 Gallon / 3.785 Liters



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

**STATEMENT OF
PRACTICAL TREATMENT**

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

If in Eyes: Flush eyes with plenty of water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Antidote only by injection is an antidote.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. DO NOT APPLY DIRECTLY TO WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES

PHYSICAL OR CHEMICAL HAZARDS

Do not use in or near heat. Over Flame D. 1st Step 10. 32°F

DIRECTION FOR USE continued

PEST INDOORS:

GENERAL INFORMATION: Use Insect Spray to control the pests indicated in the area. Use the use by application of the product as an undiluted spray. Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls/tanks before spraying.

Application Within Residential Buildings Including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional, and Commercial Buildings, Including Hospitals, Stores, Manufacturing Plants and Warehouses: For Spot Treatment Only: Apply as a coarse spray or with a paint brush to localized areas where cockroaches, including strains resistant to other insect pests, ants, clover mites, crickets, firebrats, silverfish, and spiders are found. For primary control, including the corners of rooms and closets, cracks and crevices, walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, and plumbing and other utility installations. For ants, apply to ant trails, as well as around doors and windows and wherever else these pests may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment along baseboards and edges of wall paper, under bedding, rugs and furniture, in closets and in sleeping areas wherever else these insects are seen or suspected.

For control of brown dog ticks, thoroughly apply spray as a spot treatment to infested areas such as pet beds and resting quarters, especially areas along and behind baseboards, walls, window and door frames and localized areas of floor and furniture where these pests may be present. Dog bedding of pets should be removed and replaced with clean, fresh

bedding after treatment of pet areas. Additionally, treat pets with a product registered for use on pets.

For control of fleas, thoroughly apply a fine particle broadcast spray to infested rugs, carpets, pet beds and pet resting areas. Use one gallon of spray per 1500 square feet. Leave treated areas and do not return for at least one hour. Do not allow children or pets to walk on treated surface until they are completely dry. Cover aquaria and fish bowls and remove birds such as canaries from area prior to treating. Other than the applicator, treated areas should be vacated during application. **DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED.** Old pet bedding should be replaced with fresh, clean bedding after treatment. Do not treat pets with this product. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

PESTS OUT-OF-DOORS

Flies, mosquitoes: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around gutters, eaves, porches, in garages, and other places where these insects might congregate. Repeat as necessary.

Ants, brown dog ticks, crickets, fleas and earwigs: For treatment of localized infestation of these insects, spot treat areas where there are weeds or brushy noncrop areas, or infested areas thoroughly. For ants, thoroughly treat walls and runways. Repeat applications as infestations warrant and as reinfestation occurs.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



