

P: # 4130 - 74 111 16 15, 1

DIRECTIONS FOR USE CONTINUED

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

J-H TANNER'S INSECTICIDE

INDUSTRIAL-COMMERCIAL-SURFACE TREATMENT:
To kill and control exposed or accessible stages of HIDE (or LEATHER) BEETLES, LARDER BEETLES, LARDER BEETLES and CARPET BEETLES: For sprays apply as a coarse spray to cracks and crevices, to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, walls and similar areas where insects hide or through which they may enter. Spray infested hides and insects directly whenever possible. Repeat as needed.

Harmful if swallowed. avoid contact with skin. Avoid breathing of spray mist. Wash skin thoroughly after using. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT
If swallowed: Call a Physician or Poison Control Center immediately. Do not induce vomiting because of possible aspiration hazard. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call physician immediately.

INDOOR FOG MIST TREATMENT:
For rapid control of FLIES, FRUIT FLIES, GNATS, HIDE BEETLE, LARDER BEETLE, MOSQUITOES, SKIPPERFLIES, WASPS, HORNETS, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, INDIAN MEAL MOTH, and TOBACCO MOTHS: Close doors and windows and shut of ventilating systems. Apply with conventional thermal, mechanical, or compressed air equipment adjusted to deliver a fine mist or fog. Direct fog at an upward angle, distributing it uniformly throughout the entire area at a rate of 1 to 2 ounces per 1000 cubic feet of space. Keep area closed for at least 10 to 15 minutes after treating. Do not remain in treated areas. Ventilate the area after treatment is completed.

Note to Physician: Malathion, upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Atropine is antidotal.

For use in TANNERIES, in HIDE and LEATHER STORAGE, TRANSPORTATION and ADJACENT OUTDOOR AREAS.
To KILL and CONTROL exposed or accessible stages of HIDE (or LEATHER) BEETLE, LARDER BEETLE and CARPET BEETLE.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, an potholes). Drift and runoff maybe hazardous to aquatic organisms in area near the application site. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment areas. Indoors: Use only with adequate ventilation. After using this product, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

TERMS OF SALE OR USE ON PURCHASE OF USE OF THIS PRODUCT:

Warranty: Manufacturer and seller warrants that this product, as of time of sale conforms to the ingredient statement on the label, and is reasonable fit for the purpose set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express if implied.
EXCUSE FROM NON-CONTROLLABLE CONDITIONS:
Because of certain critical conditions created or incurred by buyer or user over which manufacturer has no control, buyer and user as a condition of purchase or use, assume responsibility for and release manufacturer fro., liability arising out of handling or use of this product attributable to such causes. No person is authorized to vary or waive statement contained herein.

PHYSICAL AND CHEMICAL HAZARDS
Do not pour, use, spill or store near heat or open flame.

ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl posphorodithioate of diethyl mercaptosuccinate).....	2.00%
Pyrethrins.....	0.15%
** Piperonyl Butoxide, technical.....	0.75%
INERT INGREDIENT:	97.10%

contains aliphatic petroleum distillate - 76.99%
aromatic petroleum distillate - 20.00%
** Equivalent to 0.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.15% related compounds.

DIRECTIONS FOR USE

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in original container and place it in a cool, dry, locked or secured storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility. **CONTAINER DISPOSAL:** 1. Household (All) - Do not reuse empty container (bottle, can bucket). Wrap container and put in trash. 2. Metal (All Sizes) - Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state or local authorities. 3. Plastic (All) - Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 45385-74

EPA Est. No. 45385-1L-01

Manufactured by:
CHEM-TOX, INC.
21N 988 Pepper Rd.
Barrington, Il. 60010

Net Contents:

Order Code 0-316 4/89

45385-74

PM-16

131

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, avoid contact with skin. Avoid breathing of spray mist. Wash skin thoroughly after using. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center immediately. Do not induce vomiting because of possible aspiration hazard. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call physician immediately.

Note to Physician: Malathion, upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, or potholes). Drift and runoff may be hazardous to aquatic organisms in area near the application site. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment areas. Indoors: Use only with adequate ventilation. After using this product, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

PHYSICAL AND CHEMICAL HAZARDS

Do not pour, use, spill or store near heat or open flame.



DIRECTIONS FOR USE

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in original container and place it in a cool, dry, locked or secured storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility. CONTAINER DISPOSAL: 1. Household (All) - Do not reuse empty container (bottle, can bucket). Wrap container and put in trash. 2. Metal (All Sizes) - Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state or local authorities. 3. Plastic (All) - Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



J-H TANNER'S INSECTICIDE

For use in TANNERIES, in HIDE and LEATHER STORAGE, TRANSPORTATION and ADJACENT OUTDOOR AREAS. To KILL and CONTROL exposed or accessible stages of HIDE (or LEATHER) BEETLE, LARDER BEETLE and CARPET BEETLE.

ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate).....	2.00%
Pyrethrins.....	0.15%
**Piperonyl Butoxide, technical.....	0.75%
INERT INGREDIENT.....	97.10%

contains aliphatic petroleum distillate - 76.99% aromatic petroleum distillate - 20.00%

** Equivalent to 0.60% (butylcarb. ty)(6-propylpiperonyl) ether and 0.15% related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements

EPA Reg. No. 45385-74

EPA Est. No. 45385-IL-01

Manufactured by CHEM-TOX, INC. 21N 988 Pepper Rd. Barrington, IL 60010

Net Contents:



DIRECTIONS FOR USE CONTINUED

INDUSTRIAL-COMMERCIAL-SURFACE TREATMENT: To kill and control exposed or accessible stages of HIDE (or LEATHER) BEETLES, LARDER BEETLES, LARDER BEETLES and CARPET BEETLES: For sprays apply as a coarse spray to cracks and crevices, to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, walls and similar areas where insects hide or through which they may enter. Spray infested hides and insects directly whenever possible. Repeat as needed.

INDOOR FOG MIST TREATMENT: For rapid control of FLIES, FRUIT FLIES, GNATS, HIDE BEETLE, LARDER BEETLE, MOSQUITOES, SKIPPERFLIES, WASPS, HORNETS, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, INDIAN MEAL MOTH, and TOBACCO MOTHS: Close doors and windows and shut of ventilating systems. Apply with conventional thermal, mechanical, or compressed air equipment adjusted to deliver a fine mist or fog. Direct fog at an upward angle, distributing it uniformly throughout the entire area at a rate of 1 to 2 ounces per 1000 cubic feet of space. Keep area closed for at least 10 to 15 minutes after treating. Do not remain in treated areas. Ventilate the area after treatment is completed.

TERMS OF SALE OR USE ON PURCHASE OF USE OF THIS PRODUCT:

Warranty: Manufacturer and seller warrants that this product, as of time of sale conforms to the ingredient statement on the label, and is reasonable fit for the purpose set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express if implied. EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user over which manufacturer has no control, buyer and user as a condition of purchase or use, assume responsibility for and release manufacturer from, liability arising out of handling or use of this product attributable to such causes. No person is authorized to vary or waive statement contained herein.

Order Code 0-316

4/89

For more information with... Phase 2... 1-800-368-5888