

labeling

Dilutions of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

### STORAGE DISPOSAL

Do not use empty container. Wrap container and put in trash collection.

Directions for Use  
Continued on Back Panel

# SMALL ANIMAL AND KENNEL SPRAY

## EMULSIFIABLE CONCENTRATE

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats  
Protects against Chiggers, Eye Gnats, Biting Flies and Mosquitos

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space, surface, fogging spray or as a dip.

### ACTIVE INGREDIENTS:

Pyrethrins	1.18%
Piperonyl Butoxide, Technical	11.84%
Petroleum Distillate	72.18%

### INERT INGREDIENTS:

14.80%  
100.00%

\*Equivalent to 9.47% (butylcarbityl) (5-propylpiperonyl) ether and 2.37% related compounds

## CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional precautions.

Net One Quart/0.946 Liter

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist and provide adequate ventilation of area being treated. Contact with the eyes, skin, or clothing should be avoided. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not allow children or pets to contact treated surfaces until spray has dried.

In the home, all food processing surfaces, dishes and utensils should be covered during treatment or thoroughly washed before use. Do not apply directly to food.

In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. After spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

### ENVIRONMENTAL HAZARD\*

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste.

Apply this product only as specified on the label.

Do not apply outdoors when weather conditions favor drift from areas treated.

### PHYSICAL HAZARDS

Do not store near heat or open flame. Flammable—Keep away from heat or open flame.

water) per 5 fluid ounces (12 tablespoons) in 1 gallon of water.

For rapid control of ticks, fleas and lice on cats and dogs, sponge solution on thoroughly wetting skin over entire animal or dip the animal. Do not rinse; allow solution to remain on animal. In cases of heavy tick infestations on long haired cats or dogs, dilute 1 fluid ounce of concentrate to 11 fluid ounces with water (2 tablespoons of concentrate in 1½ cups water) or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

**Mist Spray:** Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

For rapid control of ticks, fleas and lice using a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

**To Control Insects in Kennels and Animal Quarters:** Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For rapid cleanup of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control house flies, mosquitos and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with a mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.

PR-17  
45385-82  
PR-167

CHEM-TOX, INC.  
Barrington, IL 60010

EPA Reg. No. 45385-82  
EPA Est. No. 45385-IL-01 EC-522