SMALL ANIMAL and KENNEL SPRAY

EMULSIFIABLE CONCENTRATE

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats. Protects against Chiggers, Eye Gnats, Biting Flies and Mosquitos.

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space, surface, fogging spray or as a dip.

ACCEPTED

JUN 25 1998

Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the posticide Sedisfesed iniqui EPA Reg. No.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR CATS.

ACTIVE INGREDIENTS:

*Piperonyl Butoxide, Technical......11.84% OTHER INGREDIENTS: 14.80%

100.00%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Dilutions of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

STORAGE DISPOSAL

Do not use empty container. Wrap container and put in trash collection.

CAUTION KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist and provide adequate ventilation of area being treated. Contact with the eyes, skin, or clothing should be avoided. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention of irritation persists.

Do not allow children or pets to contact treated surfaces until spray has dried.

In the home, all food processing surfaces, dishes and utensils should be covered during the treatment or thoroughly washed before use. Do not apply directly to food.

In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. After spraying in food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment of disposal of wastes.

Apply this product only as specified on the label.

Do not apply outdoors when weather conditions favor drift from areas treated.

PHYSICAL HAZARDS

Do not store near heat or open flame. Flammable-Keep away from heat or open flame.

TO CONTROL INSECTS ON ANIMALS

DO NOT USE ON DOGS OR CATS UNDER 12 WEEKS.

CONSULT A VETERINARIAN BEFORE USING THIS PRODUCT ON DEBILITATED, AGED, PREGNANT, NURSING, OR MEDICATED ANIMALS. Sponge Bath or Dip: Dilute this concentrate at a rate of 1 fluid ounce in 23 ounces of water (2 tablespoons of concentrate in 2 374 cups of water). Five fluid ounces (12 tablespoons) to in one gallon of water.

For rapid control of ticks, fleas, and lice on cats and dogs, sponge solution on thoroughly wetting skin over entire animal or dip the animal being careful to avoid contact with the face. Do not rinse; allow solution to remain on animals. In cases of heavy tick infestations on long haired cats or dogs, dilute 1 fluid ounce of concentrate to 11 fluid ounces of water (2 tablespoons of concentrate in 1 1/2 cups of water) or 12 fluid ounces (24 tablespoons) of concentrate to one gallon of water. Repeat treatment every week as necessary.

Mist Spray: Dilute this concentrate at the rate of 7 fluid ounces in one gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces in 1 gallon of waters

For rapid control of ticks, fleas, and lice using a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly. Reapply every 2 to 3 days.

To control spinose car ticks and car mites, syringe the ears, with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment every 2 to 3 days as necessary. For temporary protection from mosquitos, eye gnats, biting flies, and chiggers, apply to cover the surface of the hair. Repeat treatments every day or as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

To Control Insects in Kennels and Animal Quarters: Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces o

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

^{*}Equivalent to 9.47% (butycarbityl) (5-propylpiperonyl) ether and 2.37% related compounds.

For rapid cleanout of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control house flies, mosquitos and gnats, in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with a mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Buyer assumes all risks of use, storage or handling of this product in strict accordance with directions given herewith.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

EPA REG. NO. 45385-82 EPA EST. No. 45385-IL-1

NET CONTENTS__

