Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

May be narmlid it swallowed inhalad or absorb . Through skin. Avoid breathing spray mist an 1 provide adequate 10. I at on of area being treated. As an contact with shire election to othing in case of contact immediates. Fush skin ar dielies with afent, of water. Wash thoroughly with rippy and water offer hull ding. If poisoning occurs, cet prempt medical au-

NOTE TO PHYSICIAN: Chlorovinios is a chall distorase in hibitor. Treat symptomatically Atropine, by injurion, it aritidate of chaice.

Do not apply directly to four 11 ic immercial focal hearting facilities, selver or remove any pod and to distractuoling equipment duting at clostics, the net apply will tell out processing is underway in the training autopagnotics and surfaces. and utensile should be covered during freeling to confidenciaghty washed befole use.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED -- Calvaid visician mini- fair . Castro lavage is indicated if niarchal was taken int multiplicated troff INDUCE VOMITING Unless out intreatment of the according Varieting may eause assign to non-eumental titls, eden, with a dune versional que vicilia en les two glants est aix in a la insertinge (back of thresh) speat until 111 to 111 him Constinduce vemonal ingive anything by mount to any incur sclous person

INHALED -- Remains of mitty freshair Artistes, introduc-

IF ON SKIN — V. a. The first of the second of the first of the control of the con IF IN EYES will also will also you of which for the proof. minutes. Get nied za lieffent an inmindiate's

Pening page birds at incorprish a stationary will warright Do not allow children or pursity contact the end of increases. stray has dred

PHYSICAL HAZARDS

Do not use or store hear hear or open Paris.

DIRECTIONS FOR USE SHAKE WELL BEFORE USE

hits a violation of Fersical way to use this profit in the information List feet with its about of

STORAGE & DISPOSAL

significant taminate water flood or fend by stimulator associate Course processing a process to

*PEGNICIDE DISPOSAL/ First to small righter from the water that cample be used specifying to take a countries of at ne hispaged il according to according to according to the Financial Cartier in procedures

CONTAINER DISPOSAU-HOUSEHOLD IN A THREE T encity contained (Dothall County) and All Yoriginal fact than front CONSTRUCTION OF CHAPT

METAL -- 5, 30 AND 55 GALS . Traid risk, metal a 2015 and effect to the plant or expendit pring less tispes (1913). 45395-83



HOME PEST CONTROL

PROFESSIONAL STRENGTH

Ready to Use Spray -- Residually Kills Roaches, Ants, Ticks, Fleas, and other listed it sects

For Use In Homes and Food and Non-Food Areas of Kurine's, Commercial Buildings, Warehouses, Theatres, Office Buildings, Schools, Motors Fiorels, Restaurants and Food Processing Facilities

ACTIVE INGREDIENTS:

d-trans Allethrin (allet homolog of Cineria N	0.00
Related compounds	or6.
N-Octyl bicycloheptene dicarboxi nide	0.25
*Chlorpyrifos [0.0,-diethyl 0-(3,5,6-trichforo	
2-pyridyl) phosophorethicate) .	0.24 .
INERT INGREDIENTS:	·3.041,
	100,000

11GK-264 Insecticide Synergist

* - S. Patent No. 3 244 586 | Dow Otherwical Company

CAUTION

KEEP OUT OF REACH OF CHILDREN See rear panel for additional precautions

5PA Reg N 15335 53 PPAPERS 1535 HOL

> Distributed 8v CHEM-TOX, INC. 21 N. 988 Peoper Rd

BARRINGTON, ILLINOIS 60010

DILECTIONS FOR USE

General Use Residue Spray from DITRA'sS' Interned ate 2247 as a spot or crack and crevior treatment to control codismiches, weightigs, silvertish hows, fleas and other inscitisthe factow. Apply this product as a coarse spray to caralized areas where posts are found or may const. Spray surfaces until with Pubeat as the Lid.

FOR SPOT TREATMENT

To Kill Cockroaches, Ants, Crickets, Silverfish, Spiders and Sowbugs: Noray props where these pesturate that their may hade in picting, districtioners of rooms and occupies icracks. indicreve as mulais, along baseboards in Jip or and work w rumes, behind and coneath lanks, stores, refrigerators at 1. Jabirskin and around garbage cans, plumbing and off in stillty. installations. Pests travel out of biding places should be prayer dire the Forlants, apply to and trails, also, rough differs and windows and wacrever also these pests in it find enrainte. Propat as necessary

200

To Kill Brown Dog Ticks and Fleas: Themoght hippings a spot treatment to infested areas such at peribert, and resting 📆 guarters in Harby bracks and previoes to long and betind it and tights, window and built frames and localized are slict. and income, commiss where these peyts may be proved to Three in a maintagrammed and replace a might in the inin many and income int. Do Not Spray Pets With This Prod-Last Tails introffine source of your final infestigation, meatiliers with it propertied site of arean Hall approaches

To Por Crock & Crevion Application within Food Han third exten-Children to leak in a through administration as a which had be moint on celebrativity, red or served innoning but rists infect. increased automatic and archest bakenes, buttong plants, call- ries and grain in a Signal flants, reaches, convets, savertish. UNITIES Sold in Parvigs brown dog ticks fresc carpet beein elegand permesting. Apply protein that amounts directly into marks and previous. Equipment capable of delivering a binit hain should be used in points between different digments of icristrución, hi twech equipment and floors, openings Hadiliq to acids wild half aw spaces in walls, equipment legs and brains where the above, stellar sents hide

uste should be taken to avoid depositing the incorpose to artifered or introducing the material interne air. Avoid not for an et all of feight or food processing surfaces.

KOPUMATIONS OF THIS PRODUCT IN THE FOOD APEAS. TRECOF HAND! INGESTABLISHMENTS OTHER THAN AS IN CRACK AND CHESICE AND SPOT TREATMENT ARE NOT PERMITTED.

Flies and Mosquitoes: Use only out of doors as an armorecycling a movance from these insect. Spray mithide surfaces of window and door frames as well as other areas where. these pests may unter the flome. Also spray dark corners and High Freshing areas (such as under eaves) or perchasis casion and garages where these insects may congregate. Files or a mosquitoes or ping to rest on treated surrices will be * 1 Rigent regiment when necessary.

ACTIVE INGREDIENTS:		
	hamatag of cineria I) 0.050%	i
related Compounds	1	
in-octyl bicycloheptane dicarboximide0.400%		
*chiorpyrifos [0,0,-diethy		*
	te3	*****
**INERT INGREDIENTS:		
	100.00%	•
+MGK-264, Insecticide Synergist		' * .**.
#US Patent No. 3,244,586-0	OW Chemical Company	
		••••
** contains Petroleum Disti		i
WEET AUT AF 5	PAGE OF SUIL POPE (40)	:
	MEACH OF CHILDREN (12 pt)	; 1
i A	U 1 U # (10 Pt/	1
See side panel for Additional Precautionary Statements.		• • •
		••••
CHEM-TOX; INC.	EPA Reg. No. 45385-83	•••••
21 N 983 Pepper Rd.		****
Barrington, II. 60010	EPA Est. No. 419-IL-01	• ••
		••••
NET:		•••••

the lewed. For them of less to be a to be considered with

ORDER CODE: W-117

CENOL HOME PEST CONTROL

(((SIDE PANEL)))

PRECALITIONARY STATEMENTS

(12 pt)

HAZAROS TO HUMANS & DOMESTIC ANIMALS. (10 pt)

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Remove pets and pirds and cover fish aquariums before spraying. Do not linger in treated areas. Ventilate the area after treatment is completed. Do not apply as a space spray while food processing is underway. Except in tederally inspected meat and poultry plants, when applied as a surface spray with care in accordance with the directions and precautions given above, food processing operations may continue. Foods should be removed or covered before treatment. Throughly wash all food processing surfaces before reuse. In federally inspected meat and poultry plants, all surfaces in processing areas must be washed with an acceptable detergent solution and rinsed in potable water after spraying. In other food processing plants, it washing of equipment, benches, shelving, etc., where exposed food will be handled, is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If inhaled - remove victim to fresh air. Apply artificial respiration if indicated, if on skin - remove contaminated clothing and wash affected areas with soap and water. If in eyes - flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZAROS (12 pt)

Bigallethrin is highly toxic to fish. Do not apply directly to water or wetlands (swamps) bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment of disposal of wastes. Apply this product only as specified on the label.

PHYSICAL AND CHEMICAL HAZARDS (12 pt)


Do not pour, use, spill or store near heat or open flame.


DIRECTION FOR USE (12 pt)

It is a violation of the Federal Law to use this product in a manner inconsistent with its * labeling.

STORAGE & DISPOSAL (12 PT)

DO NOT CONTAMINATE WATER, FOOD OP FEED BY STORAGE OR DISPOSAL. STORAGE: Avoid storage conditions that might after the composition or usefulness of the pesticide, e.g. temperature extremes, excessive moisture or humidity, heat sunlight, friction or contaminating substances or media. Keep pesticide container closed in a cool dry, locked cabinet or room.





(((Side Panel)))

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For container one (1) gallon and under: Securely wrap original container in several layers of news, oer and discard in trash. For containers over 1 gallo: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill; or by other procedures approved by state and local authorities.

Terms of Sale or Use on purchase of use of this product:

WARRANTY: Manufacturer and seller warrants that this product, as of the time of sale conforms to the ingredient statement on the label, and is reasonably fit for the purpose set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express of implied. **EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which manufacturer has no control, buyer and user as a condition of purchase or use, assume responsibility for and release manufacturer from, ilability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

(((Back Panel)))
DIRECTIONS FOR USE con³t.

DOMESTIC DUELLINGS - OUTDOORS: ANTS (including fire ants), BROWN DOG TICK, CLOVER MITE, COCKROACHES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOUBLGS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where pests may enter. For ANTS, spray hills and runways. Repeat as needed. Do not spray vegetation. CAT/DOG SLEEPING QUARTERS AND KENNELS: BROWN DOG TICK, FLEAS, LONE STAR TICK: premise treatment. Keep nozzle 1 to 1.5 feet from surfaces when spraying. Remove and destroy pets' and bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, walls, cracks and local areas of floors. Repeat as needed. Put fresh bedding in pets's quarters after spray has dried. For kennels, apply to outside runways, window ledge and sills. For FLIES and MOSQUITOES to reduce annoyance, spray outside surfaces of window and door frames as well as other areas where pests may enter premises. Also spray dark corners and localized resting areas (such as under waves) or porches and patios where pests congregate. INDOORS: For ANTS, CENTIPEDES, CLOVER MITE, COCKROACHES, CRICKETS, EARVIGS, FIREBRATS, FLEAS, GRAIN MITE, MILLIPEDES, SILVERFISH, SOUBLES, SPIDERS (including black widow spider) STORED PRODUCT INSECTS, TICKS: Spray directly on insects wherever possible and in areas where pests may be found: such as in carpets, under sinks, firewood piles, drainboards, cabinets, cracks and crevices on baseboards, pipes, around screens, garbage cans, refuse areas in attics, behind shelving, bookcases, storage areas and other areas where pests may be found. Repeat as necoed. For ANTS, spray hills, and trails over window and door stills. For STORED PRODUCT INSECTS and GRAIN HITE, find and destroy infested package goods. Remove all other items from pantry. Spray the shelves. Place clean paper on the shelves and return packages after shelves have dried. For SPIDERS, spray webbing. To kill BEES, HORNETS, WASPS, YELLOWJACKETS, apply in the late evening when pests are at rest. Apply liberally to hiding and breeding places, especially 4

CENOL HOME PEST CONTROL

(((BACK PANEL)))

under rafters; contacting as many pests as possible. Repeat as needed. For **BEDBUGS** and LICE; spray mattresses; particularly around tufts and seams. Take the bed apart and seams. Take the bed apart and spray into all joints. Treat baseboards; moldings; and floors. Allow treated fabric to dry thoroughly before use.

COMMERCIAL, INDUSTRIAL and INSTITUTIONAL AREAS, EATING ESTABLISHMENTS, FOOD PROCESSING PLANTS - EDIBLE: Indoor spot treatment. For ANTS BROWN DOG TICK, CARPET BEETLES, COCKROACHES, CRICKETS, DERMESTID BEETLES, EARWIGS, FLEAS, GRAIN MITE, SILVERFISH, SOUBUGS, SPIDERS, STORED PRODUCT INSECTS, apply around baseboards, behind, and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Contact as many pests as possible. For ANTS, spray trails and places where ants enter premises. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. For GRAIN MITE and STORED PRODUCT INSECTS, find and destroy infested package goods. Remove all other items from the pantry. Spray the shelves to kill pests present. Place clean paper on the shelves and return the packages after the shelves have dried. Repeat as needed.

ORDER CODE W-117

