

REREGISTRATION - ALLETHRIN STERIOISOMERS

4

| FCR: | CENOL COMPANY, Barrington, II. 60010 | DATE: 10-3-88 | | |
|------|--|--|----------------|--------------|
| | I (((FRONT PANEL)) | Net Contents: QTS; 1/2 gal. 1 gal. 5 gal. 30 gai. 55 gal. | | |
| | CEN LIQUID PROFESSI | NOL IONAL INSECT KILLER | | |
| | i FOOD PRECESSING PLANTS, SCHOOLS, W | and NON-FOOD and FOOD AREAS of: AREHOUSES; OFFICE BUILDINGS; THEATRES; GARAGES S; KENNELS; and HOSPITALS | | |
| | | | 1 - - | |
| | 0ther isomers **Piperanyl butaxide, techni tN-actyl bicycloheptene dio | ocarboxylic acid ester ethyl-2-cylopenten-1-cne0.163% 0.012% cal0.350% arboximide0.585? | | |
| | • | Tota!: 100.000% | | |
| | *S-bioallethrin from ESBIOL **Equivalent to 0.28% (buty) to 0.07% related compounds fMGK 264; Insecticide Syner fcontains Petroleum Distii | carbityl)(6-propylpiperonyt)either and - gist | 5 30 7 | ; |
| | | ACH OF CHILDREN (12 pt) TION (18 pt) | ', ' | |
| | See side panei for Additional Precautionary Statements. | | | |
| | l Chem-Taxy Inc. Barringtony II. 60010 I | EPA Reg. No. 45385- 90 EPA Est. No. 45385-11-01 | •••• | |
| | ORDER CODE: 0-325 | | •••• | • |
| | | -1- | | ••••• ••• |

÷ .

Not Reviewed. Registrant claims to be in accordance with Peregistration of Posticide Product Guidance for Phase 2 Copulse, Page 2.12, Active to Inert Change in Status.

CENOL LIQUID PROFESSIONAL INSECT KILLER

(((SIDE PANEL)))

PRECAUTIONARY STATEMENTS (12 pt) HAZARDS TO HUMANS & DOMESTIC ANIMALS. (12 pt)

<u>CAUTION</u>: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin or clothing should be avoided. Keep away from food, feedstuffs and domestic water supplies. Bo not allow children or pets to cortact treated surfaces until spray has dried. Remove food before treatement. $p_{1,2}$

In home, food contact surfaces, dishes, and utensils must be washed with an effective cleaning compound followed by a potable water rinse after using this product.

In commercial food handling or storage facilities, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after using this product.

In hospitals, patients should be removed from huppital rooms prior to treatment. Ventilate for 2 hours after treatment. Do not return patients to room until after ventilation.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Do not induce vomiting. Call physician or Poison Control Center immediately. If inhaled - remove victim to fresh air, if on skin - remove contaminated clothing and wash affeted areas of skin with scap and water. Get medical attention if irritation persists. Wash contaminated clothing separate from other laundry. if in eyes - Flush with plenty of water. Get medical attention if irritation persists. NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS (12 pt)

This product is toxic to tish. Do not apply directly to water or wetlands (swamps; bogs; marshes; and potholes). Drift from treated areas may be hazaerdous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the laber, streams or ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on the laber.

PHYSICAL AND CHEMICAL HAZARDS (12 pt)

So not poury usey spill or store near heat or open flame.

DIRECTION FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling

STORAGE & DISPOSAL (12 PT)

00 NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. STORAGE: Avoid storage ... conditions that might alter the composition or usefulness of the pesticide; e.g. temperature extremes, excessive moisture or humidity; heat sunlight; friction or ... contaminating substances or media. Keep pesticide container closed in a cool dry; locked cabinet or room. CENOL LIQUID PROFESSIONAL INSECT KILLER

(((Side Panel)))

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. <u>CONTAINER DISPOSAL</u>: For container one (1) gallon and under: Securely wrap original container in several layers of newspaper and discard in trash. For containers over 1 gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill; or by other procedures approved by state and local authorities.

Terms of Sale or Use on purchase of use of this product:

WARRANTY: Manufacturer and seller warrants that this product; as of the time of sale conforms to the ingredient statement on the label; and is reasonably fit for the purpose set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express of implied. <u>EXCUSE FROM NON-CONTROLABLE CONDITIONS</u>: Because of certain critical conditions created or incurred by buyer or user or over which manufacturer has no control; buyer and user as a condition of purchase or use; assume responsibility for and release manufacturer from; liability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR USE con't. (((BACK PANEL)))

DOMESTIC DUELLINGS - COMMERCIAL, INSTITUTIONAL, and INDUSTRIAL AREAS (edible) - INDOOR Contact & Surface Spray: Apply as a contact and surface spray with a sprayer that will emit coarse wet droplets. For ANTS, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, MILLIPEDES, PSOCIDS, SILVERFISH, SOWBUGS, and SPIDERS, force spray into cracks and crevices in walls and floors, areas at base of machinery, hidden surfaces under sinks, behind cabinets, stoves and refrigerators, around pipes and openings, along baseboards and other pest harbourages. For ANTS, spray trails and all points of entry into building such as doors and window sills. Spray ant nests directly with a soaking application. Repeat as needed. For exposed form of CONFUSED FLOUR BEETLE, LESSER GRAIN BCRER, RICE WEEVIL and SAWTOOTHED GRAIN BEETLE, find and destroy infested packaged goods and remove all other items from pantry. Spray shelves and place clean paper on the shelves and return packages after shelves have dried. Repeat as needed. Space Spray Treatment: For ANTS, CARPET BEETLES (including black carpet beetle); CENTIPEDES; COCKROACHES; CRICKETS; EARWIGS; FLEAS: FLIES (including grats; house fly and mosquitoes); FIREBRATS; MILLIPEDES; MOTHS (including anyoumois grain moth; indianneal moth and webbing clothes moth); FSOCIDS; SOWBUGS, SPIDERS, SILVERFISH, STORED PRODUCT INSECTS (exposed) (including angoundis grain mothy cadelley confused flour beetley indianmeal mothy lesser grain borery rice weevily mediterranean flour moths rice weevils and sawtoothed grain beetle), WASPS: _____ Apply dilutions with mechanical or compressed air sprayer or with fogger that emits droplets of small mass media. Close room and shut off all air conditioning and ventilating equipment. Direct spray upwards towards upper corners of room and reiling. For WASPS, contact pests pests directly with spray. Repeat as needed. For ANGOUMOIS GRAIN MOTH and INDIANMEAL MOTH; pay special attention to areas around stored food product containers and darkened areas. Vacate room and leave closed for 15 minutes. For undiluted cold fog; allow room to stay closed for 0.5 hour. Ventilate thoroughly prior to reentry. Sweep up and destroy fallen pests. Repeat as needed.

-3-

P3 HC M

CENOL LIQUID PROFESSIONAL INSECT KILLER

(((BACK PANEL)))

•

.

CONTENTS TREATMENT: Before applying this product; test for possible spotting or discoloration of fabric or carpet. For BED BUGS; spray mattresses thoroughly; especially around seams and tufts. Spray bedstand; baseboards; floor boards; and wall crecks and crevices. Allow spray to dry before contact. Repeat frequently. For CARPET BEETLES; directly spray as many pests as possible. Spray both interior and exterior of upholstered furniture. Both top and undersides of rugs and carpets should be sprayed thoroughly.

PET SLEEPING QUARTERS:

BROWN DOG TICK; FLEAS: Remove and destroy animals' bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Repeat as needed. Do not spray animals directly.

