

PM 13

45385-94

1064

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 12 1995

Until Reregistration

IGUANA

160 / 18
5489750

Chem-Tox
481 Scotland Road
McHenry, IL 60050

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 45385-94"

b. Under the Statement or Practical Treatment for the caption "If on Skin" delete ".....if irritation persists". A toxicity category II classification for skin exposure of the concentrate requires medical attention.

c. Under Environmental Hazards, delete the wording "For terrestrial uses".

CONCURRENCES

SYMBOL	AM						
SURNAME							
DATE							

d. Add feed to food e.g. food/feed to the following sentence: " Do not use in food areas of food handling establishments.....etc."

3. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

IGUANA[®]

CRACK AND CREVICE, SPOT SPRAY FOR RESIDUAL
COCKROACH CONTROL

FOR RESIDUAL AND CONTACT CONTROL OF COCK-
ROACHES (WATERBUGS), CRICKETS, SILVERFISH (FIRE-
BRATS), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS
(PILLBUGS), SPIDERS, ANTS, FLIES, MOSQUITOES, GNATS,
SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACK-
ETS AND BEES.

Iguana CONTAINS 2.14 POUNDS ACTIVE INGREDI-
ENT PER GALLON

FOR INDUSTRIAL/INSTITUTIONAL/COMMERCIAL USE ONLY

ACTIVE INGREDIENT:

Cypermethrin
(±)α-cyano-(3-phenoxyphenyl) methyl (±)-cis,
trans-3-(2,2-dichloroethenyl)-2,2-
dimethylcyclopropanecarboxylate* . . . 26.0%

INERT INGREDIENTS: 74.0%
100.00%

*Cis/trans ratio: 45/55 at 10.

†Contains Xylene Range Aromatic Solvent.

Iguana is a registered trademark
of CTX.

Please read the entire label before using this product.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no
use este producto hasta que la etiqueta le haya sido explicada
ampliamente.

(TO THE USER: If you cannot read English, do not use this
product until the label has been fully explained to you.)

EPA REG. NO. 45385-93

EPA EST. NO. 45385-IL-1

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Side Panel For Additional
Precautionary Statements

NET CONTENTS

ACCEPTED
with COMMENTS
by EPA Letter Dated

OCT 12 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
45385-94

IGUANA[®]

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center for anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

NOTE TO PHYSICIAN: Inducing vomiting as first aid for this substance may cause chemical pneumonia or pulmonary edema caused by aspiration of the substance. Vomiting should be induced only under professional supervision.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

WARNING

Causes substantial but temporary eye injury. Causes skin irritation. Causes respiratory irritation. Causes irritation of clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed. Avoid breathing spray. Wash thoroughly with soap and water. Wash contaminated clothing and wash before reuse.

Environmental Hazards

This product is extremely toxic to fish. Do not contaminate water bodies, streams, washwaters. For terrestrial uses, do not apply directly to any body of water where water is present or to intertidal areas below the mean high water mark. Follow directions on this label. Care should be used when spraying to avoid fish and birds. Cover fish tanks before spraying.

Physical Or Chemical Hazards

Do not use or store near heat or open flame. Flashpoint 140°F Min. Do not use in electrical conduits, motor housings, junction and switch boxes or other electrical enclosures. Shock hazard. Do not use on surfaces that can be harmed or stained by this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the directions on the label.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open containers should be reused. Do not reuse empty container.

Storage: Store product in original container and keep container closed. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor, sand, earth or synthetic absorbent, remove to chemical waste area.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by the directions on the label, contact your State Pesticide or Environmental Control Agency, or the nearest EPA Regional Office for guidance.

recycling or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.
 Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
CONTAINERS LESS THAN ONE GALLON: Wrap container in several layers of newspaper and discard in trash.

NOT FOR USE IN USDA MEAT AND POULTRY PLANTS.

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Nonfood areas are areas such as garbage room, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms (after canning and bottling).

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. **PERMITTED AREAS OF USE INCLUDE** industrial buildings, houses, apartment buildings, laboratories, greenhouses, and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, aircraft, schools, nurseries, day camps, lath houses, seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. **IN HOSPITALS:** patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, and boxcars. Also for use in dog kennels and horse stables. **IN HORSE STABLES:** not for application if horses will be used for food.

Teguna insecticide is intended for dilution with water for spray application.

Fill sprayer with the desired volume of water and add Teguna insecticide. Close and shake before use in order to insure proper mixing. Shake or reagituate sprayer before use if spraying is interrupted. Make up only as required; repeat treatments when needed.

Pests	Concentration of Active Ingredient	Dilution Rate
Ants, Flies, Centipedes Millipede, Cockroaches Pillbug, (Maintenance), Silverfish Crickets, Sowbugs, Firebrats Gnats, Earwigs, Mosquitoes	0.1%	1/2 fl. oz. per 1 gal. water
Bees, Hornets Cockroaches (Clean-out), Yellow Jackets, Wasps Spiders, Small Flying Moths	0.2%	1 fl. oz. per 1 gal. water

COCKROACHES, SPIDERS, CRICKETS, SILVERFISH AND FIREBRATS: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices.

ANTS: To kill *Ants* within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. Repeat as necessary.

Do not allow children or pets to contact treated surfaces until the spray has dried.

WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

SOWBUGS, PILLBUGS, MILLIPEDES, EARWIGS, AND CENTIPEDES: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to barrier treatment directions to prevent infestation.

FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS: Apply directly to walls, ceilings, window screens, and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds.

OUTDOORS

Do not apply this product to edible crops.

ANTS, BEES, CENTIPEDES, COCKROACHES, CRICKETS, FIREBRATS, MILLIPEDES, SILVERFISH, SOWBUGS, SPIDERS, FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKETS. Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages in either hand or power sprayer. Treat other areas where these pests are found.

BARRIER TREATMENT: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

CTX, Inc.
 481 Scotland Rd.
 McHenry, IL 60050

[Handwritten signature]
 7/20/70