

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to any body of water, or to any area where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets by removing pets and covering fish tanks before spraying.

### PHYSICAL and CHEMICAL HAZARDS

Do not use or store near heat or open flame. Flashpoint 140°F. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage of disposal. Open dumping is prohibited. Do not reuse empty container. **PESTICIDE STORAGE:** Store product in original container and keep container closed when not in use. Do not store new food or feed. Protect from freezing. **In case of spill or leak** on floor or paved surfaces, soak up with sand, earth or synthetic absorbent and dispose of, as follows. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office, for Guidance. **CONTAINER DISPOSAL:** **Metal containers:** Triple rinse, (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. **Plastic containers:** Triple rinse, (or equivalent). Then offer for reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. For containers less than one gallon: **IF EMPTY:** Do not reuse container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local waste agency or 1-800 CLEANUP for disposal instructions. *Never place unused product down any indoor or outdoor drain.*

**NOT FOR USE IN USDA MEAT AND POULTRY PLANTS:** Do not use in food / feed areas of food / feed handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas, are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils surfaces should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage rooms (after canning and bottling).

**FOR RESIDUAL PEST CONTROL IN AND ON:** buildings and structures and their immediate surroundings and on modes of transport. **PERMITTED AREAS OF USE INCLUDE:** Industrial buildings, houses, apartment buildings, laboratories, and the nonfood / feed areas of stores, warehouses, vessels, railcars, trucks, trailers, aircraft, schools, day camps, seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals; **IN HOSPITALS,** patients should be removed prior to treatment of rooms. Treated rooms must be thoroughly ventilated for 1/2 hour before patients are returned. IGUANA® is also for use in campers, mobile homes, buses, automobiles, and boxcars. Also for use in dog kennels and horse stables. **IN HORSE STABLES:** Not for application if horses will be used for food. (EPA-ama-10-30-03)

# IGUANA®

## CRACK AND CREVICE SPOT SPRAY FOR RESIDUAL COCKROACH CONTROL

EPA REG. NO. 45385-94 EPA EST. NO. 55-OH-01

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, (WATERBUGS, CRICKETS, SILVERFISH, (FIREBRATS), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS, (PILLBUGS), SPIDERS, ANTS, FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKETS AND BEES.

### KEEP OUT OF REACH OF CHILDREN WARNING

**STOP: Read Label Before Use**

See side panels for additional Precautionary Statements.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya explicado amplimente.

#### ACTIVE INGREDIENT:

Cypermethrin\*\*CAS # [52315-07-8] - - - 26.0%  
OTHER INGREDIENTS \* - - - - - 74.0%  
\*\* Cis/Trans ratio :45/55 ± 10 Total 100.0%  
\* Contains Xylene range aromatic solvent.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

**WARNING:** Causes substantial but temporary eye damage. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed or absorbed through the skin or inhaled. Avoid breathing spray mist. Do not allow anyone, children or pets to contact treated surfaces until the spray has dried. Wash thoroughly with soap and water after handling. See FIRST AID.

#### FIRST AID

**IF SWALLOWED:** Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment.

You may also call the **HOT LINE 1-800-858-7378** for emergency medical treatment advice.

\* **NOTE TO PHYSICIAN:** Inducing vomiting as first aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

## Net Contents: 1 Gallon / 3.785 Liters

ACCEPTED

DEC - 5 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 45385-94

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. IGUANA® insecticide is intended only for dilution with water as indicated in the below chart for spray applications. Fill sprayer with the desired volume of water and then add IGUANA® insecticide. Close and shake before use in order to insure proper mixing. Shake or re-mix spray before use, if spraying is interrupted. Make up only the amount of spray as required. Repeat treatments when needed. Do not allow anyone, children or pets, to contact treated surfaces until the spray has dried.

PESTS	Concentration of Active Ingredients	Dilution Rate Iguana / water
Ants, Flies, Centipedes Pillbugs, (Maintenance) Silverfish, Crickets Sowbugs, Firebrats, Gnats Earwigs, Mosquitoes	0.1%	1/2 Fluid Ounce per 1 Gal. of Water
Bees, Hornets, Cockroaches (Clean-out), Yellow Jackets, Wasps, Spiders, Small Flying Moths	0.2%	1 Fluid Ounce per 1 Gal. of Water

#### INDOORS:

**COCKROACHES, SPIDERS, CRICKETS, SILVERFISH AND FIREBRATS:** Mix as per above chart and apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices.

**ANTS:** To kill Ants within buildings and homes, mix as per above chart and spray trails, nests and points of entry. Spray directly on ants where possible. Repeat as necessary. Do not allow children or pets to contact treated surfaces until the spray has dried.

**WASPS, HORNETS, YELLOW JACKETS, BEES:** Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible, Repeat as necessary.

**SOWBUGS, PILLBUGS, MILLIPEDES, EARWIGS, and CENTIPEDES:** Apply around doors and Windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRIER TREATMENT directions to prevent infestations.

**FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS:** Mix as per the above chart and apply directly to walls ceilings, window screens, and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds.

#### OUTDOORS:

Do not apply this product to edible crops. **ANTS, BEES, CENTIPEDES COCKROACHES, CRICKETS, FIREBRATS, MILLIPEDES, SILVERFISH SOW BUGS, SPIDERS, FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKETS.** Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages in either hand or power sprayer. Treat other areas where these pests are found.

**BARRIER TREATMENT:** To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet Wide around and adjacent to the building. Also treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with Directions for Use and Precautions on this label.

**IGUANA**  
GENERAL  
P.O. Box 473  
Twinburg, OH 44887

45385-94

12/05/2003