
45385-98





### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. H.R. McLane Agent for CTX Cenol Corporation C/O H.R. McLane Inc 7210 Red Road, Suite 206A Miami, FL 33143-5321 MAR 6 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated December 30, 2008 for:

## EPA Registration 45385-98 Cenol 0.25% Multipurpose Insecticide

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

	United St ironmental Pro Washington, I	otection Ag	jency		X	Registra Amendr Notificat	nent	EP Registra <b>4538</b>	tion. No.
Application for	or Pesticide	e Secti	on I PR	NOTICE 2	:007·	4 Notific	ation Pa	te:Dec.3	0, 2008
Company / Product N Company Product N	45385-9		D	EPA Produc <b>r. Linda</b> Imber - 1		-		oposed Clas	ssification Restricted
<b>CENOL 0.25%</b> <b>5.</b> Name and address	6 MULTIPURI	POSE INS	ECTICID	E				FIFRA Sect	]
CTX Cenol C P.O. Box 472		iuue zip coue	· • •				ntical in cor	mposition and	labeling
Twinsburg, Ol	•			Reg. No. —	N/A		-	AR 6 200	
Спеск	if this is a new addr		Section I		N/A			• 	
Amendment- E	xplain below (	۱.	)		nted I	_abels in re	esponse to	)	
- Resubmission in r	esponse to Agency	Letter Dated:		Ме Тоо	Appl	ications,			
X Notification -Ex	plain BelowCompli	ance with PR	N 2007.4				Ot	ner Explain b	below
2007-4 NOTIFICAT his product. Thank		our cover le	Section I	-					
Material This Product will be	packaed in:								
Child Resistant Packaging	Unit Pack	aging	Water Solution	uble Packag	jing	2.	vpe of Con - X		Poly Linea
X No	If "Yes" Unit Packaging Wgt	No. Per Container	L X No If "Yes" Package Wgt	No. Per Containe			· •	Glass Paper	uorine treated
Certifiction must be submitted Date:		<b>4.</b> Size(s) Retail					x cation of labe	Other "E	BAREX"
S_Location of Net Contents Inf X Label X	Container		1 Gal.		<b>-</b>	- On Lab		<sup>'</sup> .	
Manner in which label	is Affixed to Product	X Lithog X Pape	r Glued	Oth	er				<u></u>
		1	Section I	V					
Contact Point (Comple	and the second			o be conta	cted	if necess		the second s	
Name: H. R. McLan 7210 Red Rd. suite		L 33143	<sup>1</sup> Scm	305-661- X Cenol (			1 '	No. ( Include -800-321-34	
I certify that the statements I ha I acknowledge that any false o both under applicable law.	ave made on this form an r miskeading staterment n	Certific d all attachments th nay be pnishable by	nereto are true, ac	curate and cor nent or	npiete	<b>),</b>		6. Date App receive (Star	lication d nped)
2. Signature: By. H. R. McL	ane HEMY	ene 3.	Title	Agen	t				
4. Typed Name of registran Mr. Bart Baker,	; Vice Preside		Date			12-3	0-08		·
CTX Cenol Cor	poration								
EPA Form 8570-1 (Rev. HRM, In	nc. 2003)			ί Ν.		White - EPA	File copy (or	nginal) Yellov	v - Applicant

2/7

# H. R. McLANE, INC.

page 2 of 7



7210 Red Road, Suite 206A - Miami, Florida 33143-5321 U.S.A. Phone 305 661 1706 - Fax 305 661 3036 - E-Mail Hrmclaneinc@bellsouth.net Consulting in EPA Regulatory Affairs FIFRA Licensing & Registrations - Since 1948

DEC. 30, 2008

DR. LINDA D'LUISE; PM-13 DOCUMENT PROCESSING DESK (PRN-2007-4-NOTIFICATION) OFFICE OF PESTICIDE PROGRAMS (7504 - P) ENVIRONMENTAL PROTECTION AGENCY 1200 PENNSYLVANIA, AVE. N.W. WASHINGTON, D. C. 20460-0001

PHONE703-305-5428FAX703-305-6596

Subject: NOTIFICATION: TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4. Registrant: <u>CTX CENOL INCORPORATED; EPA EST. NO. 45385-OH-1</u>

P.O. BOX 472 - TWINSBURG, OH 44087 <u>CO. CONTACT: MR. BART BAKER; VICE PRESIDENT.</u> Product: <u>"CHEMTOX CENOL 0.25% MULTIPURPOSE INSECTICIDE</u> <u>EPA REG.NO.45385-98</u>

DEAR DR. D'LUISE:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 AS FOUND IN THE LEFT COLUMN OF THE ENCLOSED 1 PAGE DRAFT LABEL PAGENATED AS 4 OF 4 IN THIS DOSSIER. THE LAST EPA REVIEWED NOTIFICATION LABEL OF JUNE 30, 2004 IS USED AS THE BASE LABEL FOR THIS "NOTIFICATION".

PAGE INDEX ..... 1 COVER LETTER to: DR. LINDA D'LUISE. ....PM-13.... 2 1 COPY OF EPA FORM 8570-1 EPA REG. NO. 45385-98.. 3 1 COPY, AS REQUIRED, OF 4 PAGE DRAFT LABEL ..... 4,5,6,7

-----> CERTIFICATION FOR THIS NOTIFICATION ...... "This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the terms of 40 CFR 156-10, 156.140 156.144M 156.146M 156. this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Sincerely H. R. MCLANE, INC. Jone R. McLane, .. Agent for

MR. BART BAKER - VICE PRESIDENT. HRM/nb/ encl: as above. cc/BB/CTXCENOL

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. Food utensils such as teaspoons and measuring cups should not be used for food after using with insecticides. SHAKE WELL BEFORE USING

## FOR INDOOR RESIDENTIAL

HOUSEHOLD PESTS: For spot application only. Do not use as a space spray indoors, "Ready to use". Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SURFACE SPRAYING.

FOR 60 DAY (TWO MONTHS) CONTROL OF COCKROACHES, WATER BUGS, PALMETTO BUGS. SCORPIONS, MILLIPEDES, CENTIPEDES, SOWBUGS, PILLBUGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRA-NARY WEEVILS. RICE WEEVILS. CONFUSED FLOUR BEETLES. RUST RED FLOUR BEETLES, DRUGSTORE BEETLES, MEAL WORMS, GRAIN MITES AND CADELLES: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray ant trails, nests and points of entry.

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment in 1 weeks if required.

#### TO CONTROL BEDBUGS:

Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment the next day if required. Allow all surfaces to thoroughly dry before remaking bed.

#### TO CONTROL FLEAS; (ADULTS and LARVAE) and TICKS: (ADULTS and LARVAE):

Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal guarters following treatment. Repeat treatment the next day if required. Allow to dry thoroughly before allowing pets to contact treated areas.

TO KILL LICE AND LOUSE EGGS: Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Allow all treated particles to dry thoroughly before use.

PR NOTICE 2007-4-rev. NOTIFICATION VERSION Order Code 0-312

# CHEMotox \*\*\* **CENOL 0.25% MULTI PURPOSE INSECTICIDE** • FOR DOMESTIC USE INDOORS and OUTDOORS

•FOR LIVESTOCK AND PREMISE USE ..... READY-TO-USE •FOR CONTROL OF HOUSEHOLD PESTS.

- •FOR CONTROL OF FLEAS & BROWN DOG TICKS AND LICE ON PREMISES AND ON DOGS.
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS.
- FOR CONTROL OF PESTS ON LIVESTOCK.
- With COUNTRY FRESH FRAGRANCE.
- PROVIDES 60 DAY (TWO MONTHS) CONTROL OF FLEAS.
- PROVIDES 60 DAY (TWO MONTHS). CONTROL OF STORED PRODUCT PESTS.
- Dilute for use on vegetables, and fruit, and nut trees, ornamental trees, and pests on the outdoor surfaces of buildings.

AND THE ATTONY KEEP OUT OF REACH OF CHILDREN See side panels for additional Precautionary Statements. STOP: Read Label Before Use

ACTIVE INGREDIENT:

	6 [52645-53-1]	
OTHER INGREDIENTS:	· · · · · · · · · · · · ·	<u>99.75%</u>
TOTAL :		100.00%

## EPA REG. NO. 45385-98 EPA EST. NO. 45385--OH-01 PET USE APPLIES TO USE ONLY ON DOGS

### PRECAUTIONARY STATEMENTS

#### **Environmental Hazards**

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water.

## STORAGE AND DISPOSAL

Do not contaminate water when disposing of equipment washwaters. <u>STORAGE</u>: Store this product in its original container in a dry, cool, secured area out of reach of children. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

PESTICIDE DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions. Wastes resulting from the use of this product may

be disposed of on site or at an approved waste disposal facility. <u>CONTAINER DISPOSAL</u> IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outopor drain. <u>SPL-1</u> In case of shill, absorb liquid with absorbent material such as soil or clay etc. Flace absorbed spill in a labeled container and dispose descerding to BEST(2) DE DESOS 1. dispose and ended container and dispose of according to PESTICIDE DISPOSAL directions above.

#### PRODUCT BATCH CODE NO.

Net Contents: 1 Qt.; 1 Gal / 3.785 Liters CTX CENOL INC. P.O. BOX 472 · TWINSBRUG. OH 44087

#### LAVELUNIL I VIT 4 **DIRECTIONS FOR USE continued**

## LIVESTOCK PESTS

Ready To Use. Affix trigger, pump or other type spray head to container or use a clean sprayer for application. ON LIVESTOCK. To protect cattle (beef and dairy), goats, sheep, hogs, and horses from Horn Flies, Face Flies, House Flies, Mosquitoes, and Gnats, apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eves.

TO CONTROL STABLE FLIES, HORSE FLIES, AND DEER FLIES: Apply at a rate of 2 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

TO CONTROL BLOODSUCKING LICE, Apply to the in-fested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

## FOR POULTRY INSECTS

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roost poles, cracks in walls, and cracks in nests where the Bedbugs and Mites hide.

## FOR INSECT PESTS ON DOGS

6 200g ON DOGS ONLY: TO CONTROL FLEAS, TICKS, AND LICE: Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Ready To Use. Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under body. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure the spray wets thoroughly, but do not saturate animal. Avoid contact with genitalia. Repeat application every two weeks if necessary. DO NOT USE ON CATS OR KITTENS.

## FOR USE OUTDOORS

#### TO HELP CONTROL TICKS IN OUTDOOR ACTIVITY

AREAS: Ready To Use. Affix trigger, pump, or other type sprayer to container for application. Do not transfer to another container. Treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

PESTS ON THE OUTDOOR SURFACES OF BUILDINGS

Ready-To-Use. To temporarily control House Flies, Mosquitoes, Cluster Flies, Gnats, and Flying Moths. For outdoor use only as an aid in reducing annoyance from these in-sects. Spray pests on outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary. Flush spraver with clean water after each use.(12-30-08)

Page 4 of 7

11-5

# **CENOL 0.25% MULTIPURPOSE INSECTICIDE**

EPA REG. NO. 45385-98 EPA EST. NO. 45385--OH-01

A.A.A.

# FOR HOME VEGETABLE GARDENS

Dilute before using. Use A clean sprayer. Carefully measure and mix 1 fluid ounce of Cenol 0.25% Multipurpose Insecticide and 12 fluid ounces of water; (equal to 11 fluid ounces in 1 gallon of water). Spray upper and lower leaf surfaces as directed. Use sufficient spray to obtain full coverage of all foliage, but do not spray to the point of runoff. Apply no more than 13 ounces of dilute mixture per 100 linear feet of row; (13 ounces of diluted mixture per 100 square feet.) Flush sprayer with clean water after each use.

VEGETABLE	TARGET PESTS	REMARKS
Asparagus (pre-harvest)	Cutworms, Asparagus beetle	Sprays plants as needed to ensure uniform cov- erage. Do not make more than 4 applications. Can be applied up to 3 days prior to harvest
Asparagus (post-harvest)	Larval stages of asparagus beetle; tarnished plant bugs, lygus bugs and adult Japanese beetles.	Treat fern or bush growth after spear harvest when insects are present.
Celery see below: Leafy Vegetables		
Broccoli, Brussels Sprouts, Cabbage, Cauliflower.	Beet armyworm; diamond back moth; imported cabbageworm; cabbage aphid, cabbage looper.	Apply every 5 days or as needed. Can be applied up to one day prior to harvest Do not make more than 10 applications on cabbage and not more that 8 applications on Broccoli, Brussels Sprouts, & Cauliflower per season.
Corn - see Sweet Corn below.		
CUCURBITS: Balsam pear, (bitter melon), Chinese waxgourd (Chinese preserving melon), citrus melon, cucumber, Gherkin, Edible gourds. Melons Including hybrids such as cantaloupe, casaba, Crenshaw, honeydew, honey balls, mango melon, muskmelon, and Persian melon, pump- kin, summer & winter squash ,watermelon.	Aphids, cabbage loopers, cucumber beetles (adults), cutworms, leafhoppers, Leafminers, melon worms, pickleworms, plant bugs, and squash bugs.	Spray plants as needed to ensure uniform cov- erage. Do not make more than 8 applications per crop. Can be applied up to the day of harvest.
Eggplant	Colorado potato beetles, vegetable leafminers.	Spray plants as needed to ensure uniform cov- erage. Do not make more than 16 applications. <del>Can be applie</del> d up to 3 days prior to harvest.
Horseradish	Imported crucifer weevils	Spray as needed. Do not make more than 3 fo- liar applications. Can be applied up to 22 days prior to harvest.
LEAFY VEGETABLES: Amaranth, arugula, celery, lettuce, chervil, corn salad, chrysanthemum, (edible-leaved and gar- land) cress (garden and upland), dandelion, dock, endice, fennel, lettuce (head & leaf) orach, parsley, purslane (garden and winter), rhubarb, Spinach. Swiss chard,	Alfalfa loopers, aphids, beet armyworms, cah- bage looper, corn earworms, cutworms, Euro- pean corn borer, fall armyworms, green cloverworm, southern armyworms, tobacco budworms, vegetable leafminers.	Spray every 5 to 10 days as needed. Do not make more than 7 applications per crop. Can be ap- plied up to 1 day prior to harvest.
Melons - See Cucurbits		Page 5 of 7

 $\gamma/_{O}$ 

Label unit 2 o 4

VEGETABLE	TARGET PESTS	REMARKS
Potatoes	Beet armyworms, Colorado Potato beetles, po- tato beetles, potato leafhoppers. potato aphids, Potato tuberworms, cabage loopers, cutworms, European corn borers, potato psyillids, tar- nished plant bugs.	Spray plants as needed. Do not make more than 12 applications per season. Can be applied up to 7 prior to harvest.
Peppers	Vegetable Leafminers, Cabbage loopers, Flea Beetles, Corn earworms, southern armyworms, pepper weevils, European Corn Borers.	Spray plants as needed. Do not make more than 8 applications per season. Can be applied up to 3 days prior to harvest.
-Sweet Corn	Corn earworms, European Corn Borer, Fall ar- myworms, Southern Armyworms.	Spray plants every 5 day's and when needed. Do not make more than 6 applications per sea- son. Can he applied up to 1 day prior to har- vest.
Tomatoes: Do not spray on cherry tomatoes and	Beet and southern armyworms, Tomato pin- worms, tomato fruitworms,hornworms, granulate cutworms, Colorado Potato beetles,	Spray plants when needed for uniform cover- age. Do not make more than 6 applications per season. Can be applied up to date of harvest.
varieties yielding tomatoes less than one inch in diameter. HOM	Cabbage loopers. E OWNER GROWN FRUIT AND NUT 1	REES
Inch in diameter. <u>HOM</u> Dilute before using. Use a clean sprayer. Car of water). Apply dilute mixture to trees until f sprayer with clean water after each use.	Cabbage loopers. E OWNER GROWN FRUIT AND NUT 1 refully measure and mix 1 fluid ounce in 12 fluid oz.'s ollage is dripping wet. Make sure to spray the under	s of water; (equal to 11 fluid ounces in 1 gallon ersides of leaves and into dense foliage. Flush
Inch in diameter. <u>HOM</u> Dilute before using. Use a clean sprayer. Car of water). Apply dilute mixture to trees until f sprayer with clean water after each use. <u>TREES</u>	Cabbage loopers.     E OWNER GROWN FRUIT AND NUT 1     refully measure and mix 1 fluid ounce in 12 fluid oz.'s     follage is dripping wet. Make sure to spray the under     TARGET PESTS	s of water; (equal to 11 fluid ounces in 1 gallon ersides of leaves and into dense follage. Flush REMARKS
Inch in diameter. <u>HOM</u> Dilute before using. Use a clean sprayer. Car of water). Apply dilute mixture to trees until f sprayer with clean water after each use.	Cabbage loopers. E OWNER GROWN FRUIT AND NUT 1 refully measure and mix 1 fluid ounce in 12 fluid oz.'s ollage is dripping wet. Make sure to spray the under	s of water; (equal to 11 fluid ounces in 1 gallon ersides of leaves and into dense foliage. Flush
Inch in diameter. <u>HOM</u> Dilute before using. Use a clean sprayer. Car of water). Apply dilute mixture to trees until f sprayer with clean water after each use. <u>TREES</u> Fruit or Nut	Cabbage loopers.     E OWNER GROWN FRUIT AND NUT 1     refully measure and mix 1 fluid ounce in 12 fluid oz.'s     ollage is dripping wet. Make sure to spray the under     TARGET PESTS     Navel orange worms,	s of water; (equal to 11 fluid ounces in 1 gallon ersides of leaves and into dense foliage. Flush <b>REMARKS</b> Apply when insects appear. Do not make more than 2 applications during the period when the outer hull of the almond has started to open. Do not make more than 5 applications per sea- son. Can be applied up to 7 days prior to
Inch in diameter. HOM Dilute before using. Use a clean sprayer. Car of water). Apply dilute mixture to trees until f sprayer with clean water after each use. TREES Fruit or Nut Almonds	Cabbage loopers.     E OWNER GROWN FRUIT AND NUT 1     refully measure and mix 1 fluid ounce in 12 fluid oz.'s     ollage is dripping wet. Make sure to spray the under     TARGET PESTS     Navel orange worms, peach twig borers,     plum curculio, red bannded leaf rollers, rosyapple aphids, spotted tentiform leaf miners, rarnished plant bugs, white apple leafhoppers, oblique banded leafrollers, green fruit-	s of water; (equal to 11 fluid ounces in 1 gallon ersides of leaves and into dense foliage. Flush REMARKS Apply when insects appear. Do not make more than 2 applications during the period when the outer hull of the almond has started to open. Do not make more than 5 applications per sea- son. Can be applied up to 7 days prior to harvest. Apply when insects appear. Repeat as required to maintain control. Do not make more than 3 applications per season. Do not apply after

Contraction of the second

Page 6 of 7

#### EPA REG. NO. 45385-98 EPA EST. NO. 45385--OH-01

## **OUTDOOR APPLICATIONS**

#### **ORNAMENTAL FLOWER GARDENS:**

Ready To Use. Affix trigger, pump or other type spray head to container or use a clean sprayer for application. For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles, hit by spray as well as "Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites, and Leafminers.

May be used on plants as a multipurpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marlgolds, rhododendrons, roses, rubber plante, snapdragons, stocks, wandering Jew and zinnias.

Effective when used as directed against "Whiteflies, Aphids, Spiders' and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth.

Do not spray plants when temperatures exceed 90'F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

#### **ORNAMENTAL TREES AROUND THE HOME**

Dilute before using.

Use a clean sprayer. Carefully measure and mix 1 fluid ounce of Cenol 0.25% Multipurpose Insecticide and 12 fluid ounces of water; (equal to 11 fluid ounces in 1 gallon of water). Using dilute mixture, use sufficient spray to obtain full coverage of all foliage.

Avoid heavy wetting. Use to control: Pine Moths, Pine Needle Miners, Pine Beetles, and Needle Scales on pine: Budworms on conifers; Oakworms on oak, Fall Webworms on cherry, elm and honeysuckle; Aphids on tulip poplar; Citrus blackflies on non-bearing citrus; Tussock Moths on Douglas and grand Firs; Elm Leaf Beetles and Elm Spanworms on elms.

Flush sprayer with clean water after each use.

# CONDITIONS OF SALE:

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully, however it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of CTX CENOL INC. All such risks shall be assumed by the user or buyer. Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of CTX CENOL INC. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein.

CTX CENOL INC. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, l strict liability or otherwise, shall not exceed the purchase price, or at CTX CENOL INC.'s option, the replacement of the product.