## Biotech 300

11 4

**ACTIVE INGREDIENT:** 

Potassium dimethyldithiocarbarnate INERT INGREDIENTS .

12.5% 87.5%

This product contains 1.1 lb. of active ingredient per gallon and weighs 8.77 lb. per gallon.

# WARNING KEEP OUT OF REACH OF CHILDREN

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes see damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

**STATEMENT OF PRACTICAL TREATMENT.** In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 nanutes. Get medical attention immediately. If product is swallowed call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Exercises such a 2 teaspoon full f10 mL) of ipecae syrup or 1 teaspoonful (5 mL) of dry multard in warm wat, it to form a paste or even soap in warm water can be used. Repeat until voint field is clear. Then have patient drink plenty of milk, gelatin solution, peaten e.g., whites, flour and water or other nononly demulcent. Never induce voin fine or give anything by mouth to an unconscious person.

Note to physician Probable necessal dimage may contrainidicate gastric lavage ENVIRONMENTAL HAZARDS: This posticide is, toxic to fish. Do not discharge into lakes, streams, perids in public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

### DIRECTIONS FOR USE GENERAL CLASSIFICATION

If v is a vertation of Federal law to use this product in a manner inconsistent with its labeling "

Brotech 300 is used in cooling water systems and industrial alle-washing systems to contion robiological stime. In cooling systems, add 4.7 to 14.2 ft. oz. of Biotech 300 per 1000 gas of water to the cooling tower sump. In air washing systems, add 16.5 to 28.4 ft. oz. of Biotech 300 per 1000 gas of water to water collection trays. Repeat treatments every 1.5 days, or as needed. The required frequency depends on relative amount of bleed and severity of stime problem.

### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open duniping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

### CONTAINER DISPOSAL:

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or dispuse! in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

Manufactured by: Syntech Products Corporation 520 E. Woodruff Toledo, Chio 43624

EPA REG. NO. 45386-4

EPA EST NO.

NET CONTENTS

13