

Dairyman's Chlorine

SANITIZER and DISINFECTANT

AMOUNT TO USE

AVAILABLE CHLORINE P P M	DAIRYMAN'S CHLORINE OUNCES	WATER IN GALLONS
1000	5	3
800	5	4
200	1	3

Consult Stauffer's authoritative literature for instructions.

DEGRADES WITH AGE. USE A TEST KIT AND INCREASE DOSAGE AS NECESSARY TO OBTAIN REQUIRED LEVEL OF AVAILABLE CHLORINE.

WARNING: DANGEROUS IF TAKEN INTERNALLY. DRINK MILK OR RAW EGG WHITE AND CALL A PHYSICIAN. SKIN AND EYE CONTACT CAUSES SEVERE IRRITATION. Avoid contact with skin and eyes. If in contact, Flush Thoroughly With Plenty of Water. For Eyes Flush Thoroughly and Get Medical Attention.

BEST DOCUMENT AVAILABLE

STORE DAIRYMAN'S CHLORINE IN A COOL PLACE. KEEP TIGHTLY CAPPED. RINSE EMPTY CONTAINER WITH WATER AND DISCARD IT.

45447-3



921E-974

Stauffer

CLENES

Dairym Chlor

EPA Reg. No. 478-212

SANITIZER and DISINFECTANT

Especially for milking machines, pipe linings.
Active ingredient: Sodium Hypochlorite 8.25%

WARNING! KEEP OUT OF REACH OF CHILDREN. See precautions on label.
ONE GALLON NET WT.

STAUFFER CHEMICAL
INDUSTRIAL CHEMICAL DIVISION.

Dairyman's Chlorine

SANITIZER and DISINFECTANT

USE

AVAILABLE CHLORINE P.P.M.	DAIRYMAN'S CHLORINE OUNCES	WATER IN GALLONS
1000	5	3
800	5	4
200	1	3

Consult local health authorities for requirements for certain disinfectant use.

ADJUST AGE. USE A TEST KIT AND INCREASE DOSAGE AS OBTAIN REQUIRED LEVEL OF AVAILABLE CHLORINE.

DAANGEROUS IF TAKEN INTERNALLY. DRINK MILK OR RAW EGG WHITE AND CALL A PHYSICIAN. SKIN AND EYE CONTACT CAUSES SEVERE IRRITATION. Avoid contact with skin and eyes. If in contact, Flush Thoroughly With Plenty of Water. For Eyes Flush Thoroughly and Get Medical Attention. STORE IN A COOL PLACE. KEEP TIGHTLY CAPPED. CONTAINER WITH WATER AND DISCARD IT.



476-916

Stauffer

CLENESCO®

Dairyman's Chlorine

EPA Reg. No. 476-2126

SANITIZER and DISINFECTANT

Especially for milking machines, pipe line mixers and pails.

Active ingredient Sodium Hypochlorite 8.25% Inert ingredients 91.75%

WARNING! KEEP OUT OF REACH OF CHILDREN.

BEST DOCUMENT AVAILABLE (See precautions on left panel)

ONE GALLON NET

STAUFFER CHEMICAL COMPANY

INDUSTRIAL CHEMICAL DIVISION, WESTPORT, CT 06880

Scatter

ENESCO® Dairyman's Chlorine

Reg. No. 416-2126

and DISINFECTANT

machines, pipe line milkers and pails.
Sodium hypochlorite 8.25% Inert ingredients 91.75%

OUT OF REACH OF CHILDREN.

(Precautions on left panel)

1 GALLON NET

SOLD BY

CHEMICAL COMPANY

DIVISION, WESTPORT, CT 06880

DIRECTIONS

Clenesco® DAIRYMAN'S CHLORINE is an effective germicide when used as directed. It is the standard disinfectant recommended by many Public Health Authorities. Refer to local or state regulations governing your area.

DAIRY EQUIPMENT

Clean milking machines, pipe line milkers, separators, pails and other equipment and utensils in the normal manner. Just before using, rinse all surfaces thoroughly with 200 p.p.m. DAIRYMAN'S CHLORINE solution. Maintain contact with disinfectant for a minimum of one minute. Do not rinse with water after chlorine treatment. Do not soak overnight.

NON-METAL SURFACES

Tables, shelves, working surfaces and equipment storage areas should be cleaned regularly and disinfected with a DAIRYMAN'S CHLORINE solution of 800 to 1000 p.p.m. Porous materials must be penetrated with solution to reach bacteria embedded beneath the surface. Any food contact surfaces and equipment treated with concentration in excess of 200 p.p.m. of available chlorine must be rinsed with potable water before reuse.

NORMAL USAGE

For most applications, a 200 p.p.m. chlorine solution is recommended to sanitize metal equipment. Health authorities agree proper cleaning and sanitation of milking utensils promotes low bacteria counts. Use Clenesco® DAIRYMAN'S CHLORINE on vats, churns, pipelines, separators and other milk contact surfaces after cleaning and prior to use.

MADE IN U.S.A.

BEST DOCUMENT AVAILABLE

45447-3