

EPA Reg. No. 1935-20

MILDEPROF™

MILDICIDE FOR POSITIVE MILDEW CONTROL

ACCEPTED
June 10 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1935-20, SUBJECT
TO ATTACHED CONDITIONS.

45447-4

ACTIVE INGREDIENTS

bis (tri-n-butyltin) oxide (metallic tin 4.0%)	10.000%
di-A'cyl (57% C ₁₂ , 18% C ₁₀ , 10% C ₈ , 9% C ₆ , 8% C ₄ , 8% C ₂)	8.625%
dimethyl ammonium chloride	8.625%
n-Alkyl (47% C ₁₂ , 18% C ₁₀ , 10% C ₈ , 9% C ₆ , 8% C ₄ , 8% C ₂)	5.750%
dipropoxy tertiary amine	5.750%
n-Alkyl (60% C ₁₂ , 30% C ₁₀ , 5% C ₈ , 5% C ₆)	5.750%
dimethyl benzyl ammonium chloride	5.750%
n-Alkyl (50% C ₁₂ , 30% C ₁₀ , 17% C ₈ , 3% C ₆)	5.750%
dimethyl ethylbenzyl ammonium chloride	5.750%
isopropyl alcohol	5.750%

INERT INGREDIENTS

55.500%
100.000%

USE INSTRUCTIONS: Wash load clean according to suggested formula. In the last operation, use one liquid ounce MILDEPROF per 100 lb of load based upon the dry, clean weight of the linens. (This concentration is equivalent to 1 cc. MILDEPROF per 40 gallons of water.) Do not use in hospital or dinner linens.

SEE TECHNICAL BULLETIN FOR FURTHER USE INSTRUCTIONS.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

KEEP OUT OF REACH OF CHILDREN

35 GALLONS NET

MADE IN U.S.A.

272

STAUFFER CHEMICAL COMPANY
INDUSTRIAL CHEMICAL DIVISION
WESTPORT, CT 06880

DANGER! CORROSIVE

CAUSES SEVERE EYE AND SKIN DAMAGE.

HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Avoid breathing vapor. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Keep container closed. Use with adequate ventilation.

COMBUSTIBLE — Keep away from heat and open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Thoroughly empty container with water & discard.

FOR INDUSTRIAL USE ONLY

LOT NO.

62

PRINTED IN U.S.A.

16