 ••	•	1/3
	E 🕈	•
 t e		
t.		
 e		

N.



Concentrated/Stabilized Pool Chlorinating



KEEP OUT OF REACH OF CHILDREN DANGER See First Aid and Precautionary Statements On Back Panel.

ACCEPTED

JAN 16 2004

45458-19

beer die Feitrichen.

NET CONTENTS: 4 LBS.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Maintain Pool Pro Concentrated Chlorinating Sticks are designed to dissolve slowly (3-7 days) providing a steady source of available chlorine in swimming pools to control the growth of algae, kill bacteria, and destroy organic contaminants. t c t c t c t c

READ THE PRECAUTIONARY STATEMENTS BEFORE USE. METHOD OF APPLICATION:

- Use a floating dispenser, automatic chlorinator or feeder designed for this product, or place in skimmer.
- Use in a new chlorinating device or any device which has previously contained only this product or whose active ingredient is trictoro-striazinetrione. If placed in the skimmer, run the pump a minimum of eight hours daily.
- DO NOT reuse floaters or feeders from other dry chlorinating products.
- DO NOT permit tablets to contact plastic pool linings or metal objects.
- <u>DO NOT</u> throw tablets directly into pool.
- <u>DO NOT</u> use with any other tablets or sticks in the same skimmer, floater, or feeder.
- <u>DO NOT</u> use in any chlorinating device which has been used with any other chlorinating compounds.

WATER BALANCE:

To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH from 7.2 to 7.8, total alkalinity from 90 to 125 ppm, and calcium hardness above 200 ppm. Test frequently using a reliable test kit or strips that measures all these ranges. Make any necessary adjustments promptly with the appropriate products.

ROUTINE CHLORINATINON: Every Week (or as needed): Add one 8oz Stick for each 10,000 gallons of pool water to

maintain chlorine residual at 1-3ppm. Follow "Method Of Application". This dosage may vary depending upon bather load, water temperature and other conditions. Pool should not be entered until the chlorine residual is 1-3 ppm. as measured with a reliable test kit or strip. As a preventative treatment, you should shock treat your pool once per week to prevent pool problems. In addition to weekly shock treatment,

you should shock treat to remedy problems which may occur, when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rainstorms, or if algae does develop with resulting green color and slimy feeling.



SHOCK TREATMENT:

 Adjust pH to 7.2 to 7.4 with appropriate product per label instructions. Shock treat weekly with Maintain Pool Pro Shock Treatment or Maintain Pool Pro Liquid Shock to kill bacteria, control algae, burn out organic materials and to keep water sparkling clear. Follow label instructions.

J Item #4-3804

Manufactured By:
 Baleco International Inc.
 Cincinnati, OH 45211

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTICE ANIMALS:

DANGER: Highly Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or clothing. Wear goggles, face shield, protective clothing and rubber gloves when handling. Wash hands thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

CHEMICAL HAZARDS: DANGER! Strong oxidizing agent!

1. Use only clean, dry utensils.

2. Add only into water.

- 3. DO NOT use this product in any chlorinating device which has been used with any product other than trichloro-s-triazinetrione tablets or sticks as the active ingredient. Such use may cause fire or explosions.
- 4. Contamination with mositure, dirt, organic matter, or other chemicals may start a chemical reaction with generations of heat, liberation of hazardous gases and possible fire and/or explosion. 5. Avoid any contact with a flaming or burning material.

ENVIRONMENTAL HAZARD:

This pesticide is toxic to fish and aquatic organisms.

	FIRST AID
Have the pr or going for	oduct container or label with you when calling a poison control center or doctor r treatment.
lf in eyes	 Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
if inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artifical respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
if swallowed	 Call polson control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the polson control center or doctor. Do not give anything by mouth to an unconscious person.
Note to phy	sican: Probable muscosal damage may contraindicate the use of gastric lavage

STORAGE AND DISPOSAL

Keep product dry in a tightly closed container when not in use. Keep away from heat or open flame. Store in cool, dry, well-ventilated area. If empty: DO NOT reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP For disposal instructions. Never place unused product down any indoor or outdoor drain.

EMERGENCY HANDLING:

In case of contamination or decomposition:

- 1. Do not reseal container.
- 2. If possible, isolate container in open and well ventilated area.
- 3. Flood with large amounts of water.
- 4. Dispose of contaminated material in an approved landfill area.

N