

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 14, 2016

Mr. Robert Rosenwasser Agent For: Baleco International, Inc. RR Consulting Services Inc. 273 Althea Avenue Morrisville, PA 19067

Subject: Notification per PRN 98-10 – Notification of Alternate Brand Names and

Optional Marketing Statement Product Name: Dichlor Granular EPA Registration Number: 45458-20 Application Date: February 25, 2016

Decision Number: 514821

#### Dear Mr. Rosenwasser:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The following alternate brand names have been added to the product record:

- THE PERMA SALT SYSTEM INITIATE
- THE OMEGA SALT SYSTEM BETASAN

Page 2 of 2 EPA Reg. No. 45458-20 Decision No. 514821

If you have any questions, you may contact me at 703-308-8062 or via email at <a href="mailto:fuller.demson@epa.gov">fuller.demson@epa.gov</a>.

Sincerely,

Demson Fuller, Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

EPA Reg. No.: 45458-20

MASTER LABEL-

All text in brackets [XX] is optional and may or may not appear on a final label. All text in braces  $\{XX\}$  is administrative and will not appear on a final label.

# **Dichlor Granular**

## **Alternate Brand Names:**

Maintain Pro Pool Concentrated Pool Chlorinating Granular Aquamate Concentrated Pool Chlorinating Dichlor Granular Maintain Pool Pro Multi-Purpose Shock Maintain Pool Pro Multi-Purpose Pool Shock

Inside Out Dichlor Shock Swim Clear Granular 56

The Pool Place A Great Backyard Brand Easy Shock

The Perma Salt System Initiate
The Omega Salt System BETAsan

## **Active Ingredient:**

Sodium Dichloro-s-Triazinetrione	Dihydrate:99.0%
Other Ingredients	1.0%.
Total	100.0%
Available chlorine	55%
EPA Reg. No. 45458-20	EPA Est. No

# KEEP OUT OF REACH OF CHILDREN DANGER

See First Aid and Additional Precautionary Statements on side panel.

### **FIRST AID**

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If On Skin Or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told

NOTIFICATION

45458-20

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/14/2016

EPA Reg. No.: 45458-20

MASTER LABEL-

All text in brackets [XX] is optional and may or may not appear on a final label.

All text in braces {XX} is administrative and will not appear on a final label.

to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

[In the event of a medical or chemical emergency contact ChemTel, Inc.

North America 1-800-255-3924.1

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Highly Corrosive.

Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Do not breathe dust, vapor or spray mist. Irritating to nose and throat. May be fatal if swallowed. Do not get in eyes, on skin or clothing. Wear goggles, face shield, protective clothing and rubber gloves when handling. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

# PHYSICAL OR CHEMICAL HAZARD STRONG OXIDIZING AGENT.

- [1.] [●] Use only clean, dry utensils.
- [2.] [●] Add only into water.
- [3.] [•] Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (like calcium hypochlorite). Such use may cause fire or explosion.
- [4.] [•] Contamination with moisture, dirt, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and/or explosion.
- [5.] [•] Avoid any contact with a flaming or burning material.

{Environmental hazard statement for end-use products in containers less than 5 gallon liquids}

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is designed to dissolve quickly and completely. This product provides a steady source of available chlorine to control the growth of algae and effectively kill many harmful bacteria.

EPA Reg. No.: 45458-20

MASTER LABEL-

All text in brackets [XX] is optional and may or may not appear on a final label.

All text in braces {XX} is administrative and will not appear on a final label.

## **[DETERMINE POOL CAPACITY:**

To establish Pool Capacity follow this simple procedure:

Square or Rectangular Pools: Multiply length (ft) X width (ft.) X avg. depth (ft.) x 7.5

Oval Pools: Multiply long diameter (ft.) X short diameter (ft.) x 5.9

Round Pools: Multiply diameter (ft.) X diameter (ft.) x 5.9]

# READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.

# **METHOD OF APPLICATION:**

Broadcast the product evenly over a wide area in the deepest part of the pool with the water circulating.

#### **WATER BALANCE:**

Maintain pH at 7.2 to 7.8, total alkalinity between 90 and 125 parts per million for swimmer comfort and crystal clear water. Test frequently using a reliable test kit and make necessary adjustments promptly with appropriate products.

{The following directions are for use in recreational water products. One or more use patterns may appear on a single end use label}

{Directions to be used for routine pool chlorination}

#### FOR POOLS:

Routine Chlorination: Broadcast 3 ounces of this product per 10,000 gallons of pool water every other day or as often as needed to maintain chlorine residual at 1-3 ppm. Pool should not be entered until the chlorine residual is 1-3 ppm as measured with a reliable test kit.

*{Directions to be used for shock treatment}* 

### **SHOCK TREATMENT:**

As a preventative treatment you should shock treat your pool once per week to prevent pool problems. Shock treat weekly with [brand name] Shock or equivalent to kill bacteria, control algae, burn out organic material and to keep water sparkling clear. Follow label instructions. An alternative method is to add 21 ounces of this product per 10,000 gallons of water. Follow method of application directions on this label. If algae is visible, scrub pool surface and vacuum. Repeat treatment the following day if necessary. Do not reenter pool until chlorine residual is 1-3 ppm.

{Directions to be used for spa and hot tub chlorination}

#### FOR SPAS AND HOT TUBS:

Chlorinate: Add 1/2 oz. of this product per 500 gallons of water to the water prior to entry. Wait 5 minutes then check chlorine residual. Residual chlorine must read 2 to 3 ppm. If It does not, add additional dosages until it does. Once the chlorine residual is established in the 2 to 3 ppm range, the spa or hot tub may be entered.

**Maintain:** This product should be added daily or as necessary to maintain 2 to 3 ppm residual chlorine. Frequent checks should be made of the chlorine residual using a reliable test kit. This product should be broadcast over the surface of the water and allowed at least 5 minutes mix time before sampling. Note: Heavy bather usage or the

EPA Reg. No.: 45458-20

MASTER LABEL-

All text in brackets [XX] is optional and may or may not appear on a final label.

All text in braces {XX} is administrative and will not appear on a final label.

use of oils or lotions may increase the chlorine demand of the spa or hot tub resulting in the need for more frequent checks of the chlorine residual.

{Directions to be used for spa and hot tub superchlorination or shock treatment} Superchlorination or Shock Treatment: It Is good practice to superchlorinate each 2 to 4 weeks. To superchlorinate, add 1 oz. of this product for each 500 gallons of water. Thoroughly clean spa, vacuum and cycle through filter. Resume program when chlorine residual reads 2 to 3 ppm.

{For nonrefillable containers}

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

[PESTICIDE STORAGE:] Keep this product dry in its tightly closed container when not in use. Keep away from heat or flame. Store in a cool, dry, well ventilated area.

**[PESTICIDE DISPOSAL:]** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.

**[CONTAINER DISPOSAL:]** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **EMERGENCY HANDLING:**

In case of contamination or decomposition:

- [1.] [●] Do not reseal container.
- [2.] [•] If possible, isolate container in open and well-ventilated area.
- [3.] [•] Flood with large amounts of water.
- [4.] [•] Dispose of contaminated material in an approved landfill area.

Sold by:	
Baleco International, Inc.	
P. O. Box 11331, Cincinnati, OH 45211 USA	
lbs.	
[Made in the USA.]	[Item Number X-XXXX]

EPA Reg. No.: 45458-20

MASTER LABEL-

All text in brackets [XX] is optional and may or may not appear on a final label.

All text in braces {XX} is administrative and will not appear on a final label.

#### OPTIONAL MARKETING STATEMENTS

{Optional marketing statements that may be used with routine pool chlorination}

[Sanitizer for Pools]

[Sanitizer for Swimming Pools]

[For use in vinyl, painted, fiberglass or color plaster surface pools]

[Granular Stabilized Chlorinator]

[Restores water clarity]

[Ideal for pool start-ups]

[Ideal for white plaster pools]

[Ideal for vinyl pools]

[For all pool types]

[For all pool surfaces]

[Quick-dissolving]

[Quick-dissolving stabilized chlorinating granules]

[Quick-dissolving sanitizer and oxidizer]

{Optional marketing statements that may be used with swimming pool shock treatment} [Pool Shock]

[For use in vinyl, painted, fiberglass or color plaster surface pools]

[Granular Stabilized Chlorinator]

[Restores water clarity]

[Ideal for pool start-ups]

[Ideal for white plaster pools]

[Fast-acting granular algae killer]

[Ideal for vinyl pools]

[For all pool types]

[For all pool surfaces]

[Quick-dissolving]

[Quick-dissolving stabilized chlorinating granules]

[Quick-dissolving sanitizer and oxidizer]

{Optional marketing statements that may be used with spa and hot tub chlorination}

[Granular Stabilized Chlorinator]

[For spas and hot tubs]

[Quick-dissolving]

[Fast-acting]

{Other Optional marketing statements}

[The Last Word in Water Chemistry]