

IT IS VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL.
 Multi-purpose cleaner-sanitizer for the dairy and food industry. MSQ-10% is outstanding in its ability to easily and quickly disperse in either hot or cold water and in water up to 1700 ppm of hardness to form a completely uniform solution.

MSQ when used at a 1:500 aqueous dilution (200 ppm active quaternaries) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

MSQ-10% is an excellent bulk milk tank cleaner-sanitizer. Other outstanding uses include milk equipment and cow udder sanitizing.


CLEANING BULK MILK TANKS — As soon as possible after milk has been removed from bulk tank, rinse tank completely with cold water and allow to drain. Place 4 gallons of warm water 120° F in tank and add 1 ounce MSQ to the water in the tank. Scrub tank, mixers and covers and then allow to drain.

SANITIZING MILK EQUIPMENT AND COW UDDERS
 Previously cleaned milking equipment, pails, inflations and tubing should be sanitized prior to milking operations by preparing a 200 ppm solution of active quaternaries by mixing 1 ounce MSQ in 4 gallons of water. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

Use a clean single service towel for each animal to wipe udders with the above sanitizing solution prior to milking.

Never reuse towel or dip used towel back into solution. Always use freshly prepared solutions and non-corrodible utensils.

**CHEM
TECH**



MSQ 10%
 MULTI PURPOSE CLEANER FOR THE DAIRY INDUSTRY
 Concentrated

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₂ , 5% C ₁₆)	5.0%
dimethyl benzyl ammonium chlorides	
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5.0%
Phosphoric Acid	30.0%
INERT INGREDIENTS:	60.0%

EPA Reg. No. 45538-3

EPA Est. No. 29778-TX1

DANGER
KEEP OUT OF REACH OF CHILDREN
 See side panel for first aid and additional precautions. **CONTAINER DISPOSAL:** When empty, rinse out thoroughly with water and destroy by crushing or burying in a safe place.

CHEMICAL TECHNOLOGIES, INC.


9305-E HARWIN HOUSTON, TEXAS 77036

713-988-6494

15

ACCIDENTAL
 JUN 18 1981
 Registered under EPA Reg. No. 45538-3

PRODUCT IN A
 and food in-
 to easily and
 and in water up
 etely uniform
 on (200 ppm
 processing and
 a final potable
 aner-sanitizer
 ment and cow
 on as possible
 nk, rinse tank
 drain Place 4
 d 1 ounce MSQ
 and covers and
 OW UDDERS
 s, inflations and
 operations by
 naries by mix-
 b or dip equip-
 or to beginning
 animal to wipe
 or to milking,
 l or dip used
 lution. Always
 d solutions and
 usils.

Net Contents  1 U.S. Gallon

MSQ 10%

MULTI PURPOSE CLEANER FOR THE DAIRY INDUSTRY

Concentrated

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₂ , 5% C ₁₆)	5.0%
dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	30.0%
Phosphoric Acid	60.0%

INERT INGREDIENTS:

EPA Reg No 45538-3 EPA Est No 29778-TX1

DANGER
KEEP OUT OF REACH OF CHILDREN
 See side panel for first aid and additional precautions. CONTAINER DISPOSAL: When empty, rinse out thoroughly with water and destroy by crushing or burying in a safe place.

CHEMICAL TECHNOLOGIES, INC.
 9305 - E HARWIN HOUSTON, TEXAS 77036
 713 - 988 - 6494 15

When used in Federally inspected meat and poultry establishments, the maximum allowable concentration for use on equipment and utensils is 200 ppm quaternary ammonium chloride or 1 ounce MSQ-10% per 4 gallons of water.

DANGER
KEEP OUT OF REACH OF CHILDREN

ACCEPTED
 JUN 18 1981
 EPA Reg. No. 45538-3

Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin or clothes. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID - Eyes: In case of contact with eyes flush immediately with plenty of water for 15 minutes. Get prompt medical attention.

Skin: In case of contact with skin flush immediately with plenty of water for 15 minutes.

Clothing: Remove and wash contaminated clothing before reuse.

Internal: If swallowed do not induce vomiting. Drink large amounts of fluid and get medical attention immediately.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAGAGE MEASURES AGAINST CIRCULATORY SHOCK. RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

CHEM TECH